



altro

the future is safer with altro

CI/SfB reference
(43) T (U47)

July 2011

Altro Whiterock™ hygienic PVCu wall cladding to Altro resin flooring detail


typical specification (Ref: WF6)

JULY 2011

Altro Whiterock hygienic PVCu wall cladding 2.5mm thick installed over most sound, dry substrates to minimum 100mm height from floor, finished into Altro Whiterock PVCu resin transition joint strip (G834/25) incorporating neoprene seal with minimum 5mm expansion gap

between cladding and centre of web.

If necessary, mechanically fasten lower edge of resin transition strip back to substrate. Install Altro resin flooring (to thickness recommended for type/application) and self covered up to lower front edge of joint transition strip.



for further information or technical advice

tel: 01462 707600 fax: 01462 707504

e-mail enquiries@altro.com or explore www.altro.com