






Items for a complete flooring installation with Altro flooring products.



C7 Cap strip

SKU: C7 Size: 82'

Available in: Black, White / Salt, Dove Gray, Barley, Pepper.



Cap strip - stainless steel

SKU: SSCAP67 Size: 6'7"

Stainless steel cap strip for use with Altro flooring up to 3.0mm thick.




C8 Captile strip

SKU: C8

Size: 8'2"

Available in White/Salt, Barley and Pepper. "H" transition cap w/8mm shelf for ceramic tiles on wall.





20mm mini cove former

SKU: CF20R Size: 6'7" x 0.75"

For use with sheet flooring up to 2.5mm

thick.




Stainless steel corner guard

SKU: CORNER3 | CORNER5

Size: 3" and 5"

Stainless steel corner for protection of external flash coved corners.



C4 Cap strip - H shape

SKU: C4

Size: 6'

Available in White/Salt, Barley and Pepper. Cap w/8mm shelf for PVC/FRP wall panels



38mm cove former

SKU: CF38R

Size: 6'7" x 1.5"

For use with sheet flooring 2.5mm thick and above.




C11 Cap strip - Sheet to quarry

SKU: C11

Size: 6'

Used at the top of quarry tile when flash coving up existing coved quarry tiles.



Gulley angle

SKU: GA25/35

Length: 6'

For use with Altro safety floors 2.0mm - 4.0mm thickness. Available in Black, Storm (Dark Gray), Fog (Light Gray), Russet (Quarry Red) and Tundra.



## Joint cover strip - 50mm

SKU: QCJ50 | Gray - QCJ50/LIGHTGRAY
Thickness: 2.5mm | Size: 2" x 49'
Joint cover strips can be used over some
expansion and construction joints and is heat
welded to Altro safety floors.




## Visedge DS

SKU: VISEDGEDS

Size: 6'7"

Used for butting Altro safety floors to nonweldable products such as quarry tile, epoxy or concrete.



### Gulley edge with reducer

SKU: 20mm - GE25RE (2-2.5mm floors)
30mm - GE35RE (3-4mm floors)
Length: 6" | Size: 20mm and 30mm
Available in Black, Storm (Dark Gray), Fog (Light Gray),
Russet (Quarry Red) and Tundra.



### Joint cover strip - 75mm

SKU: QCJ75

Thickness: 2.5mm | Size: 3" x 49'
Joint cover strips can be used over some expansion and construction joints and is heat welded to Altro safety floors.



## Visedge VR

SKU: VISEDGEVR

Size: 6'7"

Used for butting Altro safety floors to nonweldable products such as quarry tile, epoxy or concrete.



# Rubber flooring adhesive tube

SKU: RFC29

Size: 29 oz. tube

Approx. coverage: Varies based on thickness of product / bead.



### Shower transition trim

SKU: ASF WETTRIM/\*\*

Size: 4.75" x 13'

Shower berm that prevents water egress from wet areas. Cream 01, Light Gray 03, Medium Gray 04 and Light Brown 02.



### Stainless steel plate

SKU: SSPLATE

Gauge: 18ga | Size: 22" x 22" Loose lay metal sheet designed to protect floor from oven heat.



### WSBU 200 vinyl shim

SKU: WSBU200

Vinyl shim use for transitioning smoothly between floors and walls or dissimilar flooring thickness when the transition is to be heat welded.



### **EcoFix™ZERO**

SKU: 2gal - AL\_ZERO2.0 RH value: No moisture limitations Approx. coverage: 180-250ft²/ga 1-part hybrid urethane adhesive.



#### AltroFix™31 adhesive

SKU: 0.5gal - AL310.5 1gal - AL311.0 RH value: Up to 90% RH

Approx. coverage: 150ft² per gallon Fast cure adhesive for repairs.



### EcoFix™ 65 spray adhesive

SKU: EC65

RH value: Up to 98% RH Approx. coverage: 150 - 185ft²

Size: 1ea | 6 per case

For tile and LVT products up to 98% RH.



#### EcoFix™+

SKU: 1gal - ECP1.0 4gal - ECP4.0 RH value: Up to 99% RH

Approx. coverage: 220 - 260ft² per gallon Transitional pressure sensitive adhesive (TPSA).



# AltroFix™ SD70 acrylic adhesive

SKU: 1gal - SD701.0 RH value: Up to 90% RH

Approx. coverage: 80ft² per gallon Static dissipative adhesive (wet set).



### EcoFix™ 35 spray adhesive

SKU: EC35

RH value: Up to 98% RH Approx. coverage: 150 - 185ft²

Size: 1ea | 6 per case

For sheet vinyl up to 98% RH and for dry

environments only.



#### AltroFix™30 adhesive

SKU: 1/2 gal - AL300.5 | 1gal - AL301.0 |
2gal - AL302.0 | RH value: Up to 90% RH
Approx. coverage: 150ft² per gallon
Used with Altro safety floors when installed in wet or semi-wet areas or any floors containing drains.



# Rubber flooring adhesive pail

SKU: RFA4.0

One-part polyurethane adhesive used for installing Altro Ollero.



### AltroFix™ 75 spray

SKU: AL75

RH value: Up to 90% RH Approx. coverage: 32 - 40ft<sup>2</sup>

Size: 15oz

Spray contact adhesive.



Altro Ollero Mat Reducer Strip 10mm

SKU: 10mm - ORS10 12mm - ORS12



Weldrod

SKU: WR\* add color code.
Size 4.5mm
Approx. coverage 165 LF
Colors coordinate w/sheet flooring colors



AltroMastic 100™

SKU: A1M/\* add color code.

Size: 10 oz.

Approx. coverage: 150LF

Available in clear or color to match specific colors.



### AltroFix MP600 adhesive

SKU: MP600 Size: 10.5 oz.

Approx. coverage: 95lft2 at 3/16th bea



## Adhesive-free tape

SKU: XLTape25 Length: 2.8" x 82'

For adhering adhesive-free sheet vinyl in



### Cold Weld

SKU: CEGE\_GREEN

Size: 51ml

Approx. coverage: 65 - 82 LF

Eco-friendly chem weld for smooth sheet.



### SP9500 Platinum

SKU: SP9500

RH value: For Altro Lavencia up to 99% RH

Size: 1 ea | 6 per case

Approx. coverage: 100 - 125ft<sup>2</sup> per can




### Installation tape

SKU: 1" - TAPE1 | 4" - TAPE4 | 6" - TAPE6

Size: 164' x 1"/4"/6"

For adhering flash coving to some wall

surfaces.



### **Everlay underlayment**

SKU: MEA1.2 Thickness: 1.2mm

Roll size: 6'7" x 163.5' Approx. yd2/roll: 119.6 yd²

Approx. lbs/roll: 220lbs



## Acoustic 1101 underlayment

SKU: ACOUSTIC36LM Thickness: 3.0mm Roll size: 3'9" x 118' Approx. yd2/roll: 49.5 yd2 Approx. lbs/roll: 173lbs




# Aluminum cap strip

SKU: ALTF03
Size: 9mm x 5mm x 30mm
Used for 3mm - 4mm floors.



### **FlashCove**

SKU: FCSMT44 | FCSMT46
Prefabricated, coved base with a bonded aluminum reinforcing backer.
Small toe: 4" x 4" x 10'
Large toe: 4" x 6" x 10'



## Roof to wall flashing


White - PRTEWHITE Tan - PRTETAN Gray - PRTEGRAY

PVC coated roof to wall flashing for use with Altro Promenade.



# Aluminum edge trim / cap strip

SKU: ALTWF02
Size: 9mm x 3mm x 30mm
Used for 2mm - 2.5mm floors and walls.



## Drip edge flashing

White - PDEWHITE
Tan - PDETAN
Gray - PDEGRAY
PVC coated drip edge for use with Altro
Promenade.