



**altro**

**Designed for possibilities.  
Made for people.**



## **Floors, walls and doors guide**

# Contents

<b>Welcome to Altro</b>	4
<b>Floors</b>	
<b>LVTs</b>	
Altro Ensemble™	6
<b>Rolls</b>	
Altro Cantata™	14
Altro Orchestra™	16
Altro Orchestra™ Custom	20
Altro Operetta™	22
Altro Zodiac™	24
Altro Serenade™	26
Altro Wood™ adhesive-free	28
Altro Wood™	30
Altro Wood™ Comfort	32
Altro Illustra™ adhesive-free	34
Altro Illustra™	36
Altro Suprema™	38
Altro XpressLay™	42
Altro Walkway™ 20	46
Altro Walkway™ 20 SD	50
Altro Classic™ 25	52
Altro Reliance™ 25	54
Altro Atlas™ 40	58
Altro Stronghold™ 30 adhesive-free	60
Altro Stronghold™ 30	62
Altro Aquarius™	64
Altro Pisces™	66
Altro Marine™	68
<b>Walls</b>	
<b>Hygienic wall sheets</b>	
Altro Whiterock White™	70
Altro Whiterock Satins™	72
Altro Whiterock Chameleon™	76
Altro Whiterock™ wall designs	78
Altro Whiterock Digiclad™ (Custom)	80
<b>Wall protection</b>	
Altro Fortis Titanium™	82
Altro Fortis™ corner protection	84
<b>Specialist wall solutions</b>	
Altro Tegulis™	86
Altro Whiterock™ Imagination Wall	88
Altro Whiterock™ Whiteboard	90
Altro Walls ShowerKit™	92
Altro Whiterock™ recessed shelf	96
Altro Whiterock Splashbacks™	98
Altro Whiterock hand wash station™	102
<b>Doors</b>	
Altro Whiterock hygienic doorsets™	106
Altro Fortis doorsets™	107
Altro Fortis door protection™	108
<b>Technical drawings</b>	110
<b>Support</b>	124



Altro Illustra adhesive-free and Altro Whiterock wall designs



Altro Stronghold 30 adhesive-free and Altro Whiterock wall designs



Altro Aquarius and Altro Walls ShowerKit

# Choose by type of wall, floor or door

## Designer ranges

<b>LVTs</b>	
Altro Ensemble (14dB)	6
<b>Floors</b>	
Altro Cantata (14dB)	14
Altro Orchestra (15dB)	16
Altro Orchestra Custom (15dB)	20
Altro Operetta (4dB)	22
Altro Zodiac	24
Altro Serenade (19dB)	26
<b>Floors with safety</b>	
Altro Wood adhesive-free (14dB)	28
Altro Wood	30
Altro Wood Comfort (14dB)	32
Altro Illustra adhesive-free (14dB)	34
Altro Illustra (4dB)	36
Altro Suprema	38
<b>Decorative wall sheets</b>	
Altro Whiterock Satins	72
Altro Whiterock Chameleon	76
Altro Whiterock wall designs	78
Altro Whiterock Digiclad (Custom)	80
Altro Tegulis	86
Altro Whiterock Imagination Wall	88
Altro Whiterock Whiteboard	90

## Acoustic floors

<b>LVTs</b>	
Altro Ensemble (14dB)	6
<b>Floors</b>	
Altro Cantata (14dB)	14
Altro Orchestra (15dB)	16
Altro Orchestra Custom (15dB)	20
Altro Operetta (4dB)	22
Altro Serenade (19dB)	26
Altro Wood adhesive-free (14dB)	28
Altro Wood (4dB)	30
Altro Wood Comfort (14dB)	32
Altro Illustra adhesive-free (14dB)	34
Altro Illustra (4dB)	36

## Safety floors

<b>Floors</b>	
Altro Wood adhesive-free (14dB)	28
Altro Wood (4dB)	30
Altro Wood Comfort (14dB)	32
Altro Illustra adhesive-free (14dB)	34
Altro Illustra (4dB)	36
Altro Suprema	38
Altro XpressLay	42
Altro Walkway	46
Altro Walkway SD	50

## Safety floors continued

<b>Heavy duty (2.5mm+)</b>	
Altro Classic (2.5mm)	52
Altro Reliance (2.5mm)	54
Altro Atlas (4mm)	58
<b>Kitchens</b>	
Altro Classic (2.5mm)	52
Altro Stronghold 30 adhesive-free	60
Altro Stronghold	62
<b>Bathrooms</b>	
Altro Aquarius	64
Altro Pisces	66
Altro Marine	68
<b>Heavy duty</b>	
<b>Floors</b>	
Altro Classic	52
Altro Reliance	54
Altro Atlas	58
<b>Wall protection</b>	
Altro Fortis Titanium	82
Altro Fortis corner protection	82
<b>Doors</b>	
Altro Fortis doorsets	105
Altro Fortis door protection	106

## Walls and doors

<b>Hygienic wall sheets</b>	
Altro Whiterock White	70
Altro Whiterock Satins	72
Altro Whiterock Chameleon	76
Altro Whiterock wall designs	78
Altro Tegulis	86
Altro Whiterock hygienic doorsets	106
<b>Wet rooms, showers and bathrooms</b>	
<b>Floors</b>	
Altro Aquarius	64
Altro Pisces	66
Altro Marine	68
<b>Walls</b>	
Altro Whiterock White	70
Altro Whiterock Satins	72
Altro Whiterock Chameleon	76
Altro Whiterock wall designs	78
Altro Tegulis	86
Altro Whiterock hygienic doorsets	106
<b>Doors</b>	
Altro Whiterock hygienic doorsets	106
Altro Fortis doorsets	107
Altro Fortis door protection	108

## Sustainable solutions

<b>Adhesive-free floors</b>	
Altro Cantata (14dB)	14
<b>Adhesive-free floors with safety</b>	
Altro Wood adhesive-free (14dB)	28
Altro Illustra adhesive-free (14dB)	34
Altro XpressLay	38
Altro Stronghold 30 adhesive-free	60
<b>Walls and doors</b>	
Altro Whiterock White	70
Altro Whiterock Satins	72
Altro Whiterock Chameleon	76
Altro Whiterock wall designs	78
Altro Tegulis	86
Altro Walls ShowerKit	92
Altro Whiterock recessed shelf	96
Altro Whiterock Splashbacks	98
Altro Whiterock hygienic doorsets	106
Altro Fortis doorsets	107
Altro Fortis door protection	108
<b>Commercial kitchens</b>	
<b>Floors</b>	
Altro Classic	52
Altro Stronghold 30 adhesive-free	60
Altro Stronghold 30	62
<b>Walls</b>	
Altro Whiterock White	70
Altro Whiterock Satins	72
Altro Whiterock Chameleon	76
Altro Whiterock wall designs	78
Altro Tegulis	86
Altro Whiterock hygienic doorsets	106

---

# Welcome to Altro

---

Altro have been at the forefront of innovation for over 100 years. Today, working closely with architects, end customers, engineers, designers and contractors around the world, our insight and expertise help them transform everyday spaces into environments that can improve the wellbeing of everyone that uses them.

And by consistently turning creative thinking into practical, real-world solutions – that maintain the highest standards of safety and durability – Altro have become synonymous with quality.

As a family-founded business, we have a strong sense of what we value and a way of thinking inspired by The Bauhaus – a balance of quality, form and design-led function – that puts people’s needs at the heart of everything we do. It’s a human-centred approach to designing for the demands of 21st century life.

It’s a history that means we value the bold, the brave and the new. From focusing on how the different sectors we serve need their spaces to perform, to the call for more environmentally sustainable materials, Altro are constantly challenging what is possible and seeking new ways of inspiring our customers and answering their biggest challenges.

With offices across Europe, the Americas, Asia Pacific and the Middle East, we remain committed to developing solutions that stand the test of time.

We combine the best in contemporary style with the functionality required to improve the way we all live and work, wherever in the world that may be.

We are Altro.



# Floors - LVTs



## Altro Ensemble

### Application areas:

- Communal areas
- Receptions
- Corridors
- Dining, bars
- Waiting areas
- Resident rooms
- Shops

Altro Ensemble – the next generation of luxury vinyl tiles. A modular flooring system that gives you complete design freedom to create stunning floors for interior spaces. From warm wood herringbone to geometric patterns, natural stone and concrete effects, the possibilities are as endless as your imagination.

Altro Ensemble has 15dB impact sound insulation with added comfort underfoot, making it perfect for front of house areas in hospitality, hotels including foyers and reception areas, restaurant and café dining areas, retail, offices, and student accommodation – any environment where design is key.

With six, lightweight, easy to install, modular sizes, you can create flexible designs by mix and matching, to creating unique patterns where first impressions count.



Nimbus Oak  
M054W125L1000 | LRV 36

For full technical details [altro.com](http://altro.com)

# Floors - LVTs




White Vintage Timber  
M009W100L500 | LRV 44



Spring Oak  
M051W100L500 | LRV 54




Autumn Oak  
M053W100L500 | LRV 35



Spiced Oak  
M052W100L500 | LRV 24



Persian Oak  
M044W100L500 | LRV 20




Blue Vintage Timber  
M011W100L500 | LRV 42



Greige Rustic Oak  
M034W100L500 | LRV 35



Medium Grey  
Harmonious Oak  
M027W100L500 | LRV 21



Midnight Oak  
M040W100L500 | LRV 7

Plank size




100 x 500 mm

# Floors - LVTs



Spring Oak  
M051W125L1000 | LRV 54



Bale Oak  
M041W125L1000 | LRV 48



Autumn Oak  
M053W125L1000 | LRV 35




Spanish Oak  
M045W125L1000 | LRV 30



Natural Rustic Oak  
M017W125L1000 | LRV 27



White Vintage Timber  
M009W125L1000 | LRV 44



Blue Vintage Timber  
M011W125L1000 | LRV 42



Harbour Oak  
M046W125L1000 | LRV 35



Natural Striking Oak  
M032W125L1000 | LRV 26



Marine Oak  
M042W125L1000 | LRV 21



Faded Oak  
M039W125L1000 | LRV 57



Sage Oak  
M043W125L1000 | LRV 38



Greige Striking Oak  
M033W125L1000 | LRV 16



Smoked Rustic Oak  
M035W125L1000 | LRV 12



River Oak  
M047W125L1000 | LRV 14




Greige Rustic Oak  
M034W125L1000 | LRV 35



Storm Oak  
M056W125L1000 | LRV 42



Nimbus Oak  
M054W125L1000 | LRV 36



Medium Grey  
Harmonious Oak  
M027W125L1000 | LRV 21



Spiced Oak  
M052W125L1000 | LRV 24

Plank size




125 x 1000 mm


# Floors - LVTs




Persian Oak  
M044W125L1000 | LRV 20



Tobacco Limed  
Striking Oak  
M008W125L1000 | LRV 18



Regal Oak  
M049W125L1000 | LRV 12



Midnight Oak  
M040W125L1000 | LRV 7

Plank size



125 x 1000 mm




Bale Oak  
M041W166L1500 | LRV 48




Autumn Oak  
M053W166L1500 | LRV 35



Spiced Oak  
M052W166L1500 | LRV 24



Medium Grey  
Harmonious Oak  
M027W166L1500 | LRV 21



Midnight Oak  
M040W166L1500 | LRV 7

Plank size



166 x 1500 mm

# Floors - LVTs



Spring Oak  
M051W200L2000 | LRV 54



Autumn Oak  
M053W200L2000 | LRV 35



Natural Rustic Oak  
M017W200L2000 | LRV 27




Harbour Oak  
M046W200L2000 | LRV 35




Marine Oak  
M042W200L2000 | LRV 21



Greige Rustic Oak  
M034W200L2000 | LRV 35



Medium Grey  
Harmonious Oak  
M027W200L2000 | LRV 21



Smoked Rustic Oak  
M035W200L2000 | LRV 12



Spiced Oak  
M052W200L2000 | LRV 24




River Oak  
M047W200L2000 | LRV 14



Persian Oak  
M044W200L2000 | LRV 20



Regal Oak  
M049W200L2000 | LRV 12



Midnight Oak  
M040W200L2000 | LRV 7

Plank size




200 x 2000 mm


# Floors - LVTs



Fossil Stone  
MT084W500L500 | LRV 45




Urban Concrete  
MT090W500L500 | LRV 40



Village Concrete  
MT091W500L500 | LRV 53



Venetian Stone  
MT092W500L500 | LRV 40




Platinum Concrete  
MT087W500L500 | LRV 37



Portland Stone  
MT083W500L500 | LRV 20



Pumice Stone  
MT085W500L500 | LRV 13



Pewter Concrete  
MT088W500L500 | LRV 15



Clay Stone  
MT086W500L500 | LRV 9



Anthracite Concrete  
MT089W500L500 | LRV 6

Tile size



500 x 500 mm

# Floors - LVTs



Fossil Stone  
MT084W500L1000 | LRV 45




Urban Concrete  
MT090W500L1000 | LRV 40



Village Concrete  
MT091W500L1000 | LRV 53



Venetian Stone  
MT092W500L1000 | LRV 40




Platinum Concrete  
MT087W500L1000 | LRV 37



Portland Stone  
MT083W500L1000 | LRV 20




Pumice Stone  
MT085W500L1000 | LRV 13



Pewter Concrete  
MT088W500L1000 | LRV 15



Clay Stone  
MT086W500L1000 | LRV 9



Anthracite Concrete  
MT089W500L1000 | LRV 6

Tile size



500 x 1000 mm



# Floors




## Altro Cantata

### Application areas:

- Communal areas
- Corridors, stairs
- Dining, bars
- Domestic kitchens
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

A tonal and modernist, adhesive-free floor that creates maximum impact with minimum downtime. Altro Cantata is ideal for busy public spaces where disruption needs to be minimal, and has no associated adhesive odours. It now gives you enhanced cleanability, 14dB impact noise reduction, plus comfort underfoot to help reduce fatigue. Using our award-winning adhesive-free installation method, it can be welded and walked on the same day, and at the end of its life can be removed easily, allowing it to be reused or recycled.




Hazelnut | AFP282009  
WR418 / A1M239 / LRV 18




For full technical details [altro.com](http://altro.com)


# Floors




Frosted Glass  
AFP282005  
WR388 / A1M388 / LRV 52




Mocha  
AFP282003  
WR555 / A1M389 / LRV 40




Graphite  
AFP282002  
WR390 / A1M390 / LRV 30




True Grit  
AFP282001  
WR391 / A1M82 / LRV 17




Black Sand  
AFP282010  
WR485 / A1M485 / LRV 7




Crème Caramel  
AFP282006  
WR523 / A1M385 / LRV 50



Willow Tree  
AFP282007  
WR399 / A1M399 / LRV 41



Bluebell  
AFP282004  
WR398 / A1M398 / LRV 26




Sunrise  
AFP282008  
WR393 / A1M393 / LRV 19




Treviso  
AFT284003  
WR483 / A1M483 / LRV 44




Seal Grey  
AFC281002  
WR435 / A1M390 / LRV 26




Bluefin  
AFC281001  
WR438 / A1M486 / LRV 26




Milan  
AFT284002  
WR482 / A1M482 / LRV 15



Rome  
AFT284001  
WR481 / A1M83 / LRV 16



Venice  
AFT284004  
WR484 / A1M484 / LRV 40



Elephant Grey  
AFC281003  
WR436 / A1M487 / LRV 17



# Floors




## Altro Orchestra

### Application areas:

- Communal areas
- Receptions
- Corridors, stairs
- Dining, bars
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

For areas where comfort and sound reduction are important, 2.85mm Altro Orchestra has been engineered to create the ideal environment to learn, live and work. Low residual indentation facilitates the flexible use of equipment and furniture, including hospital beds. At the same time, the integrated impact sound insulation system cuts impact sound by 15dB. It offers comfort underfoot making life easier on the feet of students and patients but particularly hard-working staff who spend countless hours on the move. Co-ordinates with other ranges. Altro Orchestra features a reduced emboss to ensure easier cleaning without compromising its technical performance.




Serpent\* | CH2850U  
WR517 / A1M136 / LRV 56

For full technical details [altro.com](http://altro.com)



# Floors




Chimes | CH2836U  
WR457 / A1M335 / LRV 52




Oboe | CH2835U  
WR456 / A1M338 / LRV 34




Violin | CH2834U  
WR455 / A1M361 / LRV 31




Bongo | CH2840U  
WR461 / A1M152 / LRV 27




Drum | CH2837U  
WR458 / A1M74 / LRV 18




Trombone | CH2839U  
WR460 / A1M484 / LRV 39




Conga | CH2879U  
WR390 / A1M390 / LRV 30




Flute | CH2833U  
WR454 / A1M86 / LRV 22



Manon | CH2878U  
WR391 / A1M82 / LRV 17




Maraca | CH2855U  
WR499 / A1M136 / LRV 56




Volta\* | CH2851U  
WR518 / A1M335 / LRV 48




Porter\* | CH2854U  
WR498 / A1M483 / LRV 43



Notturna\* | CH2853U  
WR497 / A1M369 / LRV 48




Chromatic\* | CH2852U  
WR496 / A1M136 / LRV 49




Musette | CH2856U  
WR515 / A1M136 / LRV 49




Brass\* | CH2842U  
WR483 / A1M483 / LRV 44




Woodwind\* | CH2843U  
WR489 / A1M385 / LRV 45




String | CH2841U  
WR484 / A1M484 / LRV 40




Percussion | CH2844U  
WR490 / A1M86 / LRV 18



Orfeo\* | CH2849U  
WR41 / A1M41 / LRV 9



Turandot\* | CH2847U  
WR482 / A1M482 / LRV 15



Falstaff\* | CH2846U  
WR493 / A1M493 / LRV 9




Othello\* | CH2848U  
WR62 / A1M62 / LRV 9



Montezuma\* | CH2845U  
WR485 / A1M485 / LRV 8

\*There may be limited stocks in these colours which are subject to a manufacturing lead time. Please check availability before ordering.

# Floors



Reggae | CH2801U  
WR422 / A1M200 / LRV 48




Salsa | CH2802U  
WR423 / A1M200 / LRV 20




Flamenco | CH2806U  
WR427 / A1M200 / LRV 12




Jazz | CH2824U  
WR445 / A1M200 / LRV 15



Fusion | CH2813U  
WR434 / A1M200 / LRV 49




Rap | CH2820U  
WR441 / A1M200 / LRV 30




Soul | CH2817U  
WR438 / A1M200 / LRV 29




Gospel | CH2821U  
WR442 / A1M200 / LRV 17




Metal | CH2818U  
WR439 / A1M84 / LRV 16




Chant | CH2814U  
WR435 / A1M390 / LRV 26




Club | CH2815U  
WR436 / A1M487 / LRV 17




Trumpet | CH2825U  
WR446 / A1M347 / LRV 37



Cello | CH2829U  
WR450 / A1M81 / LRV 24




Bassoon\* | CH2831U  
WR452 / A1M84 / LRV 17




Guitar | CH2828U  
WR449 / A1M137 / LRV 29



Glockenspiel | CH2827U  
WR448 / A1M361 / LRV 23



Rigoletto\* | CH2876U  
WR519 / A1M392 / LRV 34




Traviata\* | CH2877U  
WR520 / A1M338 / LRV 28


# Floors



Elektra | CH2870U  
WR511 / A1M392 / LRV 58



Carlotta\* | CH2865U  
WR507 / A1M337 / LRV 26



Sitar | CH2869U  
WR510 / A1M347 / LRV 38



Macavity | CH2867U  
WR508 / A1M11 / LRV 57




Aurora | CH2857U  
WR500 / A1M136 / LRV 60




Seville\* | CH2860U  
WR503 / A1M79 / LRV 45




Tosca | CH2862U  
WR494 / A1M494 / LRV 23




Reed | CH2874U  
WR513 / A1M85 / LRV 39




Polka | CH2859U  
WR502 / A1M390 / LRV 23




Marimba\* | CH2863U  
WR505 / A1M390 / LRV 30




Fidelio\* | CH2868U  
WR509 / A1M85 / LRV 35




Cornet | CH2864U  
WR506 / A1M82 / LRV 20



Nabucco\* | CH2873U  
WR512 / A1M84 / LRV 24



Timpani | CH2861U  
WR504 / A1M417 / LRV 20



Kora\* | CH2871U  
WR495 / A1M495 / LRV 8



Figaro | CH2858U  
WR501 / A1M82 / LRV 13

# Floors



## Altro Orchestra Custom

### Application areas:

- Communal areas
- Receptions
- Corridors
- Therapy, spa areas
- Special needs schools
- Shops
- Exhibitions

With Altro Orchestra Custom it's possible to create a totally unique space, completely tailored to how the area will be used, and who is using it.

Choose a design from the Altro collection of images and patterns, or upload your own design using our simple step-by-step Custom service. It couldn't be simpler. Altro Orchestra Custom floors have the performance and guarantees you expect from Altro floor plus 15dB impact sound reduction and comfort underfoot.



Grass 1 | DPSCH0059

For full technical details [altro.com](http://altro.com)



# Floors



## Altro Operetta

### Application areas:

- Communal areas
- Receptions
- Corridors, stairs
- Dining, bars
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

Designer looks with 4dB sound reduction. Robust option for medium to high traffic areas in entrances, patient/school corridors, retail. Co-ordinates with other ranges.

Altro Operetta features a reduced emboss to ensure easier cleaning without compromising its technical performance.

Altro Operetta is a robust floor perfect for medium to high traffic areas that is easy to clean and maintain. Designed in line with the Bauhaus ethos that style is as important as function, it has multiple attractive, natural colours and finishes to fit in your interior design scheme. It matches and coordinates with Altro Orchestra and Altro Serenade to create a complete look throughout.



Madrigal | OP2134U  
WR455 / A1M361 / LRV 31


For full technical details [altro.com](http://altro.com)




# Floors




Acapella | OP2135U  
WR456 / A1M338 / LRV 34




Glee | OP2136U  
WR457 / A1M335 / LRV 52




Yeoman | OP2139U  
WR460 / A1M484 / LRV 39




Baroque | OP2133U  
WR454 / A1M86 / LRV 22



Leo | OP2179U  
WR390 / A1M390 / LRV 30




Soprano | OP2137U  
WR458 / A1M74 / LRV 18




Lola | OP2178U  
WR391 / A1M82 / LRV 17




Quintet | OP2114U  
WR435 / A1M390 / LRV 26




Pulse | OP2118U  
WR439 / A1M84 / LRV 16




Tempo | OP2115U  
WR436 / A1M487 / LRV 17




Clef | OP2125U  
WR446 / A1M347 / LRV 37




Canon | OP2129U  
WR450 / A1M81 / LRV 24



Drop | OP2127U  
WR448 / A1M361 / LRV 23



Beethoven | OP2159U  
WR502 / A1M390 / LRV 23



Black Forest | OP2158U  
WR501 / A1M82 / LRV 13




Shake | OP2164U  
WR506 / A1M82 / LRV 20




Vivo | OP2162U  
WR494 / A1M494 / LRV 23




Allegra | OP2169U  
WR510 / A1M347 / LRV 38




Cabasa | OP2161U  
WR504 / A1M417 / LRV 20




Tutti | OP2157U  
WR500 / A1M136 / LRV 60




Stanza | OP2156U  
WR515 / A1M136 / LRV 49



Beat | OP2155U  
WR499 / A1M136 / LRV 56



Vagabond | OP2141U  
WR484 / A1M484 / LRV 40



Vamp | OP2144U  
WR490 / A1M86 / LRV 18

# Floors



## Altro Zodiac


### Application areas:

- Communal areas
- Receptions
- Corridors, stairs
- Dining, bars
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

Altro Zodiac Smooth provides an adaptable design that works anywhere and is great in large areas, from care homes to student accommodation.

It is easy to maintain and can be welded to provide a hygienic surface, making it ideal for areas where infection control and high standards of cleanliness are required.

We strongly recommend carrying out a risk assessment in any area in which the installation of smooth flooring is considered, focusing on the potential risk posed by contaminants from spillages. Please see our section on safety for more information.




Oxygen | ZD2007U  
WR317 / A1M200 / LRV 41

For full technical details [altro.com](https://www.altro.com)



# Floors



Hologram | ZD2001U  
WR311 / A1M200 / LRV 57



Comet | ZD2003U  
WR313 / A1M200 / LRV 33



Capricorn | ZD2004U  
WR314 / A1M200 / LRV 10

# Floors



## Alto Serenade

### Application areas:

- Resident rooms
- Bedrooms
- Play areas
- Classrooms
- Lecture theatres
- Libraries
- Hotels

Silence is golden. Whether softening the sounds of little feet or maximising privacy at work or leisure, acoustic Alto Serenade is more than up to the task. At 3.9mm thick and with 19dB impact sound insulation, not only does it reduce noise, it provides a high level of comfort underfoot, making it a great solution for well-used spaces. Available in multiple natural shades and five designs. Co-ordinates with other ranges.

Alto Serenade features a reduced emboss to ensure easier cleaning without compromising its technical performance.




Chord | SE3934U  
WR455 / A1M361 / LRV 31


For full technical details [altro.com](https://www.altro.com)




# Floors




Caldara | SE3939U  
WR460 / A1M484 / LRV 39



Anthem | SE3933U  
WR454 / A1M86 / LRV 22




Moonlight | SE3937U  
WR458 / A1M74 / LRV 18




Dulcimer | SE3955U  
WR499 / A1M136 / LRV 56




March | SE3925U  
WR446 / A1M347 / LRV 37



Opus | SE3927U  
WR448 / A1M361 / LRV 23



Encore | SE3929U  
WR450 / A1M81 / LRV 24



Metronome | SE3914U  
WR435 / A1M390 / LRV 26



Elgar | SE3962U  
WR494 / A1M494 / LRV 23



Charm | SE3969U  
WR510 / A1M347 / LRV 38



Andante | SE3957U  
WR500 / A1M136 / LRV 60

# Floors - Safety



## Altro Wood adhesive-free

### Application areas:

- Entrances, corridors, communal areas
- Dining, bars
- Domestic kitchens
- Bedrooms, quiet rooms, libraries
- Wards
- Classrooms
- Shops
- Changing areas

Some shades match Altro Wood and Altro Wood Comfort. Altro Wood adhesive-free is a safe, durable and decorative solution for busy spaces; enabling you to create stylish, biophilic and warm environments. It offers 14dB impact sound reduction and high levels of comfort underfoot. Using our award-winning adhesive-free installation method, it can be welded and walked on the same day, and at the end of its life removed easily, to be reused or recycled. It is ideal for busy public spaces where disruption needs to be minimal, plus there are no associated adhesive odours. Now with matching design and colour options across the Altro Wood collection, giving you a consistent look in different areas with varying performance criteria.



Champagne Oak | AFW280010  
WR338 / A1M338 / LRV 38



For full technical details  
[altro.com](http://altro.com)

# Floors - Safety



# Floors - Safety



## Altro Wood

### Application areas:

- Entrances, communal areas
- Corridors, stairs
- Dining, bars
- Domestic kitchens
- Wards
- Classrooms
- Shops
- Changing areas

Some shades match Altro Wood adhesive-free and Altro Wood Comfort.

This attractive, general purpose 2mm wood-effect vinyl safety flooring is now available in a range of designs with different plank sizes and shades including wide plank classic and rustic designs, helping you create the right look for areas where people live and work.

Altro Wood is designed to cope with medium to heavy traffic. It is also a perfect partner for a variety of wall shades and finishes, making design simpler. Now with matching design and colour options across the Altro Wood collection, you can achieve a consistent look in different areas with varying performance criteria.



Autumn Maple | WSA2005  
WR339 / A1M339 / LRV 24



For full technical details [altro.com](http://altro.com)

# Floors - Safety



Ranch Oak | WSA2021  
WR335 / A1M335 / LRV 51



Bleached Oak | WSA2001  
WR335 / A1M335 / LRV 52



Sessile Oak | WSA2027  
WR350 / A1M483 / LRV 30



Washed Oak | WSA2015  
WR347 / A1M347 / LRV 38



Farmhouse Oak | WSA2004  
WR338 / A1M338 / LRV 38



Rustic Oak | WSA2006  
WR340 / A1M340 / LRV 37



Spring Maple | WSA2018  
WR352 / A1M352 / LRV 27



Oak Traditions | WSA2013  
WR353 / A1M225 / LRV 25



Bavarian Oak | WSA2026  
WR514 / A1M514 / LRV 21



Mountain Oak | WSA2022  
WR339 / A1M339 / LRV 22



Honey Oak | WSA2028  
WR352 / A1M352 / LRV 21



Slate Oak | WSA2029  
WR478 / A1M390 / LRV 26



Vintage Cherry | WSA2002  
WR336 / A1M239 / LRV 22



Urban Cherry | WSA2003  
WR337 / A1M337 / LRV 17



Antique Walnut | WSA2007  
WR341 / A1M160 / LRV 15



Worn Oak | WSA2023  
WR322 / A1M239 / LRV 19



Manor Oak | WSA2016  
WR348 / A1M348 / LRV 7



# Floors - Safety



## Altro Wood Comfort

### Application areas:

- Entrances, corridors, communal areas
- Bedrooms, quiet rooms, libraries
- Wards
- Classrooms

Some shades match Altro Wood adhesive-free and Altro Wood.

Altro Wood Comfort offers aesthetics combined with comfort. It's an ideal choice for areas that need to look good while helping to give comfort underfoot. This 2.85mm thick option offers 14dB impact sound reduction, which is great for noisy environments such as hospitals and kindergartens.

It is also suitable for wheeled traffic and low residual indentation facilitates the flexible use of equipment and furniture, including hospital beds.

With matching design and colour options across the Altro Wood collection, you can achieve a consistent look in different areas with varying performance criteria.



Veteran Oak | WSASC2822  
WR339 / A1M339 / LRV 22



For full technical details [altro.com](http://altro.com)

# Floors - Safety



Soft Oak | WSASC2804  
WR338 / A1M27 / LRV 38



Light Bamboo  
WSASC2820  
WR463 / A1M392 / LRV 42



Field Oak | WSASC2806  
WR340 / A1M340 / LRV 37



Warm Maple  
WSASC2805  
WR339 / A1M339 / LRV 24



Classic Walnut  
WSASC2807  
WR341 / A1M160 / LRV 15



Aged Oak | WSASC2815  
WR347 / A1M347 / LRV 38



Antique Cherry  
WSASC2802  
WR336 / A1M239 / LRV 22



Deep Cherry  
WSASC2803  
WR337 / A1M337 / LRV 17



Royal Oak | WSASC2823  
WR322 / A1M239 / LRV 19



Regent Oak  
WSASC2825  
WR468 / A1M62 / LRV 10



Reclaimed Oak  
WSASC2821  
WR335 / A1M335 / LRV 51

# Floors




## Altro Illustra adhesive-free

### Application areas:

- Entrances, communal areas, corridors
- Dining, bars, restaurants
- Domestic kitchens
- Bedrooms, quiet rooms
- Wards
- Classrooms, Libraries
- Shops
- Toilet, staff changing areas

Looking for an adhesive-free safety floor that provides limitless design possibilities? Altro Illustra adhesive-free combines style, safety, durability and provides installation flexibility, with the stone, textile, and mineral designs offering a range of aesthetic possibilities.

Using our award-winning adhesive-free installation method, Altro Illustra adhesive-free can be welded and walked on the same day, and at the end of its life can be removed easily, allowing it to be reused or recycled. Using Altro adhesive-free floors, you can halve installation time compared with a traditional adhered installation, and save up to 50% carbon.



Soft Blush | LUAF2408  
WR570 / A1M11 / LRV 57



For full technical details  
[altro.com](http://altro.com)

# Floors




Shrouded Mountain  
LUAF2417  
WR497 / A1M369 / LRV 55




Stepping Stone |  
LUAF2416  
WR567 / A1M369 / LRV 55



Cobblestone  
LUAF2414  
WR560 / A1M79 / LRV 41



Crag Stone | LUAF2418  
WR566 / A1M81 / LRV 36




Cocoa Clay | LUAF2413  
WR565 / A1M387 / LRV 26




Hammerhead  
LUAF2415  
WR501 / A1M487 / LRV 20




Thunder Mountain  
LUAF2412  
WR562 / A1M83 / LRV 13



Cotton Twist  
LUAF2409  
WR446 / A1M347 / LRV 38




Tranquil Twist  
LUAF2410  
WR478 / A1M361 / LRV 25




Deep Twist | LUAF2411  
WR301 / A1M82 / LRV 12




Distant Shore | LUAF2401  
WR552 / A1M20 / LRV 43



Touchstone | LUAF2402  
WR61 / A1M239 / LRV 27




Dusky Grit | LUAF2403  
WR561 / A1M518 / LRV 17




Rose Petal | LUAF2405  
WR535 / A1M149 / LRV 29



Tamarind | LUAF2404  
WR529 / A1M42 / LRV 26



Waters Edge | LUAF2407  
WR542 / A1M516 / LRV 38



Ivy League | LUAF2406  
WR242 / A1M154 / LRV 20

# Floors




## Altro Illustra

### Application areas:

- Entrances, communal areas
- Corridors, stairs
- Dining, bars, restaurants
- Domestic kitchens
- Wards
- Classrooms
- Shops
- Toilet, staff changing areas

Looking for a safety floor that provides limitless design possibilities? Altro Illustra combines style, safety, durability and offers a range of aesthetic options, from nature inspired stone to modern textile design, the possibilities are endless. Whether you're creating an inviting learning environment, a comfortable care facility, an attractive retail space, or a welcoming hospitality venue, Altro Illustra is the perfect flooring solution to bring your vision to life. Love the look of Altro Illustra but want to save carbon, time and money – make the easy switch to Altro Illustra adhesive-free, the 100% recyclable design-led safety floor.



Hazy Twist | LU2409  
WR446 / A1M347 / LRV 38



For full technical details  
[altro.com](http://altro.com)

# Floors




Soapstone | LU2417  
WR497 / A1M369 / LRV 55



Ammonite | LU2416  
WR567 / A1M369 / LRV 55



Keystone | LU2414  
WR560 / A1M79 / LRV 41




Jurassic Slab | LU2418  
WR566 / A1M81 / LRV 36




Canyon Clay | LU2413  
WR565 / A1M387 / LRV 26




Skyfall | LU2415  
WR501 / A1M487 / LRV 20



Bedrock | LU2412  
WR562 / A1M83 / LRV 13




Gentle Twist | LU2410  
WR478 / A1M361 / LRV 25




Midnight Twist | LU2411  
WR301 / A1M82 / LRV 12



Sand Castle | LU2401  
WR552 / A1M20 / LRV 43



Clay Bed | LU2402  
WR61 / A1M239 / LRV 27



Highway | LU2403  
WR561 / A1M518 / LRV 17

# Floors - Safety



## Altro Suprema


### Application areas:

- Entrances, corridors, stairs, dining, wards
- Domestic kitchens
- Classrooms
- Art rooms
- Treatment areas
- Clinics, vets
- Toilet, staff changing areas
- Early years wet play areas

Altro Suprema now features a range of stylish colours reflecting contemporary trends and diverse design needs. This non-sparkle, low-gloss safety flooring has sustained slip resistance and is available in a choice of chip or plain designs.

It incorporates Altro Easyclean technology, designed for low maintenance and a lasting attractive appearance, saving you time and cleaning costs. And it has superior stain, abrasion and scratch resistance, so you can use even light colours with confidence.

Altro Suprema is manufactured and stocked in the UK. It is suitable for very heavy commercial use, foot and wheeled traffic in demanding commercial areas.




Clematis | SYI20029  
WR546 / A1M228 / LRV 27




For full technical details [altro.com](http://altro.com)


# Floors - Safety




Ornella | SY20024  
WR534 / A1M11 / LRV 49




Roselle | SYI20025  
WR534 / A1M11 / LRV 49




Evora | SYI20017  
WR538 / A1M515 / LRV 37




Calla | SY20030  
WR538 / A1M515 / LRV 37




Diantha | SY20007  
WR527 / A1M265 / LRV 37



Pampas | SY20009  
WR569 / A1M01 / LRV 62




Primula | SY20023  
WR543 / A1M335 / LRV 50




Dicentra | SYI20022  
WR543 / A1M335 / LRV 50




Hazel | SY20008  
WR526 / A1M239 / LRV 22



Coleus | SYI20004  
WR526 / A1M239 / LRV 22




Hibiscus | SY20005  
WR79 / A1M191 / LRV 42




Cicely | SY20006  
WR81 / A1M81 / LRV 28



Agave | SY20002  
WR525 / A1M86 / LRV 19



Festuca | SYI20010  
WR528 / A1M82 / LRV 15




Cardoon | SYI20003  
WR301 / A1M82 / LRV 11



Italicum | SY20001  
WR301 / A1M82 / LRV 12


# Floors - Safety




Okame | SY120020  
WR541 / A1M294 / LRV 47




Amaranth | SY20026  
WR535 / A1M149 / LRV 29



Dahlia | SY20019  
WR540 / A1M303 / LRV 14



Cranebill | SY20011  
WR529 / A1M238 / LRV 9




Zinnia | SY20016  
WR537 / A1M44 / LRV 13




Senna | SY20033  
WR549 / A1M152 / LRV 31




Freesia | SY20018  
WR539 / A1M42 / LRV 26




Kolibri | SY20014  
WR533 / A1M399 / LRV 35




Gerbera | SY20031  
WR547 / A1M154 / LRV 20




Sorrel | SY20028  
WR545 / A1M517 / LRV 11




Acer | SY20027  
WR544 / A1M396 / LRV 52




Wilder | SY20021  
WR542 / A1M516 / LRV 37




Gentian | SY20013  
WR531 / A1M71 / LRV 16



Lotus | SY20015  
WR536 / A1M71 / LRV 14



Madara | SY20032  
WR548 / A1M56 / LRV 19



Salvia | SY20012  
WR530 / A1M73 / LRV 9



# Floors - Safety



## Altro XpressLay

### Application areas:


- General purpose, versatile safety where adhesive-free benefits are required

Altro XpressLay can save you time and money. It can be installed and removed quickly and reused and recycled, helping both you and the environment.

This system has a studded emboss on the underside of the flooring which allows any subfloor moisture to escape. It has been designed to lie flat, without the need to be adhered. Altro doubled-sided, moisture-tolerant tape is used to secure the flooring in place while you weld. Altro XpressLay is **adhesive-free** giving you same-day welding and allowing you to walk on the floor straight away.


Altro XpressLay has the slip resistance, life expectancy and ability to withstand heavy loads that you expect from Altro safety flooring.

The range has 30 colours and matches with Altro Walkway 20.




Streetlight | XLI2205P  
WR287 / A1M79 / LRV 45


# Floors - Safety




Blizzard | XLI2255  
WR79 / A1M191 / LRV 44




Cloud | XL2214  
WR79 / A1M191 / LRV 41




Fog | XL22153  
WR81 / A1M81 / LRV 27




Rock | XLI2204P  
WR84 / A1M84 / LRV 23




Pavement | XLI2207P  
WR83 / A1M83 / LRV14




Temple | XL2209P  
WR261 / A1M81 / LRV 27



Whale | XLI2254  
WR86 / A1M86 / LRV 20




Dolphin | XL2210  
WR86 / A1M86 / LRV 21




Runway | XL2206P  
WR72 / A1M72 / LRV 9




Black | XL22892  
WR100 / A1M100 / LRV 6




Skyline | XL22332  
WR52 / A1M52 / LRV 24




Tarragon | XLI2252  
WR52 / A1M52 / LRV 26




Waterfall | XL22912  
WR155 / A1M135 / LRV 31



Blue | XL22412  
WR71 / A1M71 / LRV 22




River | XLI2257  
WR71 / A1M71 / LRV 22



Lupin | XLI2259  
WR286 / A1M286 / LRV 17



Midnight | XL22421  
WR72 / A1M72 / LRV 11



Nightfall | XLI2256  
WR72 / A1M72 / LRV 10




Coal | XLI2258  
WR100 / A1M100 / LRV 6




For full technical details [altro.com](http://altro.com)


# Floors - Safety




Swan | XLI2212P  
WR291 / A1M01 / LRV 75




Winter | XLI2253  
WR105 / A1M01 / LRV 61




Minster | XL2218P  
WR289 / A1M265 / LRV 40




Sand | XLI2251  
WR20 / A1M20 / LRV 40



Bone | XL22215  
WR20 / A1M20 / LRV 37




Biscuit | XL22907  
WR146 / A1M20 / LRV 30




Tundra | XL22910  
WR153 / A1M239 / LRV 17



Savannah | XLI2250  
WR153 / A1M239 / LRV 19



Tango | XL2231  
WR42 / A1M42 / LRV 14



Cherry | XL22920  
WR148 / A1M148 / LRV 10



# Floors - Safety



## Altro Walkway 20


### Application areas:

- General purpose flooring for areas where occasional contamination from water is a concern

The range has 30 colours – featuring bright and subtle, sparkle-free designs, and decorative chipped options which give you enhanced design flexibility.

Altro Walkway 20 shares its colour range with Altro XpressLay. This enables you to combine use of both ranges when you need traditionally adhered and adhesive-free safety flooring in adjacent areas.

You've loved working with Altro Walkway 20 for over 30 years because it's easy to cove and weld. It achieves PTV ≥ 36 on the pendulum test giving sustained slip resistance throughout the lifetime of the product. Altro Walkway 20 also includes Altro Easyclean Technology, and has superior chemical and stain resistance.




Swan | VMI2012P  
WR291 / A1M01 / LRV 75




For full technical details [altro.com](http://altro.com)


# Floors - Safety




Streetlight | VMI2005P  
WR287 / A1M79 / LRV 45




Blizzard | VMI2055  
WR79 / A1M191 / LRV 44




Fog | VM20153  
WR81 / A1M81 / LRV 27




Rock | VMI2004P  
WR84 / A1M84 / LRV 23




Pavement | VMI2007P  
WR83 / A1M83 / LRV14



Temple | VM2009P  
WR261 / A1M81 / LRV 27



Whale | VMI2054  
WR86 / A1M86 / LRV 20




Dolphin | VM2010  
WR86 / A1M86 / LRV 21




Black | VM20892  
WR100 / A1M100 / LRV 6




Coal | VMI2058  
WR100 / A1M100 / LRV 6




Skyline | VM20332  
WR52 / A1M52 / LRV 24




Tarragon | VMI2052  
WR52 / A1M52 / LRV 26




Waterfall | VM20912  
WR155 / A1M135 / LRV 31




Blue | VM20412  
WR71 / A1M71 / LRV 22



River | VMI2057  
WR71 / A1M71 / LRV 22




Cloud | VM2014  
WR79 / A1M191 / LRV 41




Runway | VM2006P  
WR72 / A1M72 / LRV 9



Midnight | VM20421  
WR72 / A1M72 / LRV 11




Nightfall | VMI2056  
WR72 / A1M72 / LRV 10




Lupin | VMI2059  
WR286 / A1M286 / LRV 17




# Floors - Safety




Winter | VMI2053  
WR105 / A1M01 / LRV 61




Minster | VM2018P  
WR289 / A1M265 / LRV 40




Sand | VMI2051  
WR20 / A1M20 / LRV 40




Bone | VM20215  
WR20 / A1M20 / LRV 37



Biscuit | VM20907  
WR146 / A1M20 / LRV 30




Tundra | VM20910  
WR153 / A1M239 / LRV 17




Savannah | VMI2050  
WR153 / A1M239 / LRV 19



Tango | VM2031  
WR42 / A1M42 / LRV 14



Cherry | VM20920  
WR148 / A1M148 / LRV 10



# Floors - Safety



## Altro Walkway 20 SD

### Application areas:

- Computer/server suites
- Labs with static-sensitive equipment/gases
- Production areas for electronics

### Matches:

Shade matches Altro Walkway 20 Fog so there's no compromise on aesthetics.

Minimise the risk of damage to static-sensitive equipment, such as computers, with the "SD" (static dissipative) version of Altro Walkway 20 safety flooring. It's ideal for laboratories, computer suites and electronic assembly areas.



Fog | VM20153SD  
WR81 / A1M81 / LRV 27

For full technical details [altro.com](http://altro.com)



# Floors – Safety



## Altro Classic 25

### Application areas:

- Service corridors
- Serveries
- Behind bars
- Craft, design and technology areas
- Laundries
- Sluice rooms
- Sports changing rooms

Classic by name, classic by nature. Altro Classic 25 was the first ever safety flooring; it's been tried and trusted for over 60 years, and its traditional, industrial look is still popular today.

Altro Classic 25 provides lasting slip resistance, durability and abrasion resistance, making it ideal for use in heavy traffic areas – particularly with wheeled traffic. It's also good for areas where occasional moisture and dust can increase the risk of slipping as it has a Pendulum Test Value (PTV) rating  $\geq 45$  and an R11 slip rating.


Available in 12 practical, dirt-hiding shades, with the addition of new colours for even greater choice, Altro Classic 25 is easy to clean and maintain.




Anvil | X2594R11  
WR101 / A1M72 / LRV 11

For full technical details [altro.com](http://altro.com)


# Floors – Safety




Mushroom | X2542R11  
WR24 / A1M27 / LRV 32



Truffle | X2545R11  
WR153 / A1M239 / LRV 17




Walnut | X2586R11  
WR62 / A1M62 / LRV 10




Quarry Red | X2560R11  
WR42 / A1M42 / LRV 13




Blackberry | X2547R11  
WR100 / A1M100 / LRV 7




Pewter Grey | X2539R11  
WR81 / A1M81 / LRV 26




Whisper | X2548R11  
WR354 / A1M84 / LRV 24




Graphite | X2546R11  
WR86 / A1M86 / LRV 21



Blue | X2541R11  
WR71 / A1M71 / LRV 20




Aster | X2549R11  
WR286 / A1M286 / LRV 17



Legend | X2544R11  
WR231 / A1M73 / LRV 10

# Floors - Safety




## Altro Reliance 25

### Application areas:

- Entrances, corridors, communal areas
- Sports changing rooms
- Laboratories
- Clinical areas
- Art rooms
- Laundries

Altro Reliance 25 gives you a palette of 27 colours for your toughest of areas. This robust safety flooring gives you design flexibility with the durability you would expect from our 2.5mm safety flooring range. It can cope with high levels of foot and wheeled traffic without compromising on slip resistance.

Combine with Altro Fortis wall protection system for your toughest areas.




Streetlight | D2505  
WR287 / A1M79 / LRV 45




For full technical details [altro.com](http://altro.com)


# Floors - Safety




Temple | D2509  
WR261 / A1M81 / LRV 27




Rock | D2504  
WR84 / A1M84 / LRV 23



Fog | D25153  
WR81 / A1M81 / LRV 27




Pavement | D2507  
WR83 / A1M83 / LRV 14




Vault | D2517  
WR277 / A1M100 / LRV 5




Stream | D2518  
WR288 / A1M71 / LRV 22



Fountain | D2502  
WR306 / A1M71 / LRV 22




Pool | D2503  
WR307 / A1M73 / LRV 10




Runway | D2506  
WR72 / A1M72 / LRV 9




Twilight | D25910  
WR39 / A1M34 / LRV 8



Roof Garden | D2500  
WR262 / A1M154 / LRV 23



Skyline | D25332  
WR52 / A1M52 / LRV 25



Storm | D25903  
WR82 / A1M82 / LRV 16




Midnight | D25421  
WR72 / A1M72 / LRV 11




Jet | D2501  
WR100 / A1M100 / LRV 6

# Floors - Safety




Ice Rink | D2514  
WR291 / A1M01 / LRV 70




Statue | D2513  
WR304 / A1M12 / LRV 62




Arena | D2510  
WR297 / A1M20 / LRV 41




Bone | D25215  
WR20 / A1M20 / LRV 37




Biscuit | D25904  
WR146 / A1M20 / LRV 30




Plaza | D2512  
WR27 / A1M27 / LRV 32




Monument | D2508  
WR305 / A1M239 / LRV 23




Gallery | D2511  
WR62 / A1M62 / LRV 10




Rust | D25907  
WR150 / A1M238 / LRV 10



Forge | D2515  
WR248 / A1M238 / LRV 9



Signal | D2516  
WR300 / A1M42 / LRV 13



# Floors - Safety



## Altro Atlas 40


### Application areas:

- Industrial areas exposed to heavy wheeled traffic such as pallet trucks and occasional forklift (for more intense forklift use please choose a resin)
- Sports changing rooms where spikes and studs on shoes are used
- Mezzanine areas

Tough as old boots... and new boots, steel toe-capped work boots and studded football boots. Altro Atlas 40 is our most robust safety flooring, and is suitable for areas exposed to shoes with studs or spikes. It's well suited to heavy duty industrial use and sports changing rooms.

Hard wearing, stable, and resistant to mechanical damage and chemicals, Altro Atlas 40 provides long term durability and slip resistance, and is easy to clean and maintain.

Available in 5 colours.




Pewter Grey | X4039  
WR81 / A1M81 / LRV 26


For full technical details [altro.com](http://altro.com)




# Floors - Safety




Mushroom | X4042  
WR24 / A1M27 / LRV 32



Quarry Red | X4060  
WR42 / A1M42 / LRV 13



Walnut | X4086  
WR62 / A1M62 / LRV 10



Anvil | X4094  
WR101 / A1M72 / LRV 11

# Floors - Safety




## Altro Stronghold 30 adhesive-free

### Application areas:

- Commercial kitchens (not domestic)\*\*
- Cold rooms\*
- Food preparation and service areas where grease, oil, fats are present
- Kitchen stairs\*
- Temporary kitchens

Designed exclusively for commercial kitchens, Altro Stronghold 30 adhesive-free can be welded and walked on the same day, significantly reducing kitchen downtime. With an integral DPM, it's fast-fitting and can even be installed over existing flooring or on fresh concrete. Over 95% of an installed floor can be recycled or re-used after use.

Altro Stronghold 30 adhesive-free is the ideal flooring solution for busy kitchens. It's easy to maintain and repair and has excellent scratch and scuff resistance, giving your kitchen floor a long life expectancy. It has Altro's highest rating for slip resistance (PTV $\geq$ 55, R12) and 3mm thickness, which provides comfort underfoot.




Clam | AFK30215  
WR20 / A1M20 / LRV 36




For full technical details  
[altro.com](http://altro.com)


# Floors - Safety



Celadon | AFK30332  
WR52 / A1M52 / LRV 24




Zinc | AFK3010  
WR86 / A1M86 / LRV 21




Mortar | AFK30911  
WR101 / A1M72 / LRV 11




Gulf | AFK30421  
WR72 / A1M72 / LRV 11



Soot | AFK3001  
WR100 / A1M100 / LRV 7



Tempest | AFK30153  
WR100 / A1M100 / LRV 7



Moleskin | AFK30500  
WR153 / A1M239 / LRV 17

\*For installations in cold rooms that reach temperatures below 0°C, and on kitchen stairs, Altro Stronghold 30 adhesive-free must be fully adhered using AltroFix™ 19 Plus. For more information please refer to our technical installation guide.

\*\*Altro recommend the use of AltroFix MP600 one trowel width around vulnerable points where water ingress or thermal shock might occur, such as drains, gullies and exposed edges to ensure the correct profile of the flooring. For more information please refer to our technical installation guide.

# Floors - Safety



## Altro Stronghold 30

### Application areas:

- Commercial kitchens (not domestic)
- Cold rooms
- Food preparation and service areas where grease, oil, fats are present
- Sloping ramps
- Kitchen stairs

Water underfoot is treacherous enough – add grease, oils and fats, and you've got a dangerous environment. So, for commercial kitchens, canteens, food preparation and service areas, it's essential to select flooring that will help catering staff do their job safely.

Altro Stronghold 30 achieves Altro's highest rating for slip resistance (PTV  $\geq 55$ , R12) and is designed to minimise risk in wet and greasy conditions for the lifetime of the flooring. As well as helping to keep staff safe from slips, it also helps reduce their fatigue, thanks to its 3mm thickness which provides noise reduction and comfort underfoot.

Altro Stronghold 30 is frequently specified with Altro Whiterock White and Altro Whiterock Satins to create safe and hygienic environments in commercial and industrial kitchens.




Star | K30912  
WR79 / A1M191 / LRV 41




For full technical details [altro.com](http://altro.com)


# Floors - Safety




Monsoon | K30153  
WR81 / A1M81 / LRV 24



Cannon | K30911  
WR101 / A1M72 / LRV 11




Dolphin | K3010  
WR86 / A1M86 / LRV 21




Midnight | K30421  
WR72 / A1M72 / LRV 11




Abyss | K3001  
WR100 / A1M100 / LRV 7




Oyster | K30215  
WR20 / A1M20 / LRV 36




Biscuit | K30907  
WR146 / A1M20 / LRV 30




Torch | K30913  
WR278 / A1M42 / LRV 16




Tundra | K30500  
WR153 / A1M239 / LRV 17




Skyline | K30332  
WR52 / A1M52 / LRV 24



Lime | K3086  
WR472 / A1M381 / LRV 42



Russet | K30262  
WR41 / A1M41 / LRV 14



Surf | K30412  
WR71 / A1M71 / LRV 20



# Floors - Safety



## Altro Aquarius


### Application areas:

- Bathrooms
- Showers
- Changing rooms (except where spikes/studs – then see 2.5mm+ options)
- Saunas
- Spas
- Wet rooms
- Home adaptation level access bathrooms
- Therapy pools with specialist care

Achieving a PTV  $\geq 50$  (Slider 96) and Class B to DIN 51097 for barefoot use, Altro Aquarius provides optimum lifetime sustained slip-resistance in wet and dry environments.

With 20 shades to choose from, this range features plain and tonal chip options, including an on-trend indigo shade to help you achieve high contrast and design flexibility.

It's a 2mm safety floor that has been extensively tested on a variety of shoe types to ensure top performance in a host of environments – bathrooms, changing areas, hospital wards. No longer do you have to choose between studded or standard safety flooring. With Altro Aquarius you can have it all. Good looks and comfort, without compromising on safety.




Puffin | AQI2005  
WR287 / A1M79 / LRV 46




For full technical details [altro.com](http://altro.com)


# Floors - Safety




Terrapin | AQI2009  
WR289 / A1M265 / LRV 40



Vole | AQ2010  
WR289 / A1M265 / LRV 43



Walrus | AQ2007  
WR261 / A1M81 / LRV 29




Tern | AQI2008  
WR261 / A1M81 / LRV 31



Hippo | AQI2013  
WR301 / A1M82 / LRV 11




Gosling | AQI2023  
WR369 / A1M369 / LRV 59




Iguana | AQ2021  
WR297 / A1M20 / LRV 41




Otter | AQI2006  
WR290 / A1M239 / LRV 26




Cygnet | AQ2004  
WR287 / A1M79 / LRV 46




Salamander | AQI2011  
WR294 / A1M294 / LRV 41




Swan | AQI2012  
WR291 / A1M01 / LRV 75




Sea Snail | AQI2024  
WR370 / A1M370 / LRV 50



Dragonfly | AQ2001  
WR292 / A1M292 / LRV 33



Blue Penguin | AQI2002  
WR288 / A1M71 / LRV 24




Newt | AQ2022  
WR368 / A1M368 / LRV 10



Coral Crab | AQI2014  
WR300 / A1M42 / LRV 14



Spoonbill | AQI2016  
WR303 / A1M303 / LRV 11



Treefrog | AQI2003  
WR293 / A1M271 / LRV 33



Mallard | AQI2015  
WR302 / A1M302 / LRV 13

# Floors - Safety



## Altro Pisces

### Application areas:

- Bathrooms
- Showers
- Changing rooms  
(except where spikes/studs – then see 2.5mm+ options)
- Saunas
- Spas
- Wet rooms
- Home adaptation level access bathrooms

For 'home from home' environments, looks really do matter. For those providing accommodation, safety remains a top priority, especially in wet environments where the likelihood of a slip is high. Achieving Class B to DIN 51097 for barefoot use, plus a Pendulum Test Value (PTV) of  $\geq 50$  (Slider 96), a soft-look finish and 17 attractive shades, Altro Pisces brings together the best of both worlds.

Altro Pisces has a consistent, soft appearance that you would want from domestic interiors, with the lifetime sustained slip-resistance you expect from Altro.

Altro Pisces performs whether wet or dry, in shoes or barefoot.




Breakwater | SB2003  
WR386 / A1M20 / LRV 42


For full technical details [altro.com](http://altro.com)




# Floors - Safety




Lighthouse | SB2001  
WR291 / A1M01 / LRV 70




Jellyfish | SB2005  
WR388 / A1M388 / LRV 46



Porthole | SB2007  
WR390 / A1M390 / LRV 30



Anchor | SB2008  
WR391 / A1M82 / LRV 16




Houseboat | SB2015  
WR398 / A1M398 / LRV 25




Fisherman | SB2009  
WR392 / A1M392 / LRV 48




Seahorse | SB2011  
WR394 / A1M394 / LRV 47




Windbreak | SB2016  
WR399 / A1M399 / LRV 38




Deckchair | SB2013  
WR396 / A1M396 / LRV 50



Sea Urchin | SB2014  
WR397 / A1M397 / LRV 34



Cuttlefish | SB2002  
WR385 / A1M385 / LRV 50



Shoreline | SB2006  
WR389 / A1M389 / LRV 38




Beach Hut | SB2012  
WR395 / A1M395 / LRV 37



Driftwood | SB2004  
WR387 / A1M387 / LRV 32



Sand Dune | SB2018  
WR568 / A1M239 / LRV 20



Starfish | SB2010  
WR393 / A1M393 / LRV 21

# Floors - Safety



## Altro Marine 20

### Application areas:

- Shower cubicles
- Swimming pool foot bath
- Swimming pool surrounds

Altro Marine 20 has a dimpled surface that's specially designed for bare feet where you need Class C and the risk of a slip is very high. It provides excellent slip resistance and its hardwearing construction makes it resistant to most chemicals and indentation. It is easy to maintain, so it will keep looking good and performing well.



Shark | IPT20812  
WR201 / A1M84 / LRV 24

For full technical details [altro.com](http://altro.com)



# Floors - Safety




Gull | T20813  
WR79 / A1M191 / LRV 46




Cascade | IPT20809  
WR105 / A1M01 / LRV 71




Reef | T20801  
WR20 / A1M20 / LRV 41



Seagrass | IPT20814  
WR137 / A1M137 / LRV 37




Fen | IPT20815  
WR242 / A1M242 / LRV 19




Steam | IPT20807  
WR85 / A1M85 / LRV 37



Rainfall | IPT20810  
WR135 / A1M135 / LRV 38



Marlin | T20811  
WR203 / A1M203 / LRV 34



Tide | IPT20808  
WR71 / A1M71 / LRV 21

# Walls




## Altro Whiterock White

### Application areas:

- Accident and emergency, critical care
- Commercial, social, student kitchens
- Laboratories, test areas
- Laundries, mortuaries
- Bathrooms

Thinking of replacing ceramic wall tiles with a proven, high performance option? Consider Altro Whiterock White – the hygienic alternative to tiles that's impact resistant, grout-free and easy to clean. Its smooth white surface and classical purity make it a timeless choice for any interior.

HACCP-approved Altro Whiterock White is made from a high-quality, food-safe PVCu polymer that can handle temperatures up to 60°C, and meets all current EU Directives on health and hygiene. This makes it particularly suitable for use in commercial kitchens especially combined with Altro Stronghold 30.



White | W103-W104  
LRV 89

For full technical details [altro.com](http://altro.com)



# Walls



## Altro Whiterock Satins


### Application areas:

- Hospital wards, treatment rooms
- Corridors
- Spas
- Ensuite bathrooms
- Staff changing rooms
- Kitchenettes

Use colour to subtly create a mood with Altro Whiterock Satins. This versatile and sophisticated wall sheet is available in a range of solid, decorative, satin shades.

Of course, Altro Whiterock Satins still provides the impact resistance and hygiene you would expect from Altro Whiterock, with a stain-resistant, wipe-clean surface.

Altro Whiterock Satins can be combined with Altro non-sparkle safety flooring to achieve the required Light Reflectance Value difference needed to meet the Equality Act 2010.



Promenade | 212  
LRV 31


For full technical details [altro.com](http://altro.com)



# Walls



Cesco | 53  
LRV 71




Ice | 44  
LRV 80



Malva | 57  
LRV 68



Viola | 214  
LRV 13



Zandra | 217  
LRV 24



Linen | 41  
LRV 83




Oyster | 32  
LRV 70



Citron | 56  
LRV 80



Daybreak | 222  
LRV 69




Glow | 215  
LRV 50




Orchard | 223  
LRV 50




Olea | 218  
LRV 28



Fawn | 206  
LRV 41



Sorbet | 216  
LRV 59




Bergamot | 220  
LRV 26



Scarlett | 221  
LRV 13


# Walls




Dakota | 209  
LRV 6




Urban | 210  
LRV 28



Echo | 208  
LRV 43



Flint | 201  
LRV 32



Clarity | 207  
LRV 64



Ozone | 211  
LRV 10



Seafoam | 43  
LRV 81



Mint | 203  
LRV 62



Vibrance | 213  
LRV 22



# Walls



## Alto Whiterock Chameleon

### Application areas:

- High-end bathrooms
- Showers and changing rooms
- Foyers
- Serveries
- Retail

Make a bold statement with Alto Whiterock Chameleon – the glossy, vibrant and vividly colourful hygienic wall cladding. Alto Whiterock Chameleon is available in 16 high impact, high-design shades to add a little bit of affordable luxury to a range of environments.

Offering all the benefits of Alto Whiterock, Alto Whiterock Chameleon is very durable, with a smooth, watertight, wipeclean surface.




Key Lime | 6635  
LRV 50


For full technical details [alтро.com](http://alтро.com)



# Walls



Pure Innocence | 6601V  
LRV 92




Slip Stream | 6611V  
LRV 36




Night Fall | 6622V  
LRV 15



Sheer Glass | 6609V  
LRV 40




Ocean Deep | 6637  
LRV 7




Ice Queen | 6629V  
LRV 36




Eau De Chic | 6605V  
LRV 48



Hawaiian Palm | 6638  
LRV 22



Distant Thunder | 6634  
LRV 18



Liquorice | 6612V  
LRV 5



Taxi Cab | 6636  
LRV 58




Moulin Rouge | 6618V  
LRV 12



Juicy Lucy | 6620V  
LRV 20



Shocking Pink | 6616V  
LRV 15



Feng Shui | 6617V  
LRV 9

# Walls



## Altro Whiterock wall designs

### Application areas:

- Public areas, receptions, foyers, lobbies
- Bedrooms in hotels and hospitals
- Cafés, restaurants and bars
- Bathrooms, showers and changing rooms

With natural wood, metal, stone and linen options, Altro Whiterock wall designs give an elegance to interior walls while providing the durability you expect from an Altro Whiterock wall sheet.

Altro Whiterock wall designs are perfect for general circulation areas as well as wet environments such as bathrooms and spas, creating a design focal point.

It is fitted like an Altro Whiterock sheet, can be hot welded and can be combined with Altro floors for a fully sealed, impervious solution for non-critical hygiene environments. It can also be used with Altro Whiterock and Altro Fortis wall sheets in adjacent areas.



Cool Mineral | 9906  
LRV 48

For full technical details [altro.com](http://altro.com)




# Walls



Winter Weave | 9909  
LRV 58



Autumn Weave | 9910  
LRV 43



Summer Weave | 9908  
LRV 36



Soft Woodgrain | 9901  
LRV 52




Warm Woodgrain | 9904  
LRV 38



White Mineral | 9905  
LRV 61



Urban Mineral | 9907  
LRV 28



Brushed Steel | 9911  
LRV 54



Antique Copper | 9912  
LRV 10



Rich Woodgrain | 9902  
LRV 14



# Walls



## Altro Whiterock Digiclad (Custom)

### Application areas:

- Cafés, restaurants and bars
- Public areas, receptions, foyers, lobbies
- Retail, offices, commercial building spaces where looks count
- Bathrooms, showers and changing rooms

Create the right impression with a bespoke design on your wall. From a calming coastal landscape in a hospital ward to a bold company logo in a reception area, the only limit is your imagination.

Altro Whiterock Digiclad (Custom) is created by reproducing a photographic image or vector art onto Altro Whiterock wall sheet, with consistent, photographic quality. Hard-coat technology provides scratch-resistant properties for added surface protection, making Altro Whiterock Digiclad (Custom) ideal for areas where durability is important.



For full technical details [altro.com](http://altro.com)



# Walls



## Altro Fortis Titanium

### Application areas:


- Corridors, public areas
- Service areas
- Dry changing rooms
- Patient rooms

Altro Fortis Titanium is constructed from highly durable semi-rigid sheet, which is dense, impervious material, resistant to bumps. It features a lightly textured surface, which camouflages scuffs, keeping the wall area looking better for longer.

Available in 12 colours, including muted and vibrant shades, Altro Fortis Titanium matches many of the popular shades from the Altro Whiterock Satins hygienic wall sheet range. This offers flexibility when it comes to design, making it a versatile solution across a range of areas. Plus the colour runs throughout, reducing the visibility of knocks or scrapes. Bespoke colour options are also available to meet any specific requirements\*\*.

With an impervious, easy-to-wipe surface, Altro Fortis Titanium improves cleanability.


\*\* Conditions apply. Please contact us for more information.




Cardinal | FT/221  
LRV 13

For full technical details [altro.com](http://altro.com)

# Walls




White | FT/01  
LRV 89




Pearl | FT/41  
LRV 83



Almond | FT/32  
LRV 70




Tan | FT/206  
LRV 41




Mustard | FT/222  
LRV 69



Shadow | FT/53  
LRV 71




Riviera | FT/207  
LRV 64




Denim | FT/201  
LRV 32



Oxford | FT/211  
LRV 10



Kingfisher | FT/213  
LRV 22



Battleship | FT/208  
LRV 43

# Walls




## Altro Fortis corner protection

### Application areas:

- Corridors, public areas
- Service areas
- Dry changing rooms
- Patient rooms

For extra protection on a wall's vulnerable corner, choose our ready-made Altro Fortis Titanium corner protection, part of the Altro Fortis system. If this isn't right for you, there is the option for you to thermoform from Altro Fortis Titanium cut sheet.




Battleship | FT/208/E75X75  
LRV 43




For full technical details [altro.com](https://www.altro.com)

# Walls




White  
FT/01/E75X75  
LRV 89




Pearl  
FT/41/E75X75  
LRV 83



Almond  
FT/32/E75X75  
LRV 70




Tan  
FT/206/E75X75  
LRV 41




Mustard  
FT/222/E75X75  
LRV 69



Shadow  
FT/53/E75X75  
LRV 71




Riviera  
FT/207/E75X75  
LRV 64



Denim  
FT/201/E75X75  
LRV 32



Oxford  
FT/211/E75X75  
LRV 10



Kingfisher  
FT/213/E75X75  
LRV 22



Cardinal  
FT/221/E75X75  
LRV 13

# Walls



## Altro Tegulis

### Application areas:

- Non-commercial kitchens
- Supermarket counters
- Bars/Cafe/Restaurants
- Spas
- Hotels

With numerous colour and tile-effect combinations, Altro Tegulis is perfect if you are looking to create a stylish, flexible look for walls. Created from 11 standard tile-effect options with multiple colour and design palettes. An innovative and functional wall system, with no grout to contend with and impervious to water, Altro Tegulis takes creative wall design to a new level.

With the look and feel of tiles, the custom-etched grout lines eliminate the cleaning, repair and hygiene issues often associated with tiles. Altro Tegulis is a grout-free alternative to ceramic tiles, and no grout means there is nowhere for mould to grow.




Cool Mineral | 9906  
LRV 48

For full technical details [altro.com](https://www.altro.com)




# Walls



White | WSR01  
LRV 89



White Mineral | 9905  
LRV 61



Urban Mineral | 9907  
LRV 28




Warm Woodgrain | 9904  
LRV 38




Antique Copper | 9912  
LRV 9

## Tile-effect options




Stacked Metro tile  
76mm x 292mm




Stacked tile  
222mm x 389mm




Metro tile  
76mm x 146mm




Metro tile  
76mm x 292mm




Metro tile  
102mm x 233mm



Square tile  
106mm x 106mm




Mosaic tile  
35mm x 35mm



Mosaic tile  
53mm x 53mm



Chevron tile  
69mm x 146mm



Herringbone tile  
82mm x 165mm



Hexagon tile  
112mm x 130mm

# Walls



## Altro Whiterock Imagination Wall

### Application areas:

- Waiting areas
- Hospital wards
- Nurseries
- Activity centres

Altro Whiterock Imagination Wall gives children the chance to colour to their hearts' content - then you dry wipe away and they can start again! This new addition to the Altro Whiterock range is available in six imaginative scenes providing children with a low-maintenance creative outlet, while simultaneously protecting walls from scuffs and bumps commonly found in paediatric offices and classrooms. Altro Whiterock Imagination Wall blends the durability of Altro Whiterock with the versatility of dry wipe usage and can be integrated with other Altro Whiterock panels for designated dry wipe areas. Designed for use with non-toxic, washable, dry wipe markers, Altro Whiterock Imagination Wall can be easily cleaned for repeated use.




Space | WIM001


# Walls




Dinosaurs | WIM002




Shapes | WIM003



Space | WIM001



Aeroplanes | WIM005



Pirates | WIM006



For full technical details [altro.com](http://altro.com)

# Walls




## Altro Whiterock Whiteboard

### Application areas:

- Classrooms
- Meeting, training rooms
- Consultation rooms
- Play areas

Altro Whiterock Whiteboard is ideal for brainstorming, schedule development, formulas and other non-permanent record keeping. Functioning like a dry wipe board, you can write directly on the wall with a dry wipe marker. It blends the durability of Altro Whiterock with the versatility of dry wipe usage and can be integrated with other Altro Whiterock panels for designated dry wipe areas.



Whiteboard | WWB25001-WWB30001  
LRV 89

For full technical details [altro.com](https://www.altro.com)



# Walls



## Altro Walls ShowerKit


### Application areas:

- Bathrooms, ensuites
- Shower areas

Eliminating the need for costly and time-consuming tile removal Altro Walls ShowerKit enables customers to transform the appearance of bathrooms without undertaking extensive renovations, saving both time and money in refurbishment or new build projects.

- Water-resistant
- Easy to clean
- Durable
- 10-year guarantee
- Reduces installation time
- Limitless design possibilities

Without the need for grout – where stains and mould can be a problem, Altro Walls ShowerKit looks good from installation and beyond.




White | W103-W104  
LRV 89




For full technical details [altro.com](https://www.altro.com)


# Walls




# Walls



Zandra | 217  
LRV 24




Scarlett | 221  
LRV 13




Promenade | 212  
LRV 32




Vibrance | 213  
LRV 22




Urban | 210  
LRV 28



Viola | 214  
LRV 13




Ozone | 211  
LRV 10




Dakota | 209  
LRV 6


## Tile-effect - 100mm x 100mm Square




White | W103-W104  
LRV 89



Cool Mineral | 9906  
LRV 48




White Mineral | 9905  
LRV 61



Urban Mineral | 9907  
LRV 28




Warm Woodgrain | 9904  
LRV 38




Antique Copper | 9912  
LRV 10

# Walls


## Tile-effect - 100mm x 300mm Stacked Metro




White | W103-W104  
LRV 89



Cool Mineral | 9906  
LRV 48




White Mineral | 9905  
LRV 61



Urban Mineral | 9907  
LRV 28




Warm Woodgrain | 9904  
LRV 38




Antique Copper | 9912  
LRV 10


## Tile-effect - 200mm x 300mm Stacked Metro




White | W103-W104  
LRV 89



Cool Mineral | 9906  
LRV 48




White Mineral | 9905  
LRV 61



Urban Mineral | 9907  
LRV 28



Warm Woodgrain | 9904  
LRV 38



Antique Copper | 9912  
LRV 10



# Walls




## Altro Whiterock recessed shelf

### Application areas:

- Bathrooms, ensembles
- Shower areas

The Altro Whiterock recessed shelf is a pre-fabricated unit, using proven Altro Whiterock hygienic walls sheet. This unit is perfect for making bathing an easier and more familiar experience for residents and patients in social housing and healthcare applications such as mental health facilities and care homes. It is recessed into the wall and hot welded flush to adjoining Altro Whiterock wall sheets, ensuring a hygienic solution with no ledges or lips that could cause injury.

Available in four calming colours, this hygienic system provides a watertight, rust-proof shelf for shower toiletries, which is tamper-resistant and free from potential ligature points, helping to keep users safe.



White | A900/103  
LRV 89


# Walls



Linen | A900/41  
LRV 83



Oyster | A900/32  
LRV 70



Fawn | A900/206  
LRV 41



For full technical details [altro.com](https://www.altro.com)

# Walls



## Altro Whiterock Splashbacks

### Application areas:

- Kitchens, kitchenettes
- Bistros
- Hospital wards
- Ensuite bathrooms
- Schools, nurseries
- Supermarket counters

Hygienic, low-maintenance, convenient and easy to install, Altro Whiterock Splashbacks are a popular alternative to tiles. They're available as kits in a range of sizes to suit most hand wash basins and vanity units, or custom sized for the perfect fit.

Giving you the flexibility to co-ordinate or contrast, Altro Whiterock Splashbacks come in a vast array of colours and finishes complemented by colour-matched sealants. Choose from Altro Whiterock White, Altro Whiterock Satins, Altro Whiterock Chameleon and Altro Whiterock wall designs ranges, pick your size, and away you go.



Key Lime | 6635  
LRV 50


For full technical details [altro.com](http://altro.com)




# Walls




# Walls




Dakota | 209  
LRV 6




Urban | 210  
LRV 28




Echo | 208  
LRV 43



Flint | 201  
LRV 32



Clarity | 207  
LRV 64



Ozone | 211  
LRV 10



Seafoam | 43  
LRV 81



Mint | 203  
LRV 62




Promenade | 212  
LRV 32



Vibrance | 213  
LRV 22




Cesco | 53  
LRV 71




Ice | 44  
LRV 80




Malva | 57  
LRV 68



Viola | 214  
LRV 13




Zandra | 217  
LRV 24



Scarlett | 221  
LRV 13



Bergamot | 220  
LRV 26




White | W103-W104  
LRV 89


# Walls



Winter Weave | 9909  
LRV 58



Autumn Weave | 9910  
LRV 43



Summer Weave | 9908  
LRV 36



Soft Woodgrain | 9901  
LRV 52




Warm Woodgrain | 9904  
LRV 38



White Mineral | 9905  
LRV 61



Cool Mineral | 9906  
LRV 48




Urban Mineral | 9907  
LRV 28



Antique Copper | 9912  
LRV 10



Rich Woodgrain | 9902  
LRV 14



Brushed Steel | 9911  
LRV 54

# Walls




## Altro Whiterock hand wash station

### Application areas:

- Critical hygiene areas
- A&E
- Commercial kitchens
- Changing areas
- Nursing homes
- Nurseries
- Doctor's surgeries
- Vets
- Community Healthcare
- Leisure centres

In areas where both surface and hand hygiene are imperative, you can now enjoy a fuss-free installation with the all-new pre-fabricated modular solution: Altro Whiterock hand wash station. HBN 00-10 compliant pre-fabricated modular solution encapsulated in Altro Whiterock wall sheet for hand washing. A choice of four modular configurations pre-thermoformed with no horizontal or vertical joints, complete with all required parts including access panels, taps and basin kit.



Flint | 201  
LRV 32


For full technical details [altro.com](http://altro.com)




# Walls




# Walls




Urban | 210  
LRV 28




Dakota | 209  
LRV 6



Pure Innocence | 6601V  
LRV 92




Slip Stream | 6611V  
LRV 36




Night Fall | 6622V  
LRV 15




Sheer Glass | 6609V  
LRV 40




Ocean Deep | 6637  
LRV 6



Ice Queen | 6629V  
LRV 36



Distant Thunder | 6634  
LRV 18




Eau De Chic | 6605V  
LRV 48




Key Lime | 6635  
LRV 50




Hawaiian Palm | 6638  
LRV 22



Taxi Cab | 6636  
LRV 58



Moulin Rouge | 6618V  
LRV 12




Juicy Lucy | 6620V  
LRV 20



Shocking Pink | 6616V  
LRV 15



Feng Shui | 6617V  
LRV 9



Liquorice | 6612V  
LRV 5


# Walls



Winter Weave | 9909  
LRV 58



Autumn Weave | 9910  
LRV 43



Summer Weave | 9908  
LRV 36



Soft Woodgrain | 9901  
LRV 52




Warm Woodgrain | 9904  
LRV 38



White Mineral | 9905  
LRV 61



Cool Mineral | 9906  
LRV 48




Urban Mineral | 9907  
LRV 28



Antique Copper | 9912  
LRV 10



Rich Woodgrain | 9902  
LRV 14



Brushed Steel | 9911  
LRV 54

# Doors



## Altro Whiterock hygienic doorsets

### Application areas:


- Operating theatres, accident and emergency, clinical areas
- Commercial kitchens
- Laboratories
- Receptions, foyers, lobbies
- Lounges
- High-end Bathrooms

In areas where hygiene is crucial, or where doors take a lot of abuse, Altro Whiterock hygienic doorsets are the answer. Encapsulated with PVCu, they're not only tough and impact-deflective, but also hygienic and low maintenance.

Altro Whiterock hygienic doorsets are custom-made to meet your needs, and can be designed for use on their own or as part of a complete Altro system including hygienic wall sheets and flooring.

They're available clad in Altro Whiterock wall designs or Altro Whiterock Satins, so you can choose colours that can complement your decor or create contrast to aid with wayfinding.

Our doorsets are available in a wide range of bespoke options.



Flint | 201  
LRV 32

For colours see pages 76-77, 70-72.  
For full technical details [altro.com](http://altro.com)



# Doors



## Altro Fortis doorsets


### Application areas:

- Service corridors
- Public corridors
- Loading areas
- Dry changing rooms

This fully clad, custom-made option is perfect for public areas where doors are constantly in use and demand robust protection. Faced with the Altro Fortis Titanium sheet on both sides and all edges, these doorsets offer you optimum protection.

Doorsets encapsulated with Altro Fortis Titanium are hard-wearing, impact and scuff resistant and have a wipe clean finish for easy maintenance. They can be used alongside Altro Fortis Titanium wall protection sheet and Altro Fortis corner protection to create a complete, robust protection system where it's needed.

Our doorsets are available in a wide range of bespoke options.



Pearl | FT/41  
LRV 83

For colours see pages 80-81.  
For full technical details [altro.com](http://altro.com)



# Doors



## Altro Fortis door protection

### Application areas:

- Circulation, public areas
- Corridors
- Classrooms

In busy public areas, clad your existing doors to protect them where they need it most, helping prevent scuff and impact damage.

Simply order the standard Altro Fortis Titanium sheet, and cut it to size, fitting it to the height you need protection for, or if you prefer, we can do the hard work for you. Let us know the size you require and we'll cut it for you.

Available in 12 colours.



Almond | FT/32  
LRV 70


For colours see pages 80-81.  
For full technical details [altro.com](http://altro.com)



# Technical drawings - Floors

Straight laid

D1/03/05





AltroMastic 100

Altro sheet flooring

# Technical drawings - Floors

Set-in cove skirting

D3





Hot welded joint

Altro sheet flooring

Sit-on cove

D2




AltroMastic 100

Altro sheet flooring

Self-covered with cove former and capping seal


D4/03/05



Wall finish

Capping seal C7

Altro sheet flooring






# Technical drawings - Floors

Self-coved with cove former and captile strip C8 to wall tiles


D5/03/05



# Technical drawings - Floors


Self-coved with cove former to Altro wall system semi-rigid PVCu sheet

D8/03/05




Self-coved with cove former and capping seal C11 over floor tiles

D6/03/05



Self-coved to architrave


D9/03/05



# Technical drawings - Floors

Finished to gully angle


D10/03/05



# Technical drawings - Floors


Transition with clamping drain

D13/03/05




Transition with other floor surfaces

D12/08/05



Transition with clamping channel


D14/03/05



# Technical drawings - Floors

Transition with access covers


D16/03/05



# Technical drawings - Walls


Altro wall system to window / door frame detail

W1



Altro Whiterock hygienic PVCu wall system to shower tray with integral upstand detail


WS2



# Technical drawings - Walls


Altro wall system to boxing inspection cover detail

W3



Altro Whiterock hygienic PVCu wall system to Altro flooring for wet environments shower tray detail

WF4




Shower tray detail for dementia-friendly environments available at [www.altro.com](http://www.altro.com)

# Technical drawings - Walls


Altro wall system to Altro resilient flooring overlap detail

WF4a



Altro wall system to Altro resin flooring detail


WF5



# Technical drawings - Walls


Altro wall system to Altro resin flooring detail

WF6



Altro wall system with corner protector fixing detail


W8



# Technical drawings - Walls


Altro wall sheet to Altro wall sheet detail

W9



Altro wall sheet to Altro Whiterock FlexiJoint detail


W11



# Technical drawings - Walls

Concealed transition strip


WHHT2



# Technical drawings - Walls

Concealed transition strip


WHHT4



The hidden transition strip has been designed to maintain the overlap detail when replacing flooring without the need to replace the wall system, for installation guidance contact the Altro technical team on 01462 707600.

Concealed transition strip

WHHT3



# Support

## Accessories and technical information

- subfloors
- floor accessories
- wall accessories
- adhesives
- stair nosings
- how vinyl safety flooring works
- technical services
- specification guidance
- technical drawings
- technical datasheets

## Case studies

## Sampling

## Customer support and CPD services

## Altro showrooms

## NBS specifications

## Life cycle costs



“We have worked closely with Altro for many years, and in our experience their products are second to none in terms of quality and reliability — but they also offer colours, textures and overall solutions that can deliver visual appeal in the most innovative and challenging design projects. There is a great deal of confidence in the industry for Altro and their reputation is well deserved.”

Scott Myers,  
Managing Director, Pinnacle

More information is available on [altro.com](https://www.altro.com)

## Samples

If colour choice is critical, please request a sample of the material

☎ 01462 707 700

✉ [enquiries@altro.com](mailto:enquiries@altro.com)



**Altro Limited, Works Road, Letchworth Garden City, Hertfordshire SG6 1NW**

☎ 01462 707 700 ✉ [enquiries@altro.com](mailto:enquiries@altro.com)



Altro, Designed for possibilities. Made for people. Altro Ensemble, Altro Cantata, Altro Orchestra, Altro Operetta, Altro Serenade, Altro Zodiac, Altro Reliance, Altro Atlas, Altro Suprema, Altro Wood adhesive-free, Altro Wood, Altro Wood Comfort, Altro Illustra adhesive-free, Altro Illustra, Altro Walkway, Altro Walkway SD, Altro XpressLay, Altro Stronghold adhesive-free, Altro Stronghold, Altro Aquarius, Altro Pisces, Altro Classic, Altro Marine, Altro Whiterock wall designs, Altro Whiterock White, Altro Whiterock Satins, Altro Whiterock Chameleon, Altro Whiterock Digiclad, Altro Whiterock Whiteboard, Altro Whiterock Imagination Wall, Altro Whiterock Splashbacks, Altro Walls ShowerKit, Altro Whiterock recessed shelf, Altro Whiterock hand wash station, Altro Fortis Titanium, Altro Fortis corner protection, Altro Fortis door protection, Altro Fortis doorsets and Altro Whiterock hygienic doorsets are trademarks of Altro Limited.

Content correct at time of going to print. Altro reserves the right to change any detail. © Copyright Altro 2024