

A complete wall panel system

System and accessories


Altro Puraguard wall panels are smooth, durable, naturally hygienic, easily cleaned, and easy to install. Available in 4'x9' and 4'x10' panel sizes, Altro Puraguard includes a variety of connectors and corner accessories that provide efficient and user-friendly installation.

Our installation method is quick and easy to do. This greatly minimizes installation time and makes Altro Puraguard the first choice in wall protection for emergency vehicles!

These PVC panels can be cut by many different means and are easily configured to accommodate obstacles such as switches, outlets and components.

Adhesives and sealants

When our installation techniques are followed, our adhesives and sealants will perform in both dry and wet environments, making Altro Puraguard adaptable in nearly any setting. Adding sanitary sealant to the installation ensures that Altro Puraguard remains moisture-free beneath the surface, and avoids warping or bubbling commonly experienced with inferior wall paneling.





Altro Puraguard

The first choice in wall protection for emergency vehicles

Altro Puraguard is an established and economically priced wall protection product for any emergency vehicle application. These smooth, low maintenance PVC panels promote durability and hygiene in any emergency vehicle.

Altro Puraguard offers improved performance over traditional FRP panels at a more affordable price. Its homogeneous construction camouflages superficial scratches, keeping your walls attractive long after their installation.

Features + benefits

✓ High stain and chemical resistance

- ✓ Durable system accessories
- ✓ Fully bonded to substrate
- No glass fibers for continued safety of air quality
- ✓ Impervious to water ingress
- Withstands robust cleaning procedures including pressure washing
- Resists mold and fungi growth
- ✓ Non-porous, hydrophobic
- ✓ Non-shedding
- ✓ Low VOCs
- Class A fire rated

Technical data

Thickness	2mm .08"			
Dimensions	4' x 9' and 4' x 10'			
Weight	9' panel - 21.05 lbs, 10' panel - 23.4 lbs			
Warranty	1 year product warranty	1 year		
Impact resistance	8	ASTM D5420 Gardner Impact	Exceeds 64 inch pounds	
Fire and smoke performance	8	CAN/ULC - S102.2 ASTM E84-08	Tested Class A	
Horizontal burn rate	FMVCSS/ CAMVSS 302	Pass		
VOC emissions	VOC	Pass		
Mold resistance	F	ASTM D3273	Excellent - Score of 10	
Fungi resistance	****	ASTM G21	Passes rating 0* *achieves zero growth after 21 days	
UV exposure	ASTM G154	Tested		
Composition	Extruded PVCu			

Altro Puraguard vs FRP

Altro Puraguard consistently outperforms FRP in many categories which has led this product to become a superior option for FRP contractors.

Here's why!

- ✓ Consistent 2.0mm thickness hides wall issues
- ✓ 2x more impact-resistant than most FRP
- ▼ Will not crack/fracture no hazardous fibers
- Does not bubble with temperature fluctuations when installed per our guidelines
- Superior, smooth aesthetic
- ✓ Consistent coloring, will not yellow over time.



Common stain + chemical resistance

Chemical	Concentration	Time	Resistant
Bleach			•
Butane		20	⊘
Chlorine water	Saturated	40	•
Chlorine water	12° 5	40	Ø
Chlorine water	48%	40	Ø
Citric acid	Up to 20%	40	Ø
Citric acid	Saturated	40	Ø
City gas		20	Ø
Glucose	Saturated	40	Ø
Glycerine	All concentrations	40	Ø
Hydrogen peroxide	Up to 20%	40	Ø
Hydrogen peroxide	Up to 30%	40	Ø
Kerosene / petroleum		40	Ø
Oils and greases		40	Ø
Seawater		40	Ø
Soap solution	Fully concentrated	40	Ø




For more information on installation please see our Altro Puraguard installation guide or ask a technical representative.



Simple cleaning information is also available as a separate document for end-users



Color availability and system accessories



Salt

4' x 9' panel W139 4' x 10' panel W135



LRV 89

LRV 36

Sea Salt

W140 4' x 9' panel 4' x 10' panel W141



Pepper

4' x 9' panel W140 / 301 W141/301 4' x 10' panel


LRV 55

Barley

W140 / 300 4' x 9' panel 4' x 10' panel W141/300

Did you know?

Altro Transport is proud to offer durable, safe, naturally hygienic, and lightweight transport floors which are ideally suited for Type I and III ambulances, command vehicles, and similar vehicles. Without compromising on safety, hygiene, durability, or cleanability, the lightweight construction of our floors also allows for greater fuel altro.com/transport




One-part Joint Strip 10' Salt

G731 / 30 Barley G731 / 300 Pepper G731 / 301



Start + Edge Trim 10'

G733 / 30 Salt Barley G733 / 30 / 300 Pepper G733 / 30 / 301



Internal / External Corner 10'

Salt A826 / 30 A826 / 30 / 300 Barley A826 / 30 / 301 Pepper



External cover 10'

Salt A839 / 30 Barley A839 / 30 / 300 A839 / 30 / 301 Pepper



C4 Cap strip 8'2"

White ASF C4 CAP



Altro W157 acrylic adhesive W157

Covers 4 panels For porous, even substrates



Altro W39 2-Part Adhesive

W39 Covers 1 panel For wet, non-porous substrate



Altro W147 Spray

W147 Covers 2 panels For approved substrates



Sanitary Sealant

White A802 Clear A803



Stainless steel corner protector A861/12 2"x2"x4'

A861/13 2"x2"x8'



PVC Cleaner A859/325



AltroClean 44 44cleaner



Anti-static solution in spray bottle A809



Anti-static solution refill A809/05

Discover Altro Transflor™ online



Puraguard cleaning guide



Transflor emergency vehicle flooring



Warranties













Altro USA, Transport 12648 Clark Street Santa Fe Springs, CA 90670

- **♥ USA** 800 382 0333
- © CANADA 800 565 4658
- www.altro.com/transport