



Designed for possibilities.  
Made for people.

# Altro Symphonia™

Delightful and durable smooth commercial flooring




2mm  
thick


6'7"  
width

66'  
length


sheet  
format




**Iceberg** PH2003  
WR284 / AM01 LRV 61




**Crystal** PH2007  
WR284 / AM01 LRV 64




**Vapor** PH2004  
WR191 / AM191 LRV 43




**Squall** PH2011  
WR372 / AM81 LRV 28




**Frozen** PH2008  
WR374 / AM79 LRV 43




**Flurry** PH2012  
WR402 / AM81 LRV 30




**Swordfish** PH2037  
WR410 / AM84 LRV 25




**Coyote** PH2015  
WR373 / AM86 LRV 21




**Manatee** PH2016  
WR403 / AM82 LRV 16




**Chipmunk** PH2020  
WR232 / AM82 LRV 13



**Koala** PH2019  
WR404 / AM82 LRV 12



**Raisin** PH2040  
WR275 / AM44 LRV 8




**Tulip** PH2032  
WR380 / AM238 LRV 10




**Bubble Gum** PH2036  
WR276 / AM276 LRV 17



**Owl** PH2041  
WR20 / AM20 LRV 40




**Shore** PH2005  
WR283 / AM20 LRV 51




**Rye** PH2002  
WR400 / AM265 LRV 42



**Pony** PH2001  
WR267 / AM20 LRV 52



**Caribou** PH2009  
WR282 / AM239 LRV 25




**Falcon** PH2006  
WR401 / AM20 LRV 40





**Quail** PH2010  
WR279 / AM20 LRV 30




**Colt** PH2013  
WR282 / AM239 LRV 23




**Sable** PH2030  
WR408 / AM100 LRV 6




**Magma** PH2018  
WR260 / AM260 LRV 7




**Pine Cone** PH2014  
WR371 / AM371 LRV 14




**Foal** PH2017  
WR260 / AM260 LRV 7




**Clementine** PH2024  
WR273 / AM273 LRV 20




**Saffron** PH2028  
WR406 / AM42 LRV 15




**Geyser** PH2021  
WR285 / AM203 LRV 32




**Tidepool** PH2022  
WR272 / AM272 LRV 27



**Whirlpool** PH2029  
WR407 / AM73 LRV 10



**Wild Flower** PH2026  
WR194 / AM71 LRV 17




**Lakeside** PH2025  
WR194 / AM71 LRV 19




**Gulf** PH2034  
WR270 / AM56 LRV 22




**Brook** PH2038  
WR376 / AM302 LRV 14




**Primrose** PH2039  
WR411 / AM378 LRV 42




**Porpoise** PH2033  
WR409 / AM84 LRV 24



**Margarita** PH2035  
WR381 / AM381 LRV 42



**Cantaloupe** PH2023  
WR405 / AM271 LRV 31



**Clover** PH2027  
WR262 / AM154 LRV 25



**Caterpillar** PH2031  
WR377 / AM308 LRV 19

# Altro Symphonia

Delightful and durable smooth commercial flooring

Slip resistance			
Static coefficient of friction		ASTM D2047	.8 dry, .9 wet
Ramp test		DIN 51130	R10
TRRL pendulum test		BS 7976	40+

Specifications			
Thickness	2.0mm   .08"		
Roll dimensions	6'7" x 66'   2.0m x 20m		
Weight	4.60 lbs./yd <sup>2</sup>   2.5 kg/m <sup>2</sup>		
Wear layer	.8mm   .031"		
Cleaning technology		Altro Easyclean	
Warranty		10 years	
Static load limit		ASTM F970	2000 psi
Sound insulation		ISO 140-8	5dB
Fire and smoke performance		CAN/ULC - S102.2 ASTM E648 ASTM E662	Tested Class I < 450
VOC emissions		CA 01350 FloorScore	Pass Certified
Bio-based content		Manufactured with rapidly renewable bio-based content.	
Recycled content		This product contains 5% post-consumer recycled content.	
Particle concentration	ISO 14644 - 9:12		Meets ISO 4 cleanroom requirements
Composition	Aluminum trioxide and colored quartz aggregate throughout thickness of PVC. Colored PVC and clear PVC used to create a dimensional appearance. Altro Easyclean incorporated for exceptional cleanability.		
Backing	Non-woven polyester/cellulose glass fiber reinforcement scrim.		
Installation and maintenance	Altro flooring must be installed by a professional flooring installer that has attended an Altro training clinic. Installation procedures available at <a href="http://altrofloors.com/downloads">altrofloors.com/downloads</a> , training clinic information at <a href="http://altrofloors.com/training">altrofloors.com/training</a> . Proper care of Altro flooring is critical. Please consult our cleaning procedures available at <a href="http://altrofloors.com/downloads">altrofloors.com/downloads</a> . Failure to install, heat weld, and/or maintain correctly could void the warranty.		
Staining	Certain chemicals may cause staining of vinyl flooring. Traffic stains may be caused by asphalt and rubber products, like rubber mats. Please conduct stain test before installation.		

Altro, Altro Symphonia and Altro Easyclean are all trademarks of Altro Limited. Folder content was correct at time of print. Altro reserves the right to change any detail. Please consult your sales representative for the latest product information.  
© Copyright Altro USA 2017

## LEED facts



LEED v4 This product may help contribute to the following credits

Altro Symphonia		8
	Materials and resources Contains recycled content	1
	Materials and resources Renewable bio-based content	1
	Materials and resources Environmental product declaration	1
	Materials and resources Health product declaration	1
	Environmental quality Low emitting materials, flooring	3
	Environmental quality Low emitting materials, adhesives	1

Discover more of our sustainability story and credentials at [altro.com/sustainability](http://altro.com/sustainability)