

NEW PRODUCT Altro Transflor Artis™

Typical applications:

Executive sedans, coach, shuttle, trolley, recreational, specialty vehicles, mobility vehicles, mobile medical units, mobile food, people movers.

Public transport design is becoming increasingly sophisticated. Passenger demands for interiors to offer the comfort and appeal of other public spaces has triggered a move away from utilitarian design to a more welcoming aesthetic. Design is now frequently used to increase passenger appeal and expand accessibility, but interior components still have to offer the hard-wearing performance they always have. Altro Transflor Artis comprises a breadth of natural designs to perfectly harmonize with other interior materials for stunning results. And better still, with its resilient compact construction, protective ShieldGrip technology and sustained slip resistance, it delivers the performance necessary for the toughest service schedules.

lightweight safety flooring for the transit industry



Farmhouse Oak TFWSA2204F (2.2mm) WR338 / AM338 / LRV 38



Autumn Maple TFWSA2205F (2.2mm) WR339 / AM339 / LRV 24



Spiced Bamboo TFWSA2219F (2.2mm) WR342 / AM224 / LRV 21



Tudor Oak TFWSA2223F (2.2mm) WR471 / AM337 / LRV 16



Antique Walnut TFWSA2207F (2.2mm) WR341/AM160/LRV 15



Oak Riche TFWSA2214F (2.2mm) WR227 / AM227 / LRV 10



Vintage Cherry TFWSA2202F (2.2mm) WR336 / AM239 / LRV 22



Wom Oak TFWSA2232F (2.2mm) WR322 / AM239 / LRV 19



Urban Cherry TFWSA2203F (2.2mm) WR337 / AM337 / LRV 17



Century Oak TFWSA2212F (2.2mm) WR346 / AM62 / LRV 8



Slate Oak TFWSA2229F (2.2mm) WR478/AM390/LRV 26




Jacobean Oak TFWSA2222F (2.2mm) WR470/ AM83 / LRV 11



Iron Bamboo FWSA2226F (2.2mm) WR232 / AM100 / LRV 14



Manor Oak
TFWSA2216F (2.2mm
WR348 / AM348 / LRV 7




Edonite TFAR22013F (2.2 mm) WR458 / AM74 / LRV 18




Halite TFAR22003F (2.2 mm) WR418 / AM239 / LRV 21



Natrolite TFAR220014F (2.2 mm) WR390 / AM3909 / LRV 30



Maras TFAR22004F (2.2 mm) WR391 / AM82 / LRV 18




Trapini TFAR22005F (2.2 mm) WR314/AM82/LRV 11




Tavira TFAR22006F (2.2 mm) WR485 / AM485 / LRV 7



Pina TFAR22016F (2.2mm) WR494/ AM494 / LRV 23



Rayon TFAR22015F (2.2 mm) WR506 / AM82 / LRV 20



Sisal TFAR22017F (2.2 mm) WR501 / AM82 / LRV 13



Fleuri TFAR22008F (2.2 mm) WR481 / AM83 / LRV 15



Onyxi TFAR22010 (2.2 mm) WR485 / AM485 / LRV 8

Learn more > <u>altro.com/artis</u>





Color matched Weldrods (WR) and Mastics (AM) are available. You'll find their product codes under product SKUs.



Samples
Experience has shown that
printing cannot reproduc
colors accurately.
If color choice is critical please
request a sample of the material.

Dimensions	6'7" x 65'7" / 2 m x 20 m
Thickness	2.2 mm
Weight	4.93 lb/sy
Format	ROLL and KIT



All products available in roll and kit format. Custom colors are also available.











Samples

If color choice is critical, please request a sample of the material.

© 800.382.0333

samples@altro.com



Altro USA - Transport Division 12648 Clark Street, Santa Fe Springs, CA 90670
USA 800.382.0333 CANADA 800.565.4658

transport@altro.com

altro Transflor Metris and Altro Transflor Transflor Sonis are trademarks of Altro I mited.

Content correct at time of going to print. Altro reserves the right to change any detail. © Copyright Altro 2024