

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Revision date: 3/30/2023 Supersedes version of: 4/25/2022 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Altro Sanitary Sealant A802/A803/A805

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Distributor

Altro Ltd

Altro Deutschland GmbH & Co. KG Ebertallee 209

Works Road Letchworth Garden City, Herts

DE- 06846 Dessau-Rosslau

SG6 1NW UK

T +49 (0) 340 6500-0

T +44 (0) 1462 480480

www.altro.com

sds@altro.com

1.4. Emergency telephone number

`+44 (0) 1462 480480 (Monday-Friday 09.00-17.00)

.+49 (0) 340 6500-0 (Monday-Friday 09.00-17.00)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412
Contains 3-aminopropyltriethoxysilane, Fungicide 2-octyl-2H-isothiazol-3one, 3-(2-aminoethylamino)propyltrimethoxysilane. May produce an allergic reaction.

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

CLP Signal word : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents and container to a hazardous or special waste collection point.

: EUH208 - Contains 3-aminopropyltriethoxysilane, Fungicide 2-octyl-2H-isothiazol-3-one, 3-

(2-aminoethylamino)propyltrimethoxysilane. May produce an allergic reaction.

2.3. Other hazards

EUH-statements

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Component	
toluene (108-88-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
methanol (67-56-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C18-C24, n-alkanes, isoalkanes, cyclics, <2% aromatics	EC-No.: 940-734-7 REACH-no: 01-2120078782- 46	≥ 5 – < 10	Asp. Tox. 1, H304
2-Pentanone, O,O',O"-(methylsilylidyne)trioxime	CAS-No.: 37859-55-5 EC Index-No.: 484-460-1 REACH-no: 01-2120004323- 76	≥ 0,1 – < 5	Acute Tox. 4 (Oral), H302 (ATE=1133 mg/kg bodyweight) Eye Irrit. 2, H319 STOT RE 2, H373
3-aminopropyltriethoxysilane	CAS-No.: 919-30-2 EC-No.: 213-048-4 EC Index-No.: 612-108-00-0 REACH-no: 01-2119480479- 24	≥ 0.5 – < 1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317
3-(2-aminoethylamino)propyltrimethoxysilane	CAS-No.: 1760-24-3 EC-No.: 217-164-6 REACH-no: 01-2119970215- 39	≥ 0.1 – < 0.5	Eye Dam. 1, H318 Skin Sens. 1B, H317
toluene substance with a Community workplace exposure limit	CAS-No.: 108-88-3 EC-No.: 203-625-9 EC Index-No.: 601-021-00-3 REACH-no: 01-2119471310-	< 0.1	Flam. Liq. 2, H225 Repr. 2, H361d Asp. Tox. 1, H304 STOT RE 2, H373 Skin Irrit. 2, H315 STOT SE 3, H336
Fungicide 2-octyl-2H-isothiazol-3-one	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5	< 0,025	Acute Tox. 2 (Inhalation), H330 (ATE=0.27 mg/l) Acute Tox. 3 (Dermal), H311 (ATE=311 mg/kg bodyweight) Acute Tox. 3 (Oral), H301 (ATE=125 mg/kg bodyweight) Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
methanol substance with a Community workplace exposure limit	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-	< 0.1	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 (ATE=0.5 mg/l/4h) STOT SE 1, H370

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
Fungicide 2-octyl-2H-isothiazol-3-one	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5	(0.0015 ≤C ≤ 100) Skin Sens. 1A, H317	
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-	(3 ≤C < 10) STOT SE 2, H371 (10 ≤C < 100) STOT SE 1, H370	

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash skin with mild soap and water. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: If eye irritation persists: Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

The important dyniptomo una directo, both doute and dolayed	
Symptoms/effects Symptoms/effects after inhalation	 Not expected to present a significant hazard under anticipated conditions of normal use. Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	use. : Direct contact with the eyes is likely slightly irritating.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed. Foam. Dry powder. Carbon dioxide. Water spray. Sand. Unsuitable extinguishing media : None known. Do not use a heavy water stream.

3/30/2023 (Revision date) EN (English) 3/16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

: Concerning personal protective equipment to use, see item 8. Protective equipment

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

: For further information refer to section 8: "Exposure controls/personal protection". Equip Protective equipment

cleanup crew with proper protection.

Emergency procedures Ventilate area

6.2. Environmental precautions

Disposal must be done according to official regulations. Do not dispose of waste into sewer. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as

clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other

materials.

6.4. Reference to other sections

Concerning disposal elimination after cleaning, see section 13. Concerning personal protective equipment to use, see section 8. See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Avoid any direct contact with the product.

Precautions for safe handling Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

Handling temperature 5 – 40 °C

Wash hands and other exposed areas with mild soap and water before eating, drinking or Hygiene measures

smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

: Store in dry, well-ventilated area. Keep only in the original container in a cool, well ventilated Storage conditions

place away from: Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 5 - 25 °C

7.3. Specific end use(s)

Adhesives, sealants.

3/30/2023 (Revision date) EN (English) 4/16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

3	
methanol (67-56-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Methanol
IOEL TWA	260 mg/m³
IOEL TWA [ppm]	200 ppm
Remark	Skin
	Skin
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	266 mg/m³
WEL TWA (OEL TWA) [2]	200 ppm
WEL STEL (OEL STEL)	333 mg/m³
WEL STEL (OEL STEL) [ppm]	250 ppm
toluene (108-88-3)	
toluene (108-88-3)	
toluene (108-88-3) EU - Indicative Occupational Exposure Limit (IOEL)	
	Toluene
EU - Indicative Occupational Exposure Limit (IOEL)	
EU - Indicative Occupational Exposure Limit (IOEL) Local name	Toluene
EU - Indicative Occupational Exposure Limit (IOEL) Local name IOEL TWA	Toluene 192 mg/m³
EU - Indicative Occupational Exposure Limit (IOEL) Local name IOEL TWA IOEL STEL	Toluene 192 mg/m³ 384 mg/m³
EU - Indicative Occupational Exposure Limit (IOEL) Local name IOEL TWA IOEL STEL IOEL STEL [ppm]	Toluene 192 mg/m³ 384 mg/m³ 100 ppm
EU - Indicative Occupational Exposure Limit (IOEL) Local name IOEL TWA IOEL STEL IOEL STEL [ppm] Remark	Toluene 192 mg/m³ 384 mg/m³ 100 ppm Skin
EU - Indicative Occupational Exposure Limit (IOEL) Local name IOEL TWA IOEL STEL IOEL STEL [ppm] Remark Regulatory reference	Toluene 192 mg/m³ 384 mg/m³ 100 ppm Skin
EU - Indicative Occupational Exposure Limit (IOEL) Local name IOEL TWA IOEL STEL IOEL STEL [ppm] Remark Regulatory reference United Kingdom - Occupational Exposure Limits	Toluene 192 mg/m³ 384 mg/m³ 100 ppm Skin COMMISSION DIRECTIVE 2006/15/EC
EU - Indicative Occupational Exposure Limit (IOEL) Local name IOEL TWA IOEL STEL IOEL STEL [ppm] Remark Regulatory reference United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1]	Toluene 192 mg/m³ 384 mg/m³ 100 ppm Skin COMMISSION DIRECTIVE 2006/15/EC

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Hand protection:

Time of penetration is to be checked with the glove producer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear. Wear protective gloves.

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)		> 0,1		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Consumer exposure controls:

Avoid contact with skin and eyes. Wash hands and other exposed areas with soap and water before leaving work.

Other information

Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : According to product specification.

Appearance : Paste.
Odour : characteristic.
Odour threshold : Not available

3/30/2023 (Revision date) EN (English) 6/16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Melting point : Not applicable
Freezing point : Not applicable
Softening point : Not applicable
Boiling point : Not applicable
Flammability : Non flammable.
Explosive properties : Product is not explosive.

Oxidising properties : Non oxidizing material according to EC criteria.

Explosive limits : Not available

Lower explosion limit : Not applicable

Upper explosion limit : Not applicable

Flash point : > 100 °C (ISO 3679)

Auto-ignition temperature : > 200 °C (calculated value)

Viscosity, dynamic : ≈ 6900 mPa.s (Brookfield Spindle 96, 1 rpm)

Non-Newtonian liquid : Thixotropic behaviour Solubility : Water: Insoluble

Partition coefficient n-octanol/water (Log Kow) : Not applicable for preparations Partition coefficient n-octanol/water (Log Pow) : Not applicable for preparations

Vapour pressure: Does not applyVapour pressure at 50° C: Not applicable.Density: $\approx 1 \text{ g/ml}$ Relative density: ≈ 1

Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

2-Pentanone, O,O',O"-(methylsilylidyne)trioxime	
Flash point	82 °C
Auto-ignition temperature	285 °C
Vapour pressure	0.0172 hPa at 20 °C

3-aminopropyltriethoxysilane	
Vapour pressure	1.7 – 2 Pa

Fungicide 2-octyl-2H-isothiazol-3-one	
Boiling point	342 °C
Vapour pressure	4.9 hPa 25°C

methanol	
Boiling point	64.7 °C Atm. press.: 1013 hPa
Flash point	9.7 °C Atm. press.: 1013 hPa
Auto-ignition temperature	455 °C
Vapour pressure	169.27 hPa Temp.: 25 °C

Hydrocarbons, C18-C24, n-alkanes, isoalkanes, cyclics, <2% aromatics	
Boiling point	338 – 366 °C
Flash point	170 °C
Auto-ignition temperature	226 °C
Vapour pressure	0.00012 Pa
Vapour pressure at 50°C	0.00002 kPa

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3-(2-aminoethylamino)propyltrimethoxysilane	
Boiling point	140 °C
Flash point	120 °C Atm. press.: 1013 hPa
Vapour pressure	0.4 Pa at 20 °C

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use. Not established.

10.3. Possibility of hazardous reactions

None under normal conditions. Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

None under normal conditions. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

2-Pentanone, O,O',O"-(methylsilylidyne)trioxime (37859-55-5)		
LD50 oral rat	1133 – 1234 mg/kg	
3-aminopropyltriethoxysilane (919-30-2)		
LD50 oral rat	2.83 ml/kg male	
LC50 Inhalation - Rat [ppm]	> 5 ppm male	
methanol (67-56-1)		
LD50 oral rat	1187 – 2769 mg/kg bodyweight Animal: rat	
LD50 oral	1187 – 2769 mg/kg	
LD50 dermal rat	300 mg/kg	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

methanol (67-56-1)	
LD50 dermal rabbit	15800 – 17100 mg/kg
LC50 Inhalation - Rat	128.2 mg/l/4h
LC50 Inhalation - Rat [ppm]	64000 ppm/4h
LC50 Inhalation - Rat (Vapours)	128.2 mg/l/4h
Hydrocarbons, C18-C24, n-alkanes, isoalkan	es, cyclics, <2% aromatics
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
toluene (108-88-3)	
LD50 oral rat	5580 mg/kg
LD50 dermal rabbit	> 12400 mg/kg
LC50 Inhalation - Rat	28.1 mg/l/4h (OECD 403 method)
3-(2-aminoethylamino)propyltrimethoxysilan	ne (1760-24-3)
LD50 oral rat	2295 mg/kg
LD50 dermal rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Remarks on results: other:
LC50 Inhalation - Rat	1.49 – 2.44 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity), Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
Additional information Serious eye damage/irritation Additional information Respiratory or skin sensitisation Additional information Germ cell mutagenicity Additional information Carcinogenicity Additional information 3-aminopropyltriethoxysilane (919-30-2) NOAEL (chronic, oral, animal/male, 2 years)	Not classified pH: insoluble in water Based on available data, the classification criteria are not met Not classified pH: insoluble in water Based on available data, the classification criteria are not met no danger of sensitization. (OECD 406 method) Does not cause cutaneous sensitisation for guinea-pigs Conclusion by analogy Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met > 43.8 mg/kg bodyweight Not classified Based on available data, the classification criteria are not met
methanol (67-56-1)	
NOAEL (animal/male, F0/P)	< 1000 mg/kg bodyweight Animal: mouse, Animal sex: male
STOT-single exposure : Additional information :	Not classified Based on available data, the classification criteria are not met
STOT-repeated exposure Additional information	Not classified Based on available data, the classification criteria are not met
2-Pentanone, O,O',O"-(methylsilylidyne)triox	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
OTOT-TOPORTOR OXPOSUTE	may sauss damage to organis unrough protonged of repeated exposure.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3-aminopropyltriethoxysilane (919-30-2)		
LOAEL (oral, rat, 90 days)	600 mg/kg bodyweight/day	
NOAEL (subchronic, oral, animal/male, 90 days)	200 mg/kg bodyweight	
3-(2-aminoethylamino)propyltrimethoxysilane	(1760-24-3)	
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
NOAEL (dermal, rat/rabbit, 90 days)	≥ 1545 mg/kg bodyweight Animal: rat	
	Not classified Based on available data, the classification criteria are not met	
Sanitary Sealant		
Viscosity, kinematic	≈ 6900 mm²/s	
2-Pentanone, O,O',O''-(methylsilylidyne)trioxime (37859-55-5)		
Viscosity, kinematic	16.1 mm²/s at 20 °C	
Hydrocarbons, C18-C24, n-alkanes, isoalkanes, cyclics, <2% aromatics		
Viscosity, kinematic	5.9 mm²/s at 40 °C	
Human evidence for classification	Yes	
Hydrocarbon	Yes	
3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)		
Viscosity, kinematic	3.1 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'	

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

(chronic)	
3-aminopropyltriethoxysilane (919-30-2)	
LC50 - Fish [1]	> 100 mg/l Brachydanio rerio (zebra-fish)
EC50 - Crustacea [1]	> 100 mg/l Daphnia magna (Big water flea)
EC50 72h - Algae [1]	> 100 mg/l Pseudokirchneriella subcapitata
NOEC chronic algae	72h 1.3 mg/l Desmodesmus subspicatus.
Fungicide 2-octyl-2H-isothiazol-3-one (26530-20-1)	
LC50 - Fish [1]	122 μg/l (OECD 203 method)
EC50 - Crustacea [1]	0.42 mg/l (OECD 202 method)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Fungicide 2-octyl-2H-isothiazol-3-one (26530-20-1)		
EC50 72h - Algae [1]	0.084 mg/l (OECD 201 method)	
ErC50 algae	(OECD 201 method)	
NOEC chronic fish	22 μg/l	
NOEC chronic crustacea	0.022 mg/l	
NOEC chronic algae	0.004 mg/l	
methanol (67-56-1)		
LC50 - Fish [1]	15400 mg/l Test organisms (species): Lepomis macrochirus	
EC50 - Crustacea [1]	18260 mg/l (OECD 202 method)	
EC50 96h - Algae [1]	≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [2]	22000 mg/l Pseudokirchneriella subcapitata	
ErC50 algae	16912 mg/l ulva pertusa	
NOEC (chronic)	208 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	7900 mg/l Oryzias latipes	
Hydrocarbons, C18-C24, n-alkanes, isoalkanes, cyclics, <2% aromatics		
LC50 - Fish [1]	> 100 mg/l	
EC50 - Crustacea [1]	> 100 mg/l	
EC50 72h - Algae [1]	> 100 mg/l	
toluene (108-88-3)		
LC50 - Fish [1]	5.5 (≥ 5) mg/l oncorhynchus kisutch	
EC50 - Crustacea [1]	3.78 mg/l Daphnia magna	
EC50 72h - Algae [1]	10 mg/l	
ErC50 algae	3h 134 mg/l	
NOEC chronic crustacea	0.74 mg/l Ceriodaphnia dubai	
NOEC chronic algae	10 mg/l Skeletonema costatum	
3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)		
LC50 - Fish [1]	597 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	81 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	126 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 72h - Algae [2]	352 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	

12.2. Persistence and degradability

Sanitary Sealant		
Persistence and degradability	May cause long-term adverse effects in the environment.	
3-aminopropyltriethoxysilane (919-30-2)		
Persistence and degradability	Not readily biodegradable. Hydrolysis in water.	
Biodegradation	28d 67 % (OECD 301A method)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Fungicide 2-octyl-2H-isothiazol-3-one (26530-20-1)	
Persistence and degradability	Readily biodegradable.
Biodegradation	3 - 5 days
methanol (67-56-1)	
Persistence and degradability	Readily biodegradable.
toluene (108-88-3)	
Persistence and degradability	Readily biodegradable.
Biochemical oxygen demand (BOD)	1.23 g O ₂ /g substance

12.3. Bioaccumulative potential

Conitons Coolent		
Samuary Sealant	Sanitary Sealant	
Partition coefficient n-octanol/water (Log Pow)	Not applicable for preparations	
Partition coefficient n-octanol/water (Log Kow)	Not applicable for preparations	
Bioaccumulative potential	Not established.	
2-Pentanone, O,O',O''-(methylsilylidyne)trioxime (37859-55-5)		
Partition coefficient n-octanol/water (Log Pow)	1.25	
3-aminopropyltriethoxysilane (919-30-2)		
Bioconcentration factor (BCF REACH)	3.4 Cyprinus carpio (Common Carp)	
Bioaccumulative potential	not bioaccumulative.	
Fungicide 2-octyl-2H-isothiazol-3-one (26530-20-1)		
Partition coefficient n-octanol/water (Log Kow)	2.92 (OECD 117 method)	
Bioaccumulative potential	Low bioaccumulation potential.	
methanol (67-56-1)		
Bioconcentration factor (BCF REACH)	< 10	
Partition coefficient n-octanol/water (Log Pow)	-0.77	
Bioaccumulative potential	Low bioaccumulation potential.	
Hydrocarbons, C18-C24, n-alkanes, isoalkanes, cyclics, <2% aromatics		
Partition coefficient n-octanol/water (Log Pow)	> 7.2	
toluene (108-88-3)		
Bioaccumulative potential	Bioaccumulation unlikely.	

12.4. Mobility in soil

2-Pentanone, O,O',O"-(methylsilylidyne)trioxime (37859-55-5)	
Surface tension 69.5 mN/m	
toluene (108-88-3)	
Ecology - soil	Product adsorbs onto the soil.

12.5. Results of PBT and vPvB assessment

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID number					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name					
Not applicable	Not applicable Not applicable		Not applicable	Not applicable	
14.3. Transport hazard class(es)					
Not applicable	Not applicable Not applicable Not applicable Not applicable Not applicable		Not applicable		
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available					

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Toluene		108-88-3	2902 30 00	Category 3		Annex I

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

For the following substances of this mixture a chemical safety assessment has been carried out:

methanol

toluene

SECTION 16: Other information

Abbreviations and acronyms:			
CAS-No.	Chemical Abstract Service number		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
BOD	Biochemical oxygen demand (BOD)		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC50	Median effective concentration		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:				
EC-No.	European Community number			
EN	European Standard			
IATA	International Air Transport Association			
IMDG	International Maritime Dangerous Goods			
IOELV	Indicative Occupational Exposure Limit Value			
LC50	Median lethal concentration			
LD50	Median lethal dose			
LOAEL	Lowest Observed Adverse Effect Level			
NOAEC	No-Observed Adverse Effect Concentration			
NOAEL	No-Observed Adverse Effect Level			
NOEC	No-Observed Effect Concentration			
OECD	Organisation for Economic Co-operation and Development			
OEL	Occupational Exposure Limit			
PBT	Persistent Bioaccumulative Toxic			
PNEC	Predicted No-Effect Concentration			
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006			
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail			
SDS	Safety Data Sheet			
vPvB	Very Persistent and Very Bioaccumulative			

Data sources : ECHA (European Chemicals Agency). Supplier's safety documents. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December

2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No

1907/2006.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the

packaging.

Other information : None.

Full text of H- and EUH-statements:				
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2			
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3			
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3			
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1			
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1			
Asp. Tox. 1	Aspiration hazard, Category 1			
EUH071	Corrosive to the respiratory tract.			
EUH208	Contains 3-aminopropyltriethoxysilane, Fungicide 2-octyl-2H-isothiazol-3-one, 3-(2-aminoethylamino)propyltrimethoxysilane. May produce an allergic reaction.			
Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:				
Flam. Liq. 2	Flammable liquids, Category 2			
H225	Highly flammable liquid and vapour.			
H301	Toxic if swallowed.			
H302	Harmful if swallowed.			
H304	May be fatal if swallowed and enters airways.			
H311	Toxic in contact with skin.			
H314	Causes severe skin burns and eye damage.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H330	Fatal if inhaled.			
H331	Toxic if inhaled.			
H336	May cause drowsiness or dizziness.			
H361d	Suspected of damaging the unborn child.			
H370	Causes damage to organs.			
H371	May cause damage to organs.			
H373	May cause damage to organs through prolonged or repeated exposure.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
Repr. 2	Reproductive toxicity, Category 2			
Skin Corr. 1	Skin corrosion/irritation, Category 1			
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
Skin Sens. 1A	Skin sensitisation, category 1A			
Skin Sens. 1B	Skin sensitisation, category 1B			
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2			
STOT SE 1	Specific target organ toxicity – single exposure, Category 1			
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2			
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis			

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Aquatic Chronic 3	H412	Calculation method	
EUH208	EUH208	Calculation method	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Original supplier version number : 2