

Designed for possibilities. Made for people.

# Altro Lavencia<sup>™</sup> LVT/LVP product datasheet

Commercial grade luxury vinyl tiles and planks including quick-ship, budget build and custom capabilities

# Altro Lavencia

Attractive looks and lasting durability are not the only traits that make Altro Lavencia the premier LVT for commercial applications — Altro Lavencia is now proudly manufactured in the USA!

Available in updated films ranging from classic wood tones, coordinating stones, brights and even modern organic looks, Altro Lavencia is a stylish, lowmaintenance option for a host of application areas.

Peak beauty and performance will last through its lifetime, even in areas with consistently heavy traffic, thanks to the commercial-grade UV-cured ceramic reinforced urethane finish and 28 mil wear layer.

# Typical applications

Schools, colleges, offices, government buildings, senior living, public housing, apartment communities, retail, dining rooms

## Features + benefits

- 3mm thick, 28 mil wear layer (standard build)
- Select skus in our budget build (2.5mm/12 mil)
- UV-cured, ceramic reinforced finish
- Glue-down installation
- Resists up to 2000psi of indentation
- Easy-to-clean, no finish required
- Square edge construction means no bevel for dirt to hide in
- FloorScore Certified + Ortho-phthalate-free
- Third-party verified, product-specific type III EPD
- Made in the USA and stocked throughout USA + Canada

#### Sizes

- 6" x 48" standard plank
- 9.25" x 59.25" long plank
- 12" x 24" tile

We get it, sometimes projects get valued engineered, or the end-user needs to make consolidations in the budget. Altro has taken the initiative to offer our customers the option of a budget friendly build starting in 2023.

This budget friendly range of six visuals incorporates tones suitable for practically every project. They will give you the beautiful appearance and durable construction that you know and love about Altro Lavencia... just with a smaller price tag and slightly thinner construction!

- 2.5mm thick, 12 mil wear layer
- 6 realistic wood visuals
- Look for the <sup>BB</sup> to see the budget build offering!

## **Custom capabilities**

Thanks to local manufacturing innovations, we are now able to offer custom Altro Lavencia options! Four pre-built specifications with varying choices in thickness, wear layer and finish are available if you are looking to use a film print from our standard range.

If our standard film prints and pre-built custom ranges do not suit your needs, please let us know! With additional consultation, we may be able to build an LVT/LVP program that fits your unique needs.

#### Custom range 1

3mm thick, 20 mil wear layer, glue-down installation, UV-cured ceramic reinforced finish

#### Custom range 2

4mm thick, 28 mil wear layer, glue-down installation, UV-cured ceramic reinforced finish

#### Custom range 3

2.5mm thick, 12 mil wear layer, glue-down installation, UV-cured ceramic reinforced finish

#### Custom range 4

2mm thick, 7 mil wear layer, glue-down installation, standard PU finish



Color Colonial Oal

6)2)

998

1

Ī

這個詳





These select colors are available in our standard and budget build (2.5mm, 12 mil)

Chateau Nordic LAV13011



Pale Persimmon LAV55044

6" x 48" LRV 49



Hampton Greige LAV23066

6" x 48" LRV 25



Persimmon LAV55077

6" x 48" LRV 19



Ansel Oak LAV14044

6" x 48" LRV 27

9.25" x 59.25"

LRV 43



Barnboard LAV99099

9.25" x 59.25" LRV 24



Farmhouse Heritage LAV66099

6" x 48" LRV 19



Tavern Bourbon LAV99088

9.25" x 59.25" LRV 10



Black Persimmon LAV55055



Tavern Mesquite LAV55088

9.25" x 59.25" LRV 8



Blonde Oak LAV14033

6" x 48" LRV 58





Scandi Timber LAV99044

9.25" x 59.25" LRV 49





Classic Oak LAV14011

6" x 48" Ash ( LRV 40

Ash Oak LAV14022

6" x 48" LRV 54





6" x 48" LRV 26



Oak Butternut LAV88077

9.25" x 59.25" LRV 26





These select colors are available in our standard and budget build (2.5mm, 12 mil)



Farmhouse Whiskey LAV13066 6" x 48" Chateau Saddle LAV13033 6" x 48" LRV 31 LRV 26 BB Laurel Oak LAV88011 6" x 48" 6" x 48" Newfound Oak LAV14055 LRV 21 LRV 21 Chateau Cellar LAV13022 6" x 48" 6" x 48" Warm Walnut LAV55022 LRV 21 LRV 21 NEW






Colonial Oak LAV14066

6" x 48" LRV 20



6" x 48" LRV 19







Tavern Tobacco LAV99055

6" x 48"

6" x 48" LRV 17





Spalted Cherry LAV88088 6" x 48" Frontier LAV23088 LRV 17 Vintage Walnut LAV99077 6" x 48" African Mahogany LAV88044

6" x 48"

LRV 15

9.25" x 59.25" LRV 10



LRV 12

Antique Burled Oak LAV88066

6" x 48" LRV 12









These select colors are available in our standard and budget build (2.5mm, 12 mil)







Pear LAV44044





These select colors are available in our standard and budget build (2.5mm, 12 mil)



Monterey LAV16088

12" x 24" LRV 42





Umber LAV16066

12" x 24" LRV 29 Cordova LAV16055

Armor LAV16077

12" x 24" LRV 18

12" x 24"

LRV 34



Interlace LAV16099 Coordinates with Altro Orchestra Chant, Altro Operetta Quintet and Altro Serenade Metronome

12" x 24" LRV 26



#### Weave LAV33011

Coordinates with Altro Orchestra Club, Altro Operetta Tempo and Altro Serenade Octave

12" x 24" LRV 19



Specifications	Data below	r is for our standard range. Sp	ecifications will change with custom orders.
Type + class		ASTM F1700	Solid vinyl tile: Class III, Type B
Thickness		Standard 3.0mm   .15" thick	Budget 2.5mm   .10" thick
Wear layer		Standard 28mil   .7mm wear layer, he Budget 12mil   .3mm wear layer, he	
Dimensions	$\bigoplus$	6" x 48"   9.25" x 59.25"	12" x 24"
Weight per carton		Standard 6" x 48" = 38lbs   9.25" x 5 'Grasscloth Tweed and Grasscloth Budget	i9.25" = 42.18lbs   12" x 24" = 36lbs/*32lbs <i>a Linen only</i>
Warranty	20	6" x 48" = 32lbs   9.25" x 5	9.25" = 36.5lbs e residential (refers to standard range only)
Life expectancy		20 years	
Life expectancy		20 years	
Static coefficient of friction	.6 <b>SCOF</b>	ASTM D2047	.6 dry
Dynamic coefficient of friction	.22 DCOF	ANSI/NFSI B101.3	.22 wet DCOF
Static load limit	Â	ASTM F970	2000 psi
Short term and residual indentation		ASTM F1914	Pass
Color stability	<b>A</b>	Light ASTM F1515 Heat ASTM F1514	Pass Pass
Dimensional stability	רא א	ASTM F2199	Pass
Flexibility	2	ASTM F137	Pass
Fire and smoke performance	Ó	CAN/ULC - S102.2 ASTM E648 ASTM E662	Tested Class I < 450
Chemical resistance	<b>1</b>	ASTM F925	Tested
VOC emissions	score	CA 01350 FloorScore	Pass Certified
Ortho-phthalate content		Ortho-phthalate-free	
Recycling	۲	This product is 100% recyc	lable
Composition	UV-cured, ceramic-reinforced urethane, film print, 100% virgin pvc		
Backing	PVC		
Staining	Certain chemicals may cause staining of vinyl flooring. Traffic stains may be caused by asphalt and rubber products, like rubber mats. Please conduct stain test before installation.		
Altro and Altro Lavencia are	all trademarks of Altro Lim	ited. Content was correct at t	ime of creation.

© Copyright Altro USA 2024

Plank length	Amount per carton
6" x 48"	18 pieces per carton   36 ft <sup>2</sup> per carton
9.25" x 59.25"	10 pieces per carton   38.07 ft <sup>2</sup> per carton
12" x 24"	18 pieces per carton   36 ft <sup>2</sup> per carton
Grasscloth Tweed and Grasscloth Linen only	16 pieces per carton   32 ft <sup>2</sup> per carton



Discover more of our sustainability story and credentials at altro.com



altro

Order samples 24 hours a day at altro.com and materialbank.com

=<u></u>]]₽

These select, standard colors, up to 20,000 square feet, will process and ship within 3 business days.

These select colors are available in our standard and budget build (2.5mm, 12 mil)

#### Discover more online!



Maintenance guides

	Record of the	
altro		
Altro product warranty		
Else index o searches, index appear, implicito manor, inter- tector availage into a long particles and particular hands in defaust in humania, and a scinned particular discussion availant adars in the spacified and which is substratively and and management of the scinned and the scinned and and management and an another searches search and address in the scinned and the scinned and the address in the scinned and the scinned and the address in the scinned and the scinned and the address in the scinned and address and the scinned and address in the scinned and address and the scinned and address in the scinned and address and address and address in the scinned and address and address and interfamiliate address in the scinned and address and address and interfamiliate address in the scinned and address and address and interfamiliate address in the scinned address and address and interfamiliate address address in the scinned address and address and interfamiliate address address interfamiliate address addres	<ul> <li>Solationari, Salading Australia Solation (Second Solation), Solation), Solation (Second Solation), Solation (Second Solation), Solation), Solation (Second Solation), Solation), Solation (Second Solation), Solation), Solation (Second Solation), Solation), Solation, Solation), Solation, Solation, Solation, Solation), Solation, Sola</li></ul>	
a particular purpose. No social abrastice, activities or modifications of the lengthing conditions shaftle cold arises marked writing and argued by an observations.	<ul> <li>Integraty accessing, adhesives and online products an removal in conjunction with the Alter Mithemat space.</li> </ul>	
of extension, survival information and extension-functions a constanting protons actions angles, provided by drift and based of the set based which additional drift of the set based of the set of protons are used, and anytics of protons provided, our Paul adversariation actions and advections drift constanting to advect	Although Although to the quelos intentions and both teams, Although to the maximum liquid as all on any ten consists, or suspin quelong and automorp liquid as all to quelot all the Alguero team team and comma construct of team for quelot all the Alguero team team and comma construct of team.	
Concerning the high two independently intermed the activity invariant pathware. In the payments of partness of alter influence are undependently intermediate the activity of a standard on the second part of the second part parks under the second part of the second activity inter- ted activity of a second part of the second part of	Khao haan insailad hitsung tau instructions dealarch ann Tagais maakanin kana.     Khao haan adaarantin anii himtad aad antiti na dha	
Served warranty at the type stars	<ul> <li>Interface down.</li> <li>The regiment or free two mean submitted to detected propagate while these terms of researching.</li> <li>The interface servers writing the to mean detect.</li> </ul>	
all different for the second s	appliek, treaked, and wate 6 anti-televise with Abris televisionandalatina and applicate translation instructions (a) Letteral searce(r) dates of inflativistic translation microbiological and for antional antitic applications.	
In the first defension meaning and exclosing with the pacified form the translation deep sharing addition memory and exceedences with device technical defension attractions at	Alter/Auroparet Subject is the quartic inclusions and left balance. Alter subjects for the product addression, not, normalic, or separa participant foremult provided and 27 superstation and party addressions	
Al Alto warwin fra Johnson fra an porte d'ha ann Albert spenn aspès spisonen d <u>ans der solor très contre</u> arpene site nelsens dans dans dans polarité d'ha appent ha d'ange polariteme	enterlines of our for a partial of two (i) parts from the data of particular fractional that the two fractional fractional behaviory the instructions deviate in data. Fractional fractional fractions	
<ol> <li>The servery set (repert) does not extend only is parent on the merce the binning pape.</li> <li>It has been reached, if a robot warray, by a presented make the train a mercentral does not access in makers.</li> </ol>	Enabled adjuncts of prime and only in the part of the physical advance.     De approximation from the team advanted to Ann May compared with their metrics of resolution.     De attract advance service on the service metric.	
<ul> <li>Das months and an entry in the second second</li></ul>	applied, introduct, and used it according with Ahmin second addition and specific monitories intervenies for the second second intervenies of	
<ul> <li>The instructions design in the data Witness instalation</li> </ul>	menterana con le anos ante aparana.	

Warranty forms

Literature





LEED forms

Installation guides

#### Even more great resources!

- BIM components
- SDS sheets
- Detail drawings and CAD files
- High-resolution swatch downloads
- Photo galleries www.altropics.com
- Solutions by area type ORs, labs and cleanrooms, kitchens, senior living and more!



**♥ USA** 800 377 5597

- ♥ CANADA 800 565 4658
- 🖻 support@altro.com
- www.altro.com

Altro and Altro Lavencia are trademarks of Altro Limited. Content was correct at time of print. Altro reserves the right to change any detail. Please consult www.altro.com or your local Sales Representative for the latest product information.