



altro

Designed for possibilities.
Made for people.



Altro Operetta™ product datasheet

High-design smooth sheet flooring perfect for contract commercial use in a multitude of areas

discover [altro.com](https://www.altro.com)

Altro Operetta

Altro Operetta is a robust floor perfect for medium to high-traffic areas. It is easy to clean and maintain and can withstand up to 2,000psi indentation. It has attractive natural and contemporary colors and finishes to fit your interior design scheme. It matches and coordinates with Altro Orchestra and Altro Serenade to create a complete look throughout.

Combine with our extensive range of Altro wall panels for an attractive and durable floor and wall system.

Altro Operetta also looks great paired with Altro Wood.

Typical applications

Healthcare, senior living, education, retail, offices and recreational areas

Features + benefits

- Smooth surface is easy to clean and maintain
- Colors coordinate with Altro Orchestra and Altro Serenade ranges for a complete look throughout
- Meets ISO Class 4 cleanroom requirements
- Resists up to 2,000 psi indentation
- FloorScore Certified / Low VOCs

Better together

Smooth flooring from Altro gives you what you want - an economical and attractive look that's easy to install and maintain. But, in commercial areas with frequent spillages and hygiene and durability concerns, it's best to let our robust collection of safety flooring, slip-resistant flooring and wall cladding join the team!

Install smooth flooring in the dining room and public areas, and bring safety flooring and wall protection into the kitchen, bar and restrooms. You will rest easy knowing your patrons will have an exquisite experience while the most dangerous areas in your facility are well equipped to handle the tolls of the day.

We strongly recommend carrying out a risk assessment in any area in which the installation of smooth flooring is considered, focusing on the potential risk posed by contaminants.

Altro Easyclean Technology




Rather than using a superficial surface coat, Altro Easyclean Technology is incorporated into the flooring while it is manufactured. This allows Altro flooring to benefit from enhanced cleaning and maintenance while still allowing our products' slip-resistant properties to shine through.

Smooth flooring will have a higher level of Altro Easyclean than a slip-resistant or safety floor.


- Industry-leading ease of cleaning
- Enhanced long-term cleanability
- Cleaning and maintenance cost savings
- Sustained long-term slip resistance
- Exceptional long-term durability
- Low dirt pick-up qualities
- Improved color retention









Tutti OP2157U
WR500 / AM136 LRV 60




Iris OP2174U
WR513 / AM85 LRV 39




Beethoven OP2159U
WR502 / AM390 LRV 23



Black Forest OP2158U
WR501 / AM82 LRV 13




Fife OP2167U
WR508 / AM11 LRV 57



Allegra OP2169U
WR510 / AM347 LRV 38




Quintet OP2114U
WR435 / AM390 LRV 26




Hurdy Gurdy OP2173U
WR512 / AM84 LRV 24




Vivo OP2162U
WR494 / AM494 LRV 23




Tempo OP2115U
WR436 / AM487 LRV 17



Pulse OP2118U
WR439 / AM84 LRV 16




Canon OP2129U
WR450 / AM81 LRV 24




Drop OP2127U
WR448 / AM361 LRV 23




Clef OP2125U
WR446 / AM347 LRV 37




Lulu OP2128U
WR449 / AM137 LRV 29



Samson OP2176U
WR519 / AM392 LRV 34



Jig OP2148U
WR62 / AM62 LRV 9




Beat OP2155U
WR499 / AM136 LRV 56




Rondo OP2142U
WR483 / AM483 LRV 44




Penzance OP2153U
WR497 / AM369 LRV 48




Loco OP2152U
WR496 / AM136 LRV 49




Vagabond OP2141U
WR484 / AM484 LRV 40




Acapella OP2135U
WR456 / AM338 LRV 34




Glee OP2136U
WR457 / AM335 LRV 52




Madrigal OP2134U
WR455 / AM361 LRV 31




Yeoman OP2139U
WR460 / AM484 LRV 39




Baroque OP2133U
WR454 / AM86 LRV 22




Lola OP2178U
WR391 / AM82 LRV 17




Shell Shack OP2177U
WR520 / AM338 LRV 28



Vamp OP2144U
WR490 / AM86 LRV 18



Baron OP2145U
WR485 / AM485 LRV 8



Sonatina OP2147U
WR482 / AM482 LRV 15



Type + class		ASTM F1303	Type I, Grade 1, Class B, smooth flooring
Thickness and wear layer		2.0mm .08" / .7mm wear layer, heterogeneous construction	
Roll dimensions		6'7" x 65'5" 2m x 20m	
Weight		4.90 lbs./yd ² 2.66 kg/m ² 230 lbs. per roll	
Warranty		10 years	
Life expectancy		15 years	
Cleaning technology		Altro Easyclean	
Static coefficient of friction		ASTM D2047	.7 dry, .8 wet
Dynamic coefficient of friction		ANSI/NFSI B101.3	.49 wet DCOF
Ramp test		DIN 51130	R10
Static load limit		ASTM F970	2000 psi
Indentation		EN 433	≤ 0.10mm
Wear (abrasion) resistance		EN 660	≤ 10% 50,000 cycles
Castor chair abrasion		EN 425	Pass
Flexibility		EN ISO 24344	Pass
Light fastness		EN 20105-B02	≥ 6
Sound insulation		ISO 140-8	4dB
Electrical behaviors		EN 1815	≤ 2kV Antistatic
Fire and smoke performance		CAN/ULC - S102.2 ASTM E648 ASTM E662	Tested Class I < 450
Mold resistance		ASTM D3273	Excellent - Score of 10
Fungi resistance		ASTM G21	Passes rating 0* *achieves zero growth after 28 days
Chemical resistance		ASTM F925	Tested
Particle concentration	ISO 14644 - 9:12	Meets ISO 4 cleanroom requirements	
VOC emissions		CA 01350 FloorScore	Pass Certified
Bio-based content		Manufactured with rapidly renewable bio-based content.	
Ortho-phthalate content		Ortho-phthalate-free	
Composition	Heterogeneous PVC with glass fiber reinforcement scrim between the film print and backing. Altro Easyclean incorporated into top layer for exceptional cleanability.		
Backing	Compact PVC backing.		
Staining	Certain chemicals may cause staining of vinyl flooring. Traffic stains may be caused by asphalt and rubber products, like rubber mats. Please conduct stain test before installation.		

LEED facts

LEED v4 This product may help contribute to the following credits

Altro Operetta 5

- Materials and resources
Renewable bio-based content **1**
- Materials and resources - EPD
Environmental product declaration
Type III product specific **1**
- Materials and resources - HPD
Health product declaration **1**
- Environmental quality
Low emitting materials, flooring **1**
- Environmental quality
Low emitting materials, adhesives **1**

Discover more of our sustainability story and credentials at altro.com



Order samples 24 hours a day at altro.com and materialbank.com

These select quick-ship colors, are heavily stocked and consistently available in our North American warehouses.

Altro, Altro Operetta and Altro Easyclean are all trademarks of Altro Limited. Content was correct at time of creation. Altro reserves the right to change any detail. Please consult your sales representative for the latest product information.
© Copyright Altro USA 2024

Discover more online!



Maintenance guides




Illus. cleaning guides



Warranty forms



Literature



LEED forms



Installation guides



Installation quickfacts

Even more great resources!

- BIM components
- SDS sheets
- Detail drawings and CAD files
- High-resolution swatch downloads
- Photo galleries - www.altropics.com
- Solutions by area type - ORs, labs and cleanrooms, kitchens, senior living and more!

Follow us



📞 USA 800 377 5597

📞 CANADA 800 565 4658

✉️ support@altro.com

🌐 www.altro.com

Content was correct at time of print. Altro reserves the right to change any detail. Please consult www.altro.com or your local Sales Representative for the latest product information.