



altro

Hotels and hospitality

An introduction to using Altro floors + walls in a hospitality setting

discover altro.com/hotels

learning library



Our story begins in 1919 when a small group of individuals had an idea...

That idea has grown into a global company with over 900 employees and one idea has become many. From inventing safety flooring and developing an integrated hygienic walls system to creating the world's first adhesive-free safety floor.

While the world in 1919 couldn't seem more different from today's our excitement at embracing and developing new technologies and ways of working with our customers is exactly the same as back then.

Add to this, we remain a family business, with family values and I think you have the reason why we're here today, over 100 years later.

our history

To work across multiple sectors requires real-world understanding.

The ability to design for a purpose and address the challenges, issues and regulations for each industry without ever compromising on quality or safety.

We work in the following sectors including niche areas within these sectors;

Healthcare

Hospitality

Transport

Education

Housing

Food + drink production

Leisure

Retail + offices

Prisons + defense

Manufacturing + warehousing

our expertise


A multi-billion dollar revenue source, the hotel industry is constantly growing and evolving to accommodate its clientele.

Hotel design encompasses three main area types:

- Public spaces
- Guest rooms
- Back-of-house

Each area has different needs, and with Altro's diverse portfolio of products, we have solutions for all three.

- Common areas
- Lobbies
- Guest rooms
- Corridors
- Dining rooms
- Fitness centers
- Spas and pools
- Bathrooms
- Kitchens



Public spaces can consist of lobbies, corridors, dining halls, fitness centers, spas and even pools. This category of space should reflect the hotel's unique personality while providing a safe and hygienic environment.


- ✓ Aesthetics
- ✓ Durable to cope with high pedestrian foot traffic
- ✓ Slip resistance to reduce slip and fall incidents – critical in wet areas
- ✓ Easy-to-clean, resists bacteria due to high traffic
- ✓ Underfoot comfort and noise reduction

The Glen at Willow Valley









Guest rooms are vastly different from the public spaces within a hotel. The primary goal of any guest room is to resemble a “home away from home” so that patrons are encouraged to return for multiple stays.

- ✓ Home-like aesthetics
- ✓ Underfoot comfort
- ✓ Noise reduction
- ✓ Easy-to-clean
- ✓ Hygienic bathroom and shower finishes



Altro Symphonia


Smooth flooring – homogeneous sheet

Altro Symphonia is smooth to the touch and easy to clean yet will secretly enhance pedestrian safety. The product is impervious, free from cracks and crevices, and non-shedding.

| | |
|-------------------------|---------------|
| Thickness | 2.0mm |
| Dimensions | 6'7" x 65' 5" |
| Static load | 2000psi |
| Sound insulation | 5dB |
| Warranty | 10 years |

Slip-resistance

| | |
|---------------|-----------------|
| SCOF | .8 Dry / .9 Wet |
| DCOF | .38 Wet |
| Ramp test | R10 |
| Pendulum test | n/a |



Altro Orchestra

Smooth flooring – heterogeneous sheet

Altro Orchestra offers comfort underfoot making life easier on the feet of not only students and patients, but particularly hard-working staff who spend countless hours on the move.

| | |
|-------------------------|---------------|
| Thickness | 2.85mm |
| Dimensions | 6'7" x 65' 5" |
| Static load | 1000psi |
| Sound insulation | 15dB |
| Warranty | 10 years |

Slip-resistance

| | |
|---------------|-----------------|
| SCOF | .7 Dry / .8 Wet |
| DCOF | .49 Wet |
| Ramp test | R10 |
| Pendulum test | n/a |



Altro Serenade




Smooth flooring – heterogeneous sheet

At 3.9mm thick with 19dB impact sound insulation and an IIC rating of 54, not only does it reduce noise, it provides a high level of comfort underfoot, making it a great solution for well-used spaces.

| | |
|-------------------------|---------------|
| Thickness | 3.9mm |
| Dimensions | 6'7" x 65' 5" |
| Static load | 500psi |
| Sound insulation | 19dB |
| Warranty | 10 years |

Slip-resistance

| | |
|---------------|-----------------|
| SCOF | .7 Dry / .8 Wet |
| DCOF | .49 Wet |
| Ramp test | R10 |
| Pendulum test | n/a |



Altro Wood Comfort


Smooth flooring – heterogeneous sheet

Altro Wood Comfort is an ideal choice for areas that need to look good while providing comfort underfoot. This 2.85mm thick option offers 15dB sound reduction, which is great for noisy environments such as healthcare and education settings.

| | |
|-------------------------|---------------|
| Thickness | 2.85mm |
| Dimensions | 6'7" x 65' 5" |
| Static load | 1000psi |
| Sound insulation | 15dB |
| Warranty | 10 years |

Slip-resistance

| | |
|---------------|-------------------|
| SCOF | .79 Dry / .94 Wet |
| DCOF | .49 Wet |
| Ramp test | R10 |
| Pendulum test | 36+ |



Altro Wood Acoustic


Smooth flooring – heterogeneous sheet

Altro Wood Acoustic provides a warm and homey aesthetic with the additional benefit of 19dB sound reduction. At 3.9mm thick, it can tolerate medium to heavy duty traffic and is perfect for environments where people are on their feet a lot and need comfort underfoot.

| | |
|-------------------------|---------------|
| Thickness | 3.9mm |
| Dimensions | 6'7" x 65' 5" |
| Static load | 500psi |
| Sound insulation | 19dB |
| Warranty | 10 years |

Slip-resistance

| | |
|---------------|-------------------|
| SCOF | .79 Dry / .94 Wet |
| DCOF | .49 Wet |
| Ramp test | R10 |
| Pendulum test | 36+ |



Altro Lavencia LVT

Smooth flooring – heterogeneous plank/tile

Attractive looks and lasting durability are not the only traits that make Altro Lavencia the premier LVT for commercial applications — it is now manufactured in the USA! Altro Lavencia is a stylish, low-maintenance option for a host of application areas.

| | |
|-------------------------|----------|
| Thickness | 3.0mm |
| Dimensions | varies |
| Static load | 2000psi |
| Sound insulation | n/a |
| Warranty | 20 years |

Slip-resistance

| | |
|---------------|---------|
| SCOF | .6 dry |
| DCOF | .22 Wet |
| Ramp test | n/a |
| Pendulum test | n/a |



Altro Whiterock Chameleon

Wall cladding system

Make a bold statement with Altro Whiterock Chameleon – the glossy, vibrant and vividly colorful wall panels. Altro Whiterock Chameleon is available in 13 high-impact, high-design shades to add a little bit of affordable luxury to a range of environments.

| | |
|--------------------------|-------------------|
| Thickness | 2.5mm |
| Dimensions | 4' x 8', 4' x 10' |
| Impact resistance | 160 inch pounds + |
| Warranty | 20 years |





Altro Whiterock wall designs

Wall cladding system

Altro Whiterock wall designs combine the durability, hygiene and resilience of Altro Whiterock wall panels with striking patterns sure to enhance today's contemporary, commercial interiors.

| | |
|--------------------------|-------------------|
| Thickness | 2.5mm |
| Dimensions | 4' x 8', 4' x 10' |
| Impact resistance | 160 inch pounds + |
| Warranty | 10 years |



A photograph of a kitchen storage area. The image shows several metal shelving units with multiple shelves. The shelves are filled with stacks of white ceramic plates and bowls. The lighting is somewhat dim, and the overall tone is slightly blue. The text is overlaid on the image in a white, sans-serif font.

Back-of-house spaces from kitchens and employee locker rooms to laundry rooms and storage should provide staff with a safe and secure environment.

- ✓ Slip resistance – especially crucial in areas like kitchens and laundry where contaminants on floor put staff at risk.
- ✓ Underfoot comfort – reduces foot fatigue
- ✓ Increased hygiene in food preparation areas
- ✓ Durability to cope with heavy foot and wheeled traffic
- ✓ Static-dissipative options for computer and server rooms

Self-service laundry



Altro Reliance 25

Slip-resistant flooring – homogeneous sheet

Confidence, trust and assurance. Altro Reliance 25 is a premium choice in heavy-duty commercial flooring. At 2.5mm thick, it is highly durable and can cope with high levels of foot and wheeled traffic without compromising on performance.

| | |
|-------------------------|---------------|
| Thickness | 2.5mm |
| Dimensions | 6'7" x 65' 5" |
| Static load | 2000psi |
| Sound insulation | 7dB |
| Warranty | 15 years |

Slip-resistance

| | |
|---------------|------------------|
| SCOF | >.8 Dry / .9 Wet |
| DCOF | .56 Wet |
| Ramp test | R10 |
| Pendulum test | 40+ |



Altro Walkway 20

Slip-resistant flooring – homogeneous sheet

Altro Walkway 20 is our popular hard-wearing 2mm safety flooring. The range boasts 44 colors and shares its palette with Altro XpressLay. Combine both ranges when you need traditionally-adhered and adhesive-free safety flooring while maintaining a consistent look.

| | |
|-------------------------|---------------|
| Thickness | 2.0mm |
| Dimensions | 6'7" x 65' 5" |
| Static load | 1000psi |
| Sound insulation | 5dB |
| Warranty | 10 years |

Slip-resistance

| | |
|---------------|------------------|
| SCOF | .78 Dry / .8 Wet |
| DCOF | .66 Wet |
| Ramp test | R10 |
| Pendulum test | 36+ |




Altro Whiterock Matte

Textured wall cladding system

Drywall can easily be damaged as people pass, or more serious dents and holes caused by carts and wheeled traffic. Altro Whiterock Matte is dense, impervious and resistant to dings. It features a lightly-textured surface, which camouflages scuffs, keeping the wall area looking better for longer.

| | |
|--------------------------|----------------------------------|
| Thickness | 2.5mm |
| Dimensions | 4' x 8', 4' x 10' |
| Impact resistance | Exceeds 160 inch pounds of force |
| Warranty | 20 years |



Pools



Altro Aquarius


Safety flooring – homogeneous sheet

Altro Aquarius was developed for lasting performance in wet and dry environments, shoes or barefoot. Achieving a fantastic slip resistance value for barefoot use, Altro Aquarius provides optimum protection in both wet and dry environments.

| | |
|-------------------------|---------------|
| Thickness | 2.0mm |
| Dimensions | 6'7" x 65' 5" |
| Static load | 1500psi |
| Sound insulation | 5dB |
| Warranty | 10 years |

Slip-resistance

| | |
|---------------|--------------------|
| SCOF | .88 Dry / 1.03 Wet |
| DCOF | .65 Wet |
| Ramp test | R11 |
| Pendulum test | 50+ |




Altro Whiterock

Wall protection system

Altro Whiterock's smooth, durable, hygienic, and easy-to-clean surface can help you meet demanding regulatory requirements, maximize your production time, and ultimately increase your speed to market — with no surprises along the way.

| | |
|--------------------------|-------------------|
| Thickness | 2.5mm |
| Dimensions | 4' x 8', 4' x 10' |
| Impact resistance | 160 inch pounds + |
| Warranty | 20 years |



Commercial kitchens



Kitchens, food prep and cafeteria areas require specialty floor and wall finishes to cope with the demand and contaminants present.

Altro Stronghold 30, Altro Puraguard
Please see altro.com/kitchens

Altro Stronghold 30









Safety flooring – homogeneous sheet

Altro Stronghold 30 achieves Altro's highest slip resistance rating and is designed to minimize risk in wet and greasy conditions for the lifetime of the floor.

| | |
|-------------------------|------------|
| Thickness | 3.0mm |
| Dimensions | 6'7" x 49' |
| Static load | 2000psi |
| Sound insulation | 10dB |
| Warranty | 12 years |

Slip-resistance

| | |
|---------------|-------------------|
| SCOF | .92 Dry / .88 Wet |
| DCOF | .74 Wet |
| Ramp test | R12 |
| Pendulum test | 55+ |



Altro Puraguard

Wall protection system

Create a complete kitchen solution by adding Altro Puraguard to Altro safety flooring. The easy maintenance, hygienic PVC surface will help you assure your kitchen is clean and food is safe for consumption. Altro Puraguard is the better alternative to FRP.

| | |
|--------------------------|------------------|
| Thickness | 2.5mm |
| Dimensions | 4' x 9' |
| Impact resistance | 64 inch pounds + |
| Warranty | 1 year |



before



after



Industry leading cleanability while maintaining slip resistance with Altro EasyClean

- ✓ Not a surface finish – incorporated into product while manufacturing for long-term cleanability.
- ✓ Low dirt pick-up
- ✓ Improved color retention
- ✓ Up to 60% maintenance savings over non PUR treated floors over the lifetime of the floor
- ✓ Cleaning instructions available online and in print
- ✓ Cleaning supplies, including cleansers, formulated to work exceptionally well with Altro products



cleaning

The correct installation and detailing is of the utmost importance in every environment. We pride ourselves in our technical offerings.


Install guides



Detailing guides



Drawings / CAD



Accessories



Technical services



installation

better together

In areas of frequent spills, hygiene and durability concerns, it's best to let our robust collection of safety flooring and wall protection take the lead.

Install home-like finishes in guest rooms, and aesthetically pleasing, smooth and slip-resistant flooring alongside wall cladding into the public areas.

Rest easy knowing your patrons will have an exquisite experience while your most dangerous areas are well equipped to handle the tolls of the day.



We are here to support you with all your commercial flooring and wall cladding needs.

Samples + literature

Specifier resources

CEUs + Installer training

Customer care

800.377.5597
support@altrofloors.com

Submit an online request!

Hotels and hospitality learning library contact form

Please send me more information!

- Send me a free sample set
- Send me some free literature
- I'm interested in booking a CEU for AIA / IIDA credits (in-person or digital)
- I'm interested in my local Altro representative reaching out via phone or email

Name

First Name

Last Name

Company

Firm Address

Street Address

Street Address Line 2

City

State / Province

Postal / Zip Code

Email

example@example.com



altro

Discover more in-depth knowledge on this sector and represented products on our website.

Be sure to explore our full digital learning library for more mini-course like this.



discover altro.com/hotels