

Wall cladding

An introduction to using Altro wall cladding

discover altro.com

Choosing your wall cladding solution is simple; it's all about where you will need to use it. Will it be functional, hygienic, watertight installation? Or are aesthetics more important?

Functional wall products

Altro Whiterock Operating rooms, healthcare, showers, wet areas

Altro Whiterock Matte Corridors, high-traffic areas

Decorative wall products

Altro Whiterock Chameleon Front-of-house, retail, hospitality, healthcare, wet areas

Altro Whiterock wall designs Front-of-house, retail, hospitality, healthcare

Altro Whiterock Digiclad Front-of-house, retail, hospitality, healthcare Accessory products Altro Whiterock Whiteboard Adds a dry-erase finish to any wall product


AW Imagination Wall Imaginative wall scenes in a dry-erase finish

AW Recessed Shelf Factory formed shower insert to match Altro Whiterock



Altro Whiterock


Wall cladding



Altro Whiterock

Wall cladding

Altro Whiterock provides continuously smooth, impact-resistant wall protection without gaps or grout. It is ideally suited for areas in which hygiene and cleanability are critical, as well as those that require a waterresistant finish.



Thickness 2.5mm

Dimensions 8' - 4' x 8' 2" | 1.22m x 2.5m 10' - 4' x 9' 10" | 1.22m x 3.0m

Weight 23.59lbs (10.7kg), 28.22 lbs (12.8 kg)

Impact resistance Exceeds 160 inch pounds

Cleanroom standard ISO Class 5 and above

Warranty 20 years usda Compliant

FDA Compliant

cfia Compliant

vocs CA 01350

Composition Extruded semi-rigid PVC sheet


LEED credits 3

Features + benefits

- Biocide-free
- Impervious, integrated flooring and wall cladding system
- Heat-formable on site
- Easy to care for and low maintenance costs
- Extremely hygienic
- Watertight







Typical applications

- Bathrooms
- Showers
- Spas and pool decks
- Operating rooms
- Pharmaceuticals
- Clean rooms
- Scrub rooms
- Sterilization
- Commercial kitchens
- Food manufacturing

Works well with


- Safety floors
- Smooth floors
- Slip-resistant floors
- Altro Whiterock Recessed Shelf





Ribersborgs Kallbadhus

0





Patient Name:	Allergies						
Procedure:							
happentsi							
	Laps	Raytec	Blades	Bovis Tips	Sutares	Free Mondles	
Austhoria		-		-	-		
Local Local		_		_			
					-	-	
Circolatore	-	1		-			
		-	-	-	-		
Sanah-	Special I	Considerations			-	-	
-							
Other							
-							- Second

•




Lawrence General Hospital



Altro Whiterock Matte


Wall cladding



Altro Whiterock Matte

Wall cladding

Doors and plaster board walls can easily be damaged, be it scrapes and knocks as people pass, or more serious dents and holes caused by wheeled traffic. Altro Whiterock Matte has been specifically designed to protect these surfaces. Altro Whiterock Matte is dense, impervious and resistant to bumps. It features a lightlytextured surface, which camouflages scuffs, keeping the wall area looking better for longer.



Thickness 2.5mm

Dimensions 10' - 4' x 9' 10" | 1.22m x 3.0m

Weight 23.59lbs (10.7kg), 28.22 lbs (12.8 kg)

Impact resistance Exceeds 160 inch pounds

Cleanroom standard N/A

Warranty 20 years usda Compliant

FDA Compliant

cfia Compliant


vocs CA 01350

Composition Extruded semi-rigid PVC sheet

LEED credits 3

Features + benefits

- Resistant to bumps
- Camouflages scuffs
- Easy-to-wipe surface








Typical applications

- Public areas subjected to high levels of traffic
- Circulation areas
- Corridors and hallways
- Classrooms

Works well with

- Altro Classic 25
- Altro Reliance 25
- Altro Whiterock
- Altro Whiterock Chameleon
- Altro Whiterock Digiclad





覆 d I CIZ N 2 H - Past lar In span • ... e Cromwell Vets


Royal Cornwall Hospital

10



Altro Whiterock Chameleon

Wall cladding



Altro Whiterock Chameleon

Wall cladding

Make a bold statement with Altro Whiterock Chameleon – the glossy, vibrant and vividly colorful wall panels. Altro Whiterock Chameleon is available in 13 high impact, highdesign shades to add a little bit of affordable luxury to a range of environments.



Thickness 2.5mm

Dimensions 8' - 4' x 8' 2" | 1.22m x 2.5m 10' - 4' x 9' 10" | 1.22m x 3.0m

Weight 23.59lbs (10.7kg), 28.22 lbs (12.8 kg)

Impact resistance Exceeds 160 inch pounds

Cleanroom standard ISO Class 5 and above

Warranty 10 years usda Compliant

FDA Compliant

cfia Compliant

vocs CA 01350

Composition Extruded semi-rigid PVC sheet

LEED credits

Features + benefits

- Biocide-free
- Impervious, integrated flooring and wall cladding system
- Heat-formable on site
- Easy to care for and low maintenance costs
- Extremely hygienic
- Watertight







Typical applications

- High-end bathrooms
- Showers and changing areas
- Foyers
- Services
- Retail
- Back splashes
- Cost effective alternative to opaque glass

Works well with

- Safety floors
- Smooth floors
- Slip-resistant floors





Royal Free Hospital





۲

A DECEMBER OF

CONTRACTOR OF STREET, STREET,

A CONTRACTOR OF CONTRACTOR OF

.

œ.



Altro Whiterock wall designs

Wall cladding



Altro Whiterock wall designs

Wall cladding

Altro Whiterock wall designs combine the durability, hygiene and resilience of Altro Whiterock wall panels with striking patterns sure to enhance today's contemporary, commercial interiors. The attractive palette of wood, linen, concrete and metallic visuals ensure these decorative wall panels will shine in even in the most inspirational front-of-house settings.























Thickness 2.5mm

Dimensions 8' - 4' x 8' 2" | 1.22m x 2.5m 10' - 4' x 9' 10" | 1.22m x 3.0m

Weight 24.20lbs (11kg), 28.57 lbs (13kg)

Impact resistance Exceeds 160 inch pounds

Cleanroom standard ISO Class 5 and above

Warranty 10 years usda Compliant

FDA Compliant

CFIA Compliant


vocs CA 01350

Composition Extruded semi-rigid PVC sheet

LEED credits 2

Features + benefits

- Authentic heat fused film print design pattern
- Class A fire rated
- Consistent 2.5mm thickness
- Install with or without trims
- Capable of heat welding seams
- Thermoformable on site
- Fully bonded to substrate
- Impervious to water ingress
- Extremely impact-resistant
- Non-porous, hydrophobic
- No VOCs
- Lead-free, phthalate-free






Typical applications

- Front-of-house
- Healthcare
- Senior living
- Hospitality
- Education
- Lobbies
- Reception
- Leisure

Works well with


- Safety floors
- Smooth floors
- Slip-resistant floors





Altro Whiterock Digiclad

Wall cladding



Altro Whiterock Digiclad

Wall cladding

Create the right impression with a custom design on your wall. From a calming coastal landscape in a hospital ward to a bold company logo in a reception area, the only limit is your imagination. Thickness 2.5mm

Dimensions 8' - 4' x 8' 2" | 1.22m x 2.5m 10' - 4' x 9' 10" | 1.22m x 3.0m

Weight 24.20lbs (11kg), 28.57 lbs (13kg)

Impact resistance Exceeds 160 inch pounds

Cleanroom standard ISO Class 5 and above

Warranty 10 years usda Compliant

FDA Compliant

CFIA Compliant

vocs CA 01350

Composition Extruded semi-rigid PVC sheet


LEED credits 2

Features + benefits

- Creates an impressive interior design
- Durable
- Resists scratches and staining
- Easy to clean
- Integrates with Altro floors and walls







Typical applications

- Feature walls foyers and reception areas
- Hospital wards
- Patient rooms
- Operating and procedure areas
- Recovery rooms
- Education
- Retail

Works well with

- Safety floors
- Smooth floors
- Slip-resistant floors







.....


00 ...

National Children's Hospital

Gossums End

NV.

The correct installation and detailing is of the utmost importance in every environment. We pride ourselves in our technical offerings.



installation

better together

In areas of frequent spills, hygiene and durability concerns, it's best to let our robust collection of safety flooring and functional wall cladding take the lead.

Install decorative wall cladding with slip-resistant or aesthetically pleasing smooth flooring in the public spaces.

Rest easy knowing your patrons will have an exquisite experience while your most dangerous areas are well equipped to handle the tolls of the day.



We are here to support you with all your commercial flooring and wall cladding needs.



Specifier resources

CEUs + Installer training

Customer care

800.377.5597 support@altro.com

Altro wall cladding learning library contact form

Please send me more information!

- Send me a free sample set
- Send me some free literature
- 🔲 I'm interested in booking a CEU for AIA / IIDA credits (in-person or digital)
- 🔲 I'm interested in my local Altro representative reaching out via phone or email

Name

First Name	Last Name

Company

Submit an online request!

Address

Street Address
Street Address Line 2
City State / Province
Postal / Zip Code

Email



Discover more in-depth knowledge on this sector and represented products on our website.

Be sure to explore our full digital learning library for more mini-course like this.



discover altro.com