

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Article  
Product name : Altro Prime Oil-tolerant Hardener  
Product code : OSP\_H  
Product group : End product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use  
Use of the substance/mixture : Amine Epoxy Hardener - Industrial flooring & wall coatings.

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

Altro Resin Systems  
Unit 3 Station Road Industrial Estate  
Station Road  
GB- DT2 0AE Maiden Newton Dorchester  
T 01300 320620  
[sds@altro.com](mailto:sds@altro.com) - [www.altro.com](http://www.altro.com)

#### 1.4. Emergency telephone number

Emergency number : 01462 480480  
Monday - Friday 09:00 - 17:00

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to GB CLP (SI 2019:720 as amended)

Acute toxicity (oral), Category 4	H302
Acute toxicity (inhalation:dust,mist) Category 4	H332
Skin corrosion/irritation, Category 1, Sub-Category 1A	H314
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Reproductive toxicity, Category 2	H361
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	H335
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP) :



GHS05

GHS07

GHS08

GHS09

Signal word (GB CLP) : Danger

# Altro Prime Oil-tolerant Hardener

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Contains	: 3-AMINOPROPYLTRIETHOXYSILANE; 1,3-Benzenedimethanamine, N-(2-Cyanoethyl) Derivs.; 2,2,4-Trimethylhexane-1-6-diamine; Reaction products of paraformaldehyde with 4-tert-butylphenol & 1,3-phenylenedimethanamine
Hazard statements (GB CLP)	: H302+H332 - Harmful if swallowed or if inhaled. H314 - Causes severe skin burns and eye damage. H317 - May cause an allergic skin reaction. H335 - May cause respiratory irritation. H361 - Suspected of damaging fertility. (if swallowed). H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (GB CLP)	: P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe fume, vapours. P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

### 2.3. Other hazards

#### Results of PBT and vPvB assessment

This substance does not meet the PBT criteria of UK REACH regulation, annex XIII

This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII

Component	
Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII	3-AMINOPROPYLTRIETHOXYSILANE (919-30-2), 1,3-Benzenedimethanamine, N-(2-Cyanoethyl) Derivs. (90194-00-6), 2,2,4-Trimethylhexane-1-6-diamine (25513-64-8), Reaction products of paraformaldehyde with 4-tert-butylphenol & 1,3-phenylenedimethanamine
Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII	3-AMINOPROPYLTRIETHOXYSILANE (919-30-2), 1,3-Benzenedimethanamine, N-(2-Cyanoethyl) Derivs. (90194-00-6), 2,2,4-Trimethylhexane-1-6-diamine (25513-64-8), Reaction products of paraformaldehyde with 4-tert-butylphenol & 1,3-phenylenedimethanamine

#### Results of Endocrine Disruptor assessment

The substance is not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP

Component	
Substance(s) not considered as endocrine disrupting. They are not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, nor identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP	Reaction products of paraformaldehyde with 4-tert-butylphenol & 1,3-phenylenedimethanamine, 1,3-Benzenedimethanamine, N-(2-Cyanoethyl) Derivs.(90194-00-6), 2,2,4-Trimethylhexane-1-6-diamine(25513-64-8), 3-AMINOPROPYLTRIETHOXYSILANE(919-30-2)

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

# Altro Prime Oil-tolerant Hardener

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

### 3.2. Mixtures

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
Reaction products of paraformaldehyde with 4-tert-butylphenol & 1,3-phenylenedimethanamine	-	≥ 30 – < 75	Skin Corr. 1B, H314 Skin Sens. 1, H317 Repr. 2, H361 STOT SE 3, H335 Aquatic Chronic 2, H411
1,3-Benzenedimethanamine, N-(2-Cyanoethyl) Derivs.	CAS-No.: 90194-00-6 EC-No.: 290-606-3	≥ 15 – < 50	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Corr. 1C, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412
2,2,4-Trimethylhexane-1-6-diamine	CAS-No.: 25513-64-8 EC-No.: 247-063-2	≥ 3 – < 15	Acute Tox. 4 (Oral), H302 (ATE=910 mg/kg bodyweight) Skin Corr. 1A, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317
3-AMINOPROPYLTRIETHOXYSILANE	CAS-No.: 919-30-2 EC-No.: 213-048-4 UK Index-No.: 612-108-00-0	≥ 3 – < 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Take off all contaminated clothing and wash its before reuse.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Get medical advice/attention if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing.
Symptoms/effects after skin contact	: irritation (itching, redness, blistering).
Symptoms/effects after eye contact	: Causes eye irritation. redness, itching, tears.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract. May cause redness and soreness of the mouth and throat. Corrosive burns may appear around the lips.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide (CO2). Dry powder. Water fog. Alcohol-resistant foam.
------------------------------	--

# Altro Prime Oil-tolerant Hardener

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Unsuitable extinguishing media : Do not use water jet to extinguish.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : In case of fire and/or explosion do not breathe fumes. On burning: release of toxic gases/vapours. Carbon oxides (CO, CO<sub>2</sub>).

### 5.3. Advice for firefighters

Firefighting instructions : Control run-off water by containing and keeping it out of sewers and watercourses.  
Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.  
Emergency procedures : Ventilate spillage area. No flames, no sparks. Eliminate all sources of ignition.

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Avoid release to the environment. Contain the spilled material by bunding.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Provide local exhaust or general room ventilation. Avoid contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep only in original container. Store in a dry place. Store in a closed container.

### 7.3. Specific end use(s)

1.2. Relevant identified uses of the substance or mixture and uses advised against.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

# Altro Prime Oil-tolerant Hardener

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

3-AMINOPROPYLTRIETHOXYSILANE (919-30-2)	
<b>DNEL/DMEL (Workers)</b>	
Long-term - systemic effects, dermal	2 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	14 mg/m <sup>3</sup>
<b>DNEL/DMEL (General population)</b>	
Long-term - systemic effects, oral	1 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	3.5 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	1 mg/kg bodyweight/day
<b>2,2,4-Trimethylhexane-1-6-diamine (25513-64-8)</b>	
<b>DNEL/DMEL (General population)</b>	
Long-term - systemic effects, oral	0.05 mg/kg bodyweight/day
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	0.102 mg/l
PNEC aqua (marine water)	0.0102 mg/l
PNEC aqua (intermittent, freshwater)	0.315 mg/l
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	0.622 mg/kg dwt
PNEC sediment (marine water)	0.062 mg/kg dwt
<b>PNEC (Soil)</b>	
PNEC soil	10 mg/kg dwt
<b>PNEC (STP)</b>	
PNEC sewage treatment plant	72 mg/l

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Provide local exhaust or general room ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

#### Personal protective equipment symbol(s):



# Altro Prime Oil-tolerant Hardener

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

### 8.2.2.1. Eye and face protection

**Eye protection:**

Wear eye protection

### 8.2.2.2. Skin protection

**Skin and body protection:**

Avoid contact with skin

**Hand protection:**

Standard EN 374 - Protective gloves against chemicals.

**Other skin protection**

**Materials for protective clothing:**

Keep work clothing separately

### 8.2.2.3. Respiratory protection

**Respiratory protection:**

Wear suitable respiratory equipment in case of insufficient ventilation

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

**Environmental exposure controls:**

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Odour	: Not available
Odour threshold	: Not available
pH	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flash point	: Not available
Flammability	: Not available
Explosive limits	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Relative vapour density at 20°C	: Not available
Relative density	: Not available
Density	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
Viscosity, kinematic	: Not available
Explosive properties	: Not available

### 9.2. Other information

Particle characteristics	: Not applicable
--------------------------	------------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# Altro Prime Oil-tolerant Hardener

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

### 10.2. Chemical stability

Stable under normal conditions of use.

### 10.3. Possibility of hazardous reactions

None under normal use.

### 10.4. Conditions to avoid

Avoid heat, flames or sparks.

### 10.5. Incompatible materials

Reactive metals (eg. sodium, calcium, zinc ect). Materials reactive with hydroxyl compounds. Organic acids (e.g. acetic acid, citric acid ect.). Mineral acids, sodium hypochlorite. Product slowly corrodes copper, aluminum, zinc and galvanized surfaces. Reaction with peroxides may result in violent decomposition of peroxide possibly creating an explosion. Oxidizing agent.

### 10.6. Hazardous decomposition products

Nitric acid (HNO<sub>3</sub>). Ammonia, Nitrogen oxides (NO<sub>x</sub>) Nitrogen oxides can react with water vapour to form corrosive nitric acid, Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Aldehydes and flammable hydrocarbon fragments.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.  
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (inhalation) : Inhalation:dust,mist: Harmful if inhaled.

#### Altro Prime Oil-tolerant Hardener

ATE UK (oral)	513.282 mg/kg bodyweight
ATE UK (dust, mist)	3.141 mg/l/4h

#### 3-AMINOPROPYLTRIETHOXYSILANE (919-30-2)

LD50 oral rat	+ 2.83 ml/kg male
LC50 Inhalation - Rat [ppm]	> 5 ppm/4h male

#### 2,2,4-Trimethylhexane-1-6-diamine (25513-64-8)

LD50 oral rat	910 mg/kg bodyweight Animal: rat, Animal sex: male
---------------	--

#### Reaction products of paraformaldehyde with 4-tert-butylphenol & 1,3-phenylenedimethanamine

LD50 oral rat	800 mg/kg Estimated
LD50 dermal rabbit	> 5000 mg/kg Estimated

Skin corrosion/irritation : Causes severe skin burns.  
Serious eye damage/irritation : Causes serious eye damage.  
Respiratory or skin sensitisation : May cause an allergic skin reaction.  
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  
Reproductive toxicity : Suspected of damaging fertility. (if swallowed).  
STOT-single exposure : May cause respiratory irritation.

#### Reaction products of paraformaldehyde with 4-tert-butylphenol & 1,3-phenylenedimethanamine

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

# Altro Prime Oil-tolerant Hardener

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

<b>3-AMINOPROPYLTRIETHOXYSILANE (919-30-2)</b>	
LOAEL (oral, rat, 90 days)	600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
LOAEL (dermal, rat/rabbit, 90 days)	17 mg/kg bodyweight Animal: rabbit
NOAEL (oral, rat, 90 days)	200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)

<b>2,2,4-Trimethylhexane-1-6-diamine (25513-64-8)</b>	
LOAEL (oral, rat, 90 days)	60 mg/kg bodyweight Animal: rat
NOAEL (oral, rat, 90 days)	10 mg/kg bodyweight Animal: rat

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

<b>3-AMINOPROPYLTRIETHOXYSILANE (919-30-2)</b>	
Viscosity, kinematic	1.8 mm <sup>2</sup> /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm <sup>2</sup> /s)'

### Other information

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

<b>3-AMINOPROPYLTRIETHOXYSILANE (919-30-2)</b>	
LC50 - Fish [1]	> 934 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	331 mg/l Test organisms (species): Daphnia magna
NOEC chronic algae	1.3 mg/l Desmodesmus subspicatus

<b>2,2,4-Trimethylhexane-1-6-diamine (25513-64-8)</b>	
EC50 72h - Algae [1]	43.5 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
LOEC (chronic)	1.02 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	1.02 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 10.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '30 d'

<b>Reaction products of paraformaldehyde with 4-tert-butylphenol &amp; 1,3-phenylenedimethanamine</b>	
LC50 - Fish [2]	7.9 mg/l Test species:- Oncorhynchus mykiss (Rainbow trout) LL50
EC50 - Crustacea [1]	8.98 mg/l Test species:- Daphnia magna (Water flea) EL50
EC50 72h - Algae [1]	4.94 mg/l Test species:- Pseudokirchneriella subcapitata (Green algae) EL50

### 12.2. Persistence and degradability

<b>Altro Prime Oil-tolerant Hardener</b>	
Persistence and degradability	Not rapidly degradable

# Altro Prime Oil-tolerant Hardener

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

3-AMINOPROPYLTRIETHOXYSILANE (919-30-2)	
Persistence and degradability	Not readily biodegradable.
Biodegradation	67 % 28d (OECD 301A method)
1,3-Benzenedimethanamine, N-(2-Cyanoethyl) Derivs. (90194-00-6)	
Persistence and degradability	Not rapidly degradable
2,2,4-Trimethylhexane-1-6-diamine (25513-64-8)	
Persistence and degradability	Not rapidly degradable
Reaction products of paraformaldehyde with 4-tert-butylphenol & 1,3-phenylenedimethanamine	
Persistence and degradability	Not rapidly degradable

### 12.3. Bioaccumulative potential

3-AMINOPROPYLTRIETHOXYSILANE (919-30-2)	
Bioconcentration factor (BCF REACH)	3.4 Cyprinus carpio
Reaction products of paraformaldehyde with 4-tert-butylphenol & 1,3-phenylenedimethanamine	
BCF - Fish [1]	3.6
Partition coefficient n-octanol/water (Log Pow)	3 – 5

### 12.4. Mobility in soil

Reaction products of paraformaldehyde with 4-tert-butylphenol & 1,3-phenylenedimethanamine	
Mobility in soil	0 – 50

### 12.5. Results of PBT and vPvB assessment

Altro Prime Oil-tolerant Hardener	
This substance does not meet the PBT criteria of UK REACH regulation, annex XIII	
This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII	
Component	
3-AMINOPROPYLTRIETHOXYSILANE (919-30-2)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
1,3-Benzenedimethanamine, N-(2-Cyanoethyl) Derivs. (90194-00-6)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
2,2,4-Trimethylhexane-1-6-diamine (25513-64-8)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
Reaction products of paraformaldehyde with 4-tert-butylphenol & 1,3-phenylenedimethanamine	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII

### 12.6. Other adverse effects

Ozone : Not classified (Based on available data, the classification criteria are not met)

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.  
Waste treatment methods : Must follow special treatment according to local regulation.  
Ecological waste information : Avoid release to the environment.

# Altro Prime Oil-tolerant Hardener






## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

HP Code : HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.  
 HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.  
 HP8 - "Corrosive:" waste which on application can cause skin corrosion.  
 HP10 - "Toxic for reproduction:" waste which has adverse effects on sexual function and fertility in adult males and females, as well as developmental toxicity in the offspring.  
 HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.  
 HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
UN 3267	UN 3267	UN 3267	UN 3267	UN 3267
<b>14.2. UN proper shipping name</b>				
CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.)	Corrosive liquid, basic, organic, n.o.s. (CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.)
<b>Transport document description</b>				
UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.), 8, III, (E), ENVIRONMENTALLY HAZARDOUS	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.), 8, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 3267 Corrosive liquid, basic, organic, n.o.s. (CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.), 8, III, ENVIRONMENTALLY HAZARDOUS	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.), 8, III, ENVIRONMENTALLY HAZARDOUS	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.), 8, III, ENVIRONMENTALLY HAZARDOUS
<b>14.3. Transport hazard class(es)</b>				
8	8	8	8	8
				
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : C7  
 Special provisions (ADR) : 274  
 Limited quantities (ADR) : 5I

# Altro Prime Oil-tolerant Hardener

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP1, TP28
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 2X

### Transport by sea

Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW2
Segregation (IMDG)	: 18 - Alkalis (SGG18), SG35
Properties and observations (IMDG)	: Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.

### Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L

### Inland waterway transport

Classification code (ADN)	: C7
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

### Rail transport

Classification code (RID)	: C7
Special provisions (RID)	: 274
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T7

# Altro Prime Oil-tolerant Hardener

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Portable tank and bulk container special provisions (RID) : TP1, TP28  
Tank codes for RID tanks (RID) : L4BN  
Transport category (RID) : 3  
Special provisions for carriage – Packages (RID) : W12  
Colis express (express parcels) (RID) : CE8  
Hazard identification number (RID) : 80

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. National regulations

##### UK REACH Annex XVII (Restriction List)

This product contains no substance(s) listed on UK REACH Annex XVII (Restriction List) equal to or above the level of SDS disclosure

##### UK REACH Annex XIV (Authorisation List)

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

##### UK REACH Candidate List (SVHC)

This product contains no substance(s) listed on the UK REACH Candidate List (SVHC).

##### GB PIC Regulation (Prior Informed Consent)

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

##### POP Regulation (Persistent Organic Pollutants)

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

##### Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

##### Control of Poisons and Explosives Precursors Act

This product contains no substance(s) listed as a reportable poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

##### Drug Precursors Regulation (EC 273/2004)

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

#### 15.1.2. Other Information

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

### Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4

# Altro Prime Oil-tolerant Hardener

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), UK

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.