

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 06/07/2023 Revision date: 06/07/2023 Supersedes version of: 27/09/2016 Version: 3.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

: Altro Seal Water-based Matt Clear Base Product name

Product code : SUVRWB B000 Product group : End product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

: Industrial use, Professional use Main use category

: Epoxy Base - Industrial flooring & wall coatings Use of the substance/mixture

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Supplier Other Altro Resin Systems Altro GmbH

Unit 3 Station Road Industrial Estate Ebertallee 209 06846 Dessau-Roßlau Station Road

GB- DT2 0AE Maiden Newton Dorchester

T 01300 320620 T +49 (0) 340 6500-0

sds@altro.com - www.altro.com

#### 1.4. Emergency telephone number

**Emergency number** : 01462 480480

Monday - Friday 09:00-17:00

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

H317 Skin sensitisation, Category 1 Reproductive toxicity, Category 1B H360

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

# 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

Signal word (CLP) : Danger

Contains : 2-methylisothiazol-3(2H)-one; N-METHYL-2-PYRROLIDONE

Hazard statements (CLP) : H317 - May cause an allergic skin reaction. H360 - May damage the unborn child..

: P201 - Obtain special instructions before use.

Precautionary statements (CLP) P261 - Avoid breathing spray, vapours.

P280 - Wear protective clothing, eye protection, face protection, protective gloves.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

Extra phrases : As from 24 August 2023 adequate training is required before industrial or professional use.

### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

| Component                         |  |
|-----------------------------------|--|
| N-METHYL-2-PYRROLIDONE (872-50-4) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

| Component                        |  |
|----------------------------------|--|
| 1-Methoxypropan-2-ol(107-98-2)   | The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % |
| N-METHYL-2-PYRROLIDONE(872-50-4) | The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605  |

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

# 3.2. Mixtures

| Name  | Product identifier  | %           | Classification according to<br>Regulation (EC) No. 1272/2008<br>[CLP]   |
|---|---|-------------|---|
| 1-Methoxypropan-2-ol substance with national workplace exposure limit(s) (GB)   | CAS-No.: 107-98-2<br>EC-No.: 203-539-1<br>EC Index-No.: 603-064-00-3                                    | ≥ 3 - < 5   | Flam. Liq. 3, H226<br>STOT SE 3, H336   |
| Aliphatic Polyether   | -   | ≥ 0.1 – < 3 | Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h)   |
| N-METHYL-2-PYRROLIDONE<br>substance listed as REACH Candidate (1-Methyl-2-<br>pyrrolidone (NMP))<br>substance with national workplace exposure limit(s)<br>(GB) | CAS-No.: 872-50-4<br>EC-No.: 212-828-1<br>EC Index-No.: 606-021-00-7<br>REACH-no: 01-2119472430-        | ≥ 0.1 – < 1 | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Repr. 1B, H360D<br>STOT SE 3, H335   |
| Ammonia, anhydrous substance with national workplace exposure limit(s) (GB) (Note U)  | CAS-No.: 7664-41-7<br>EC-No.: 231-635-3<br>EC Index-No.: 007-001-00-5<br>REACH-no: 01-2119488876-<br>14 | < 0.1       | Flam. Gas 2, H221 Press. Gas Acute Tox. 3 (Inhalation), H331 (ATE=700 ppmv/4h) Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name  | Product identifier  | %     | Classification according to<br>Regulation (EC) No. 1272/2008<br>[CLP]  |
|---|---|-------|--|
| 2-methylisothiazol-3(2H)-one substance with national workplace exposure limit(s) (AT, CH) | CAS-No.: 2682-20-4<br>EC-No.: 220-239-6<br>EC Index-No.: 613-326-00-9 | < 0.1 | Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 2 (Inhalation), H330 (ATE=0.05 mg/l/4h) Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH208 |

| Specific concentration limits: |  |  |  |
|--------------------------------|--|--|--|
| Name                           | Product identifier   | Specific concentration limits          |  |
| N-METHYL-2-PYRROLIDONE         | CAS-No.: 872-50-4<br>EC-No.: 212-828-1<br>EC Index-No.: 606-021-00-7<br>REACH-no: 01-2119472430- | ( 10 ≤C ≤ 100) STOT SE 3, H335         |  |
| 2-methylisothiazol-3(2H)-one   | CAS-No.: 2682-20-4<br>EC-No.: 220-239-6<br>EC Index-No.: 613-326-00-9                            | ( 0.0015 ≤C ≤ 100) Skin Sens. 1A, H317 |  |

Note U:

When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned:. Press. Gas (Comp.), Press. Gas (Liq.), Press. Gas (Ref. Liq.), Press. Gas (Diss.). Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

First-aid measures after ingestion

# 4.1. Description of first aid measures

First-aid measures general : Take off all contaminated clothing and wash its before reuse.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek

medical advice.

First-aid measures after skin contact : Take off contaminated clothing. Gently wash with plenty of soap and water. If skin irritation

or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists:

Get medical advice/attention.

: Do not induce vomiting. Get medical advice/attention if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : irritation (itching, redness, blistering).

Symptoms/effects after eye contact : Causes eye irritation. redness, itching, tears.

Symptoms/effects after ingestion : May cause irritation to the digestive tract.

06/07/2023 (Revision date) GB - en 3/13

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide (CO2). Dry powder. Foam. In case of a larger fire, water spray should be

used.

Unsuitable extinguishing media : Do not use water jet to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : In case of fire and/or explosion do not breathe fumes. On burning: release of toxic

gases/vapours. Carbon oxides (CO, CO2). Nitrogenous substances.

# 5.3. Advice for firefighters

Firefighting instructions : Control run-off water by containing and keeping it out of sewers and watercourses.

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area.

#### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Take up mechanically (sweeping, shovelling)

and collect in suitable container for disposal. This material and its container must be

disposed of in a safe way, and as per local legislation.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Provide local exhaust or general room ventilation. Avoid contact with skin and eyes.

Contaminated work clothing should not be allowed out of the workplace. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when

leaving work.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in original container. Keep cool. Store in a dry place. Store in a closed container.

Store in a well-ventilated place. Keep container tightly closed.

Storage temperature : > 20 - < 35

Storage area : Avoid contact with water or humidity. If moisture enters isocyanate containers, CO2 forms

and pressure builds up.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 7.3. Specific end use(s)

1.2. Relevant identified uses of the substance or mixture and uses advised against.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

| 1-Methoxypropan-2-ol (107-98-2)               |           |  |
|---|-----------|--|
| United Kingdom - Occupational Exposure Limits |           |  |
| WEL TWA (OEL TWA) [1]                         | 375 mg/m³ |  |
| WEL TWA (OEL TWA) [2]                         | 100 ppm   |  |
| WEL STEL (OEL STEL)                           | 560 mg/m³ |  |
| WEL STEL (OEL STEL) [ppm]                     | 150 ppm   |  |
| N-METHYL-2-PYRROLIDONE (872-50-4)             |           |  |
| United Kingdom - Occupational Exposure Limits |           |  |
| WEL TWA (OEL TWA) [1]                         | 40 mg/m³  |  |
| WEL TWA (OEL TWA) [2]                         | 10 ppm    |  |
| WEL STEL (OEL STEL)                           | 80 mg/m³  |  |
| WEL STEL (OEL STEL) [ppm]                     | 20 ppm    |  |
| Ammonia, anhydrous (7664-41-7)                |           |  |
| United Kingdom - Occupational Exposure Limits |           |  |
| WEL TWA (OEL TWA) [1]                         | 18 mg/m³  |  |
| WEL TWA (OEL TWA) [2]                         | 25 ppm    |  |
| WEL STEL (OEL STEL)                           | 25 mg/m³  |  |
| WEL STEL (OEL STEL) [ppm]                     | 35 ppm    |  |

#### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

# 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Provide local exhaust or general room ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

#### 8.2.2. Personal protection equipment

## Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Personal protective equipment symbol(s):







### 8.2.2.1. Eye and face protection

### Eye protection:

Wear eye protection

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Avoid contact with skin

#### Hand protection:

Standard EN 374 - Protective gloves against chemicals.

#### Other skin protection

#### Materials for protective clothing:

Keep work clothing separately

## 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear suitable respiratory equipment in case of insufficient ventilation

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

: Liquid Physical state Colour : Not available : Colourless liquid. Appearance Odour : Not available Odour threshold : Not available Melting point : Not available Freezing point : Not available Boiling point : Not available Flammability : Not available **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available Flash point : Not available : Not available Auto-ignition temperature : Not available Decomposition temperature : Not available pН : Not available Viscosity, kinematic : Not available Solubility Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure Not available Not available Vapour pressure at 50°C Density Not available Not available Relative density Relative vapour density at 20°C Not available Particle characteristics : Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# 10.2. Chemical stability

Stable under normal conditions of use.

# 10.3. Possibility of hazardous reactions

None under normal use. Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

Acids. Amines. Bases. Water.

# 10.6. Hazardous decomposition products

In combustion emits toxic fumes.

## **SECTION 11: Toxicological information**

2-methylisothiazol-3(2H)-one (2682-20-4)

рΗ

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| 1-Methoxypropan-2-ol (107-98-2)   |   |
|-----------------------------------|---|
| LD50 dermal rat                   | > 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal))   |
| N-METHYL-2-PYRROLIDONE (872-50-4) |   |
| LD50 oral rat                     | 4150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 3100 - 5560                         |
| LD50 dermal rat                   | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  |
| LC50 Inhalation - Rat             | > 5.1 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)   |
| Ammonia, anhydrous (7664-41-7)    |   |
| LD50 oral rat                     | 350 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other: |
| Skin corrosion/irritation :       | Not classified  |

2.58 Temp.: 25 °C Concentration: 50 g/L

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| pH 2.58 Temp.: 25 °C Concentration: 50 g/L  NMETHYL-2-PYRROLIDONE (872-50-4)  pH 8.5 – 10  Respiratory or skin sensitisation   | N-METHYL-2-PYRROLIDONE (872-50-4)             |   |
|--|---|---|
| 2.88 Temp.: 25 °C Concentration: 50 g/L  N.METHYL-2-PYRROLIDONE (872-50-4)  pH   | рН  | 8.5 – 10  |
| pH 8.5 = 10 Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ coll mutagenicity : Not classified  | Serious eye damage/irritation                 | : Not classified  |
| NMETHYL-2-PYRROLIDONE (872-50-4)  pH   | 2-methylisothiazol-3(2H)-one (2682-20-4)      |   |
| pH 8.5 – 10 Respitatory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified  NMETHYL-2-PYRROLIDONE (872-50-4)  NOAEL (chronic, oral, animal/male, 2 years) : 89 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: CECD Guideline 451 (Carcinogenicity) Studies), Guideline: EU Mathod B.32 (Carcinogenicity Test), Guideline: EPA OTS 788.3300 (Carcinogenicity) Test), Guideline: EPA OTS 788.3300 (Carcinogenicity) Studies), Guideline: EPA OTS 788.3300 (Carcinogenicity)  Ammonia, anhydrous (7664-41-7)  NOAEL (chronic, oral, animal/male, 2 years)   | рН  | 2.58 Temp.: 25 °C Concentration: 50 g/L   |
| Respiratory or skin sensitisation  | N-METHYL-2-PYRROLIDONE (872-50-4)             |   |
| Germ cell mutagenicity : Not classified carcinogenicity : Not classified (Carcinogenicity : Not classified (Carcinogenicity Studies) (Carcinogenicit | рН  | 8.5 – 10  |
| Carcinogenicity : Not classified  N-METHYL-2-PYRROLIDONE (872-50-4)  NOAEL (chronic, oral, animal/male, 2 years)  NOAEL (animal/male, Fo/P)  NOAEL (animal/m | Respiratory or skin sensitisation             |   |
| NAMETHYL-2-PYRROLIDONE (872-50-4)  NOAEL (chronic, oral, animal/male, 2 years)   |   |   |
| *89 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 451 (Carcinogenicity) Studies), Guideline: EU Method B.32 (Carcinogenicity Test), Guideline: EPA OTS 788.3300 (Carcinogenicity) Studies), Guideline: EU Method B.32 (Carcinogenicity Test), Guideline: EPA OTS 788.3300 (Carcinogenicity) Studies), Guideline: EU Method B.32 (Carcinogenicity) Test), Guideline: EPA OTS 788.3300 (Carcinogenicity) Studies), Guideline: OECD Guideline 451 (Carcinogenicity) Studies), Guideline: OECD Guideline 453 (Guideline: CPA OTS 788.3300 (Carcinogenicity) Studies), Remarks on results: other:  **NOAEL (chronic, oral, animal/male, 2 years)  **OAEL (animal/male, 2 years)  **OAEL (chronic, oral, animal/male, 2 years)  **OAEL (animal/male, 2 years)  **OO mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  **OO mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  **OO mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  **OO mg/kg bodyweigh |   | . Not diassilled  |
| 451 (Carcinogenicity Studies), Guideline: EU Method B.32 (Carcinogenicity Test), Guideline: EPA OTS 798.3300 (Carcinogenicity)  Ammonia, anhydrous (7664-41-7)  NOAEL (chronic, oral, animal/male, 2 years)  256 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity) Studies), Remarks on results: other:  NOAEL (chronic, oral, animal/female, 2 years)  284 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:  Reproductive toxicity  NMETHYL-2-PYRROLIDONE (872-50-4)  LOAEL (animal/female, F0/P)  500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  NOAEL (animal/female, F0/P)  350 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  NOAEL (animal/female, F0/P)  350 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  NOAEL (animal/female, F0/P)  350 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  NOAEL (animal/female, F0/P)  350 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  NOAEL (animal/female, F0/P)  350 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  NOAEL (oral, rat, 90 days)  71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)   |   | (Carcinogenicity Studies), Guideline: EU Method B.32 (Carcinogenicity Test), Guideline: |
| NOAEL (chronic, oral, animal/male, 2 years)  256 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:  NOAEL (chronic, oral, animal/female, 2 years)  284 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:  Reproductive toxicity  NMETHYL-2-PYRROLIDONE (872-50-4)  LOAEL (animal/female, F0/P)  500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  NOAEL (animal/female, F0/P)  \$500 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  NOAEL (animal/female, F0/P)  \$500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  NOAEL (animal/female, F0/P)  \$500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  NOAEL (animal/female, F0/P)  \$500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  STOT-single exposure  May cause drowsiness or dizziness.  NMETHYL-2-PYRROLIDONE (872-50-4)  STOT-single exposure  May cause drowsiness or dizziness.  NMETHYL-2-PYRROLIDONE (872-50-4)  STOT-repeated exposure  May cause respiratory irritation.  STOT-repeated exposure  Any Cause respiratory irritation.  STOT-repeated exposure  Any Cause respiratory irritation.  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  1-Methoxypropan-2-ol (107-98-2)  LOAEL (oral, rat, 90 days)  2757 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  NOAEL (oral, rat, 90 days)  919 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407    | NOAEL (chronic, oral, animal/female, 2 years) | 451 (Carcinogenicity Studies), Guideline: EU Method B.32 (Carcinogenicity Test),        |
| (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:  NOAEL (chronic, oral, animal/female, 2 years)  284 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:  Reproductive toxicity  N-METHYL-2-PYRROLIDONE (872-50-4)  LOAEL (animal/female, F0/P)  \$500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  NOAEL (animal/female, F0/P)  \$500 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  NOAEL (animal/female, F0/P)  \$500 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  NOAEL (animal/female, F0/P)  \$500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  NOAEL (animal/female, F0/P)  \$500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  STOT-single exposure  May cause drowsiness or dizziness.  N-METHYL-2-PYRROLIDONE (872-50-4)  STOT-repeated exposure  May cause respiratory irritation.  STOT-repeated exposure  Not classified  2-methylisothiazol-3(2H)-one (2682-20-4)  LOAEL (oral, rat, 90 days)  71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  NOAEL (oral, rat, 90 days)  919 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)   | Ammonia, anhydrous (7664-41-7)                |   |
| Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:   Reproductive toxicity   May damage the unborn child.  | NOAEL (chronic, oral, animal/male, 2 years)   |   |
| N-METHYL-2-PYRROLIDONE (872-50-4)  LOAEL (animal/female, F0/P)  Soo mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  NOAEL (animal/male, F0/P)  ≥ 500 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  NOAEL (animal/female, F0/P)  350 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  STOT-single exposure  Not classified  1-Methoxypropan-2-oi (107-98-2)  STOT-single exposure  May cause drowsiness or dizziness.  N-METHYL-2-PYRROLIDONE (872-50-4)  STOT-repeated exposure  May cause respiratory irritation.  STOT-repeated exposure  Not classified  2-methylisothiazoi-3(2H)-one (2682-20-4)  LOAEL (oral, rat, 90 days)  71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: other:  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  1-Methoxypropan-2-oi (107-98-2)  LOAEL (oral, rat, 90 days)  2757 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  | NOAEL (chronic, oral, animal/female, 2 years) |   |
| LOAEL (animal/female, F0/P)  500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  NOAEL (animal/male, F0/P)  \$500 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  NOAEL (animal/female, F0/P)  \$350 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  STOT-single exposure  \$100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  STOT-single exposure  \$100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  STOT-single exposure  \$100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)  STOT-single exposure  \$100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: OECD Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  \$100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  \$100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  | Reproductive toxicity                         | : May damage the unborn child   |
| Two-Generation Reproduction Toxicity Study)   NOAEL (animal/male, F0/P)   ≥ 500 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)   NOAEL (animal/female, F0/P)   350 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)   STOT-single exposure   | N-METHYL-2-PYRROLIDONE (872-50-4)             |   |
| NOAEL (animal/female, F0/P)   350 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)   | LOAEL (animal/female, F0/P)                   |   |
| (Two-Generation Reproduction Toxicity Study)  STOT-single exposure : Not classified  1-Methoxypropan-2-ol (107-98-2)  STOT-single exposure May cause drowsiness or dizziness.  N-METHYL-2-PYRROLIDONE (872-50-4)  STOT-single exposure May cause respiratory irritation.  STOT-repeated exposure : Not classified  2-methylisothiazol-3(2H)-one (2682-20-4)  LOAEL (oral, rat, 90 days) 71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: other:  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  1-Methoxypropan-2-ol (107-98-2)  LOAEL (oral, rat, 90 days) 2757 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  NOAEL (oral, rat, 90 days) 919 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407   | NOAEL (animal/male, F0/P)                     |   |
| 1-Methoxypropan-2-ol (107-98-2)  STOT-single exposure May cause drowsiness or dizziness.  N-METHYL-2-PYRROLIDONE (872-50-4)  STOT-single exposure May cause respiratory irritation.  STOT-repeated exposure : Not classified  2-methylisothiazol-3(2H)-one (2682-20-4)  LOAEL (oral, rat, 90 days) 71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: other:  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  1-Methoxypropan-2-ol (107-98-2)  LOAEL (oral, rat, 90 days) 2757 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  NOAEL (oral, rat, 90 days) 919 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407  | NOAEL (animal/female, F0/P)                   |   |
| STOT-single exposure  May cause drowsiness or dizziness.  N-METHYL-2-PYRROLIDONE (872-50-4)  STOT-single exposure  May cause respiratory irritation.  STOT-repeated exposure : Not classified  2-methylisothiazol-3(2H)-one (2682-20-4)  LOAEL (oral, rat, 90 days)  71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: other:  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  1-Methoxypropan-2-ol (107-98-2)  LOAEL (oral, rat, 90 days)  2757 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  NOAEL (oral, rat, 90 days)  919 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407   | STOT-single exposure                          | : Not classified  |
| N-METHYL-2-PYRROLIDONE (872-50-4)  STOT-single exposure May cause respiratory irritation.  STOT-repeated exposure : Not classified  2-methylisothiazol-3(2H)-one (2682-20-4)  LOAEL (oral, rat, 90 days) 71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: other:  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  1-Methoxypropan-2-ol (107-98-2)  LOAEL (oral, rat, 90 days) 2757 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  NOAEL (oral, rat, 90 days) 919 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407  | 1-Methoxypropan-2-ol (107-98-2)               |   |
| STOT-single exposure  STOT-repeated exposure  : Not classified  2-methylisothiazol-3(2H)-one (2682-20-4)  LOAEL (oral, rat, 90 days)  71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: other:  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  1-Methoxypropan-2-ol (107-98-2)  LOAEL (oral, rat, 90 days)  2757 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  NOAEL (oral, rat, 90 days)  919 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407  | STOT-single exposure                          | May cause drowsiness or dizziness.  |
| STOT-repeated exposure : Not classified  2-methylisothiazol-3(2H)-one (2682-20-4)  LOAEL (oral, rat, 90 days)  | N-METHYL-2-PYRROLIDONE (872-50-4)             |   |
| 2-methylisothiazol-3(2H)-one (2682-20-4)  LOAEL (oral, rat, 90 days)  71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: other:  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  1-Methoxypropan-2-ol (107-98-2)  LOAEL (oral, rat, 90 days)  2757 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  NOAEL (oral, rat, 90 days)  919 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407  | STOT-single exposure                          | May cause respiratory irritation.   |
| LOAEL (oral, rat, 90 days)  71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: other:  May cause damage to organs through prolonged or repeated exposure.  1-Methoxypropan-2-ol (107-98-2)  LOAEL (oral, rat, 90 days)  2757 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  NOAEL (oral, rat, 90 days)  919 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407  | STOT-repeated exposure                        | : Not classified  |
| Day Oral Toxicity Study in Rodents), Guideline: other:  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  1-Methoxypropan-2-ol (107-98-2)  LOAEL (oral, rat, 90 days)  2757 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  NOAEL (oral, rat, 90 days)  919 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407   | 2-methylisothiazol-3(2H)-one (2682-20-4)      |   |
| 1-Methoxypropan-2-ol (107-98-2)  LOAEL (oral, rat, 90 days)  2757 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  NOAEL (oral, rat, 90 days)  919 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407   | LOAEL (oral, rat, 90 days)                    |   |
| LOAEL (oral, rat, 90 days)  2757 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  NOAEL (oral, rat, 90 days)  919 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407  | STOT-repeated exposure                        | May cause damage to organs through prolonged or repeated exposure.                      |
| (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  NOAEL (oral, rat, 90 days)  919 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407   | 1-Methoxypropan-2-ol (107-98-2)               |   |
|  | LOAEL (oral, rat, 90 days)                    |   |
|  | NOAEL (oral, rat, 90 days)                    |   |

06/07/2023 (Revision date) GB - en 8/13

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| 1-Methoxypropan-2-ol (107-98-2)     |  |  |
|-------------------------------------|--|--|
| NOAEL (dermal, rat/rabbit, 90 days) | > 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)                 |  |
| N-METHYL-2-PYRROLIDONE (872-50-4)   |  |  |
| LOAEL (dermal, rat/rabbit, 90 days) | 1653 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) |  |
| NOAEL (dermal, rat/rabbit, 90 days) | 826 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)  |  |
| Aspiration hazard :                 | Not classified   |  |
| 1-Methoxypropan-2-ol (107-98-2)     |  |  |
| Viscosity, kinematic                | 1.86 mm²/s   |  |
| N-METHYL-2-PYRROLIDONE (872-50-4)   |  |  |
| Viscosity, kinematic                | 1.613 mm²/s  |  |

# 11.2. Information on other hazards

No additional information available

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Not rapidly degradable

| Not rapidly degradable                   |   |
|--|---|
| 2-methylisothiazol-3(2H)-one (2682-20-4) |   |
| LC50 - Fish [1]                          | 4.77 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)              |
| EC50 - Crustacea [1]                     | 1.6 mg/l Test organisms (species): Daphnia magna  |
| 1-Methoxypropan-2-ol (107-98-2)          |   |
| EC50 - Other aquatic organisms [1]       | 2954 mg/l Test organisms (species): other aquatic crustacea:  |
| N-METHYL-2-PYRROLIDONE (872-50-4)        |   |
| LC50 - Fish [1]                          | > 500 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)             |
| EC50 - Crustacea [1]                     | > 1000 mg/l Test organism (species): Daphnia magna  |
| EC50 72h - Algae [1]                     | 600.5 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 72h - Algae [2]                     | 672.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| LOEC (chronic)                           | 25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'                                      |
| NOEC (chronic)                           | 12.5 mg/l Test organisms (species): Daphnia magna Duration: '21 d'                                    |
| NOEC chronic crustacea                   | 12.5 mg/l   |
| Ammonia, anhydrous (7664-41-7)           |   |
| LC50 - Fish [1]                          | 0.75 – 3.4 mg/l Test organisms (species): Pimephales promelas   |

06/07/2023 (Revision date) GB - en 9/13

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Ammonia, anhydrous (7664-41-7) |  |  |
|--------------------------------|--|--|
| LC50 - Fish [2]                | 34 – 109 mg/l Test organisms (species): Pimephales promelas                |  |
| LOEC (chronic)                 | 1.3 mg/l Test organisms (species): Daphnia magna Duration: '96 h'          |  |
| NOEC (chronic)                 | 0.79 mg/l Test organisms (species): Daphnia magna Duration: '96 h'         |  |
| NOEC chronic fish              | 1.2 mg/l Test organisms (species): Oncorhynchus gorbuscha Duration: '61 d' |  |

#### 12.2. Persistence and degradability

| 1-Methoxypropan-2-ol (107-98-2) |                        |
|---------------------------------|------------------------|
| Persistence and degradability   | Readily biodegradable. |

## 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

| Component                         |  |
|-----------------------------------|--|
| N-METHYL-2-PYRROLIDONE (872-50-4) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Regional legislation (waste) Waste treatment methods HP Code

- : Disposal must be done according to official regulations.
- : Must follow special treatment according to local regulation.
- : HP3 "Flammable:"
  - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
  - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
  - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
  - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
  - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
  - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

#### **SECTION 14: Transport information**

In accordance with ADR / IMDG / ADN / RID

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR                                    | IMDG           | ADN            | RID            |  |
|--|----------------|----------------|----------------|--|
| 14.1. UN number or ID number           |                |                |                |  |
| Not applicable                         | Not applicable | Not applicable | Not applicable |  |
| 14.2. UN proper shipping name          |                |                |                |  |
| Not applicable                         | Not applicable | Not applicable | Not applicable |  |
| 14.3. Transport hazard class(es)       |                |                |                |  |
| Not applicable                         | Not applicable | Not applicable | Not applicable |  |
| 14.4. Packing group                    |                |                |                |  |
| Not applicable                         | Not applicable | Not applicable | Not applicable |  |
| 14.5. Environmental hazards            |                |                |                |  |
| Not applicable                         | Not applicable | Not applicable | Not applicable |  |
| No supplementary information available |                |                |                |  |

### 14.6. Special precautions for user

### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Inland waterway transport

Not applicable

## Rail transport

Not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

## **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains substance(s) listed on the REACH Candidate List in concentrations ≥ 0.1 % or SCL: 1-Methyl-2-pyrrolidone (NMP) (EC 212-828-1, CAS 872-50-4)

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No additional information available

# **SECTION 16: Other information**

| Full text of H- and EUH-statements: |   |  |
|-------------------------------------|---|--|
| Acute Tox. 2 (Inhalation)           | Acute toxicity (inhal.), Category 2                               |  |
| Acute Tox. 3 (Dermal)               | Acute toxicity (dermal), Category 3                               |  |
| Acute Tox. 3 (Inhalation)           | Acute toxicity (inhal.), Category 3                               |  |
| Acute Tox. 3 (Oral)                 | Acute toxicity (oral), Category 3                                 |  |
| Acute Tox. 4 (Inhalation)           | Acute toxicity (inhal.), Category 4                               |  |
| Aquatic Acute 1                     | Hazardous to the aquatic environment – Acute Hazard, Category 1   |  |
| Aquatic Chronic 1                   | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |  |
| Aquatic Chronic 2                   | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |  |
| EUH208                              | Contains . May produce an allergic reaction.                      |  |
| Eye Dam. 1                          | Serious eye damage/eye irritation, Category 1                     |  |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2                     |  |
| Flam. Gas 2                         | Flammable gases, Category 2                                       |  |
| Flam. Liq. 3                        | Flammable liquids, Category 3                                     |  |
| H221                                | Flammable gas.  |  |
| H226                                | Flammable liquid and vapour.                                      |  |
| H301                                | Toxic if swallowed.   |  |
| H311                                | Toxic in contact with skin.                                       |  |
| H314                                | Causes severe skin burns and eye damage.                          |  |
| H315                                | Causes skin irritation.   |  |
| H317                                | May cause an allergic skin reaction.                              |  |
| H318                                | Causes serious eye damage.  |  |
| H319                                | Causes serious eye irritation.                                    |  |
| H330                                | Fatal if inhaled.   |  |
| H331                                | Toxic if inhaled.   |  |
| H332                                | Harmful if inhaled.   |  |
| H335                                | May cause respiratory irritation.                                 |  |
| H336                                | May cause drowsiness or dizziness.                                |  |
| H360                                | May damage fertility or the unborn child.                         |  |

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: |  |  |
|-------------------------------------|--|--|
| H360D                               | May damage the unborn child.   |  |
| H373                                | May cause damage to organs through prolonged or repeated exposure.     |  |
| H400                                | Very toxic to aquatic life.  |  |
| H410                                | Very toxic to aquatic life with long lasting effects.                  |  |
| H411                                | Toxic to aquatic life with long lasting effects.                       |  |
| Press. Gas                          | Gases under pressure   |  |
| Repr. 1B                            | Reproductive toxicity, Category 1B                                     |  |
| Skin Corr. 1B                       | Skin corrosion/irritation, Category 1, Sub-Category 1B                 |  |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2                                  |  |
| Skin Sens. 1A                       | Skin sensitisation, category 1A  |  |
| STOT RE 2                           | Specific target organ toxicity – Repeated exposure, Category 2         |  |
| STOT SE 3                           | Specific target organ toxicity – Single exposure, Category 3, Narcosis |  |

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.