

Designed for possibilities. Made for people.

Altro Promenade[™] product datasheet

Slip-resistant sheet flooring for outdoor spaces

Altro Promenade

Designed for exterior use, Altro Promenade sheet vinyl flooring provides essential slip resistance in areas exposed year-round to changing weather conditions. This range is ideal for indoor applications as well as patios, decks and pool surrounds that prioritize both safety and aesthetic appeal.

Altro Promenade's impervious surface prevents rainwater and excess moisture accumulation that can damage subfloors over time. It is capable of enduring harsh sunlight and fluctuating temperatures without cracking, fading, or falling apart, making it a practical solution for outdoor areas.

In addition to its impressive durability, Altro Promenade offers a low-depth stepped embossing for smooth underfoot comfort and enhanced cleanability while still providing slip resistance.

Features + benefits

- Withstands outdoor conditions
- Durable
- Slip-resistant
- Enhanced cleanability
- Low-depth embossing
- Pillow emboss great for senior living
- Low VOCs

Typical applications

Patios, decks, pool surrounds, spas, balconies, outdoor spaces


Slip resistance




It is designers, specifiers and end users' responsibility to ensure flooring is fit for purpose, and it's part of our role here at Altro to help make this process easy. Our flooring is separated into three categories: safety, slip-resistant and smooth.

Altro Promenade is slip-resistant flooring. It's a perfect choice for outdoor spaces which rain or water from pools may be present.









Antigua P404

WRP404 / AM82 LRV 11 P402 WRP402 / AM239 LRV 16

Kitts P401 WRP401 / AM265

Turks P643 LRV 30

WRP643 / AM239 LRV 17










Trinidad WRP807 / AM200 P807

Tobago WRP603 / AM100 P603

LRV 51





Barbuda P640

WRP640 / AM239 LRV 17

Grenada P642

WRP642 / AM200 LRV 23

Martinique P801

WRP801 / AM272 LRV 35

Curacao P802

WRP802 / AM71 LRV 25





Specifications			
Type + class		ASTM F1303	Type II, Grade 1, Class C
Thickness		2.5mm .10", .7mm wear layer, heterogeneous construction	
Roll dimensions		5'11" x 32'9" 1.82m x 10m	
Roll weight		120 lbs 54.4 kg 120 lbs. per roll	
Warranty	10 Vegr prdact warmer	10 years	
Life expectancy	12 Vear a reactive	12 years	
Static coefficient of friction	>.7D >.8W SCOF	ASTM D2047	Greater than .7 dry, greater than .8 wet
Dynamic coefficient of friction	.38 DCOF	ANSI/NFSI B101.3	.38 wet DCOF
Pendulum Test	Perdam ker PTV ≥45	ASTM E303	Greater than or equal to 45
Static load limit		ASTM F970	1000 psi
Weathering and UV exposure		ASTM G155 ASTM D2565	Tested up to 2500 hours
Minimum operating temperature		-22°F (-30°C)	
Fire and smoke performance	6	CAN/ULC - S102.2 ASTM E648 ASTM E662	Tested Class I < 450
Chemical resistance		ASTM F925	Tested
VOC emissions	VÖČ	CA 01350	Pass
Composition	PVC wear layer with compressed foam backing		
Staining	Certain chemicals may cause staining of vinyl flooring. Traffic stains may be caused by asphalt and rubber products, like rubber mats. Please conduct stain test before installation.		
Altro and Altro Promenade are trademarks of Altro Limited. Content was correct at time of creation. Altro reserves the right to			

Altro and Altro Promenade are trademarks of Altro Limited. Content was correct at time of creation. Altro reserves the right to change any detail. Please consult your sales representative for the latest product information. © Copyright Altro USA 2024



Discover more of our sustainability story and credentials at altro.com





Order samples 24 hours a day at altro.com and materialbank.com

Discover more online!



Maintenance guides

Illus. cleaning guides

æ

τP/

⊒ altro



Warranty forms



Literature



LEED forms

altro

Installation guides

Ľ

Ľ



Installation quickfacts

Even more great resources!

- BIM components
- Specifications
- SDS sheets
- Detail drawings and CAD files
- High-resolution swatch downloads
- Photo galleries www.altropics.com
- Solutions by area type ORs, labs and cleanrooms, kitchens, senior living and more!



♥ USA 800 377 5597

- ♥ CANADA 800 565 4658
- www.altro.com

Content was correct at time of print. Altro reserves the right to change any detail. Please consult www.altro.com or your local Sales Representative for the latest product information.